


2015


YOUR STYLE

GRADE B




RFM[®]  seating

YOUR STYLE. YOUR COMFORT. YOUR HEALTH.



Ridgecrest - Putty



Dillon - Buff



Benday - Smoke



Snow



Stratus



Beach



Tide Pool



Luggage



Apple Green



Chalk



Beachgrass



Bittersweet




Meadow



Fiesta



Sage



Smoke



Bluestone



Ruby




Sterling



Lipstick



Williamsburg



Scampi



River



Mink



Midnight



Cordovan



Ocean



Lipstick



Pewter



Chocolate



Ink



Java




Thunder



Timber



Newsprint



Edge - Gray



Edge - Taupe



Edge - V Black



Edge - Indigo



Edge - Iron




Edge - Onyx



Winslow - Putty



High Cotton - Khaki



Fine Tune - Luna



Blaze




Moonbeam



Haze



Jade



Wheat



Herb



Deep Red



Smoke



Brown Sugar



Evergreen



Tangelo



Ash



Belize




Blue Chip



Cordovan



Peacock



Ruby



Indigo



Fudge



Mineral



Coffee



Steel



Cocoa



Onyx

Fabric Specification and Technical Data

	Dillon	Winslow	Edge	High Cotton	Fine Tune	Ridgecrest	Benday
Content:	Polyurethane 100%	Polyester 100%	Polyester 100%	Polyester 100%	Polyester 100%	Polyester 100%	Polyester 100%
Width:	54"	54"	54"	54"	54"	54"	54"
Cleaning Code:		W	W	W	W	W	W
Abrasion:	200,000	40,000	60,000	100,000	40,000	100,000	30,000
Weight:	20.32 ozs.	11.2 ozs.	15.6 ozs.	17.4 ozs.	15.9 ozs.	12.96 ozs.	11.52 ozs.
Flammability: Pass	CA 117-2013 UFAC Class I NFPA 260 MVSS 302	CA 117-2013 UFAC Class I NFPA 260	CA 117-2013 UFAC Class I NFPA 260	CA 117-2013 UFAC Class I NFPA 260	CA 117-2013 UFAC Class I NFPA 260	CA 117-2013 UFAC Class I NFPA 260	CA 117-2013 UFAC Class I NFPA 260
Lightfastness:	100 hours Class 4	40 hours Class 4	40 hours Class 4	40 hours Class 4	40 hours Class 4	40 hours Class 4	40 hours Class 4
Color Fastness:	Wet: Class 5 Dry: Class 5	Wet: Class 4 Dry: Class 4	Wet: Class 4 Dry: Class 3	Wet: Class 4 Dry: Class 4	Wet: Class 4 Dry: Class 4	Wet: Class 4 Dry: Class 5	Wet: Class 4 Dry: Class 4
Break Strength: ASTMD4034	Warp: 130 lbs. Weft: 120 lbs.	Warp: 106 lbs. Weft: 87 lbs.	Warp: 80 lbs. Weft: 69 lbs.	Warp: 87 lbs. Weft: 106 lbs.	Warp: 80 lbs. Weft: 65 lbs.	Warp: 80 lbs. Weft: 68 lbs.	Warp: 88 lbs. Weft: 86 lbs.
Seam Slippage: ASTMD4034	Warp: 61 lbs. Weft: 81 lbs.	Warp: 74 lbs. Weft: 49 lbs.	Warp: 86 lbs. Weft: 74 lbs.	Warp: 76 lbs. Weft: 92 lbs.	Warp: 43 lbs. Weft: 59 lbs.	Warp: 84 lbs. Weft: 72 lbs.	Warp: 72 lbs. Weft: 75 lbs.
Pilling Resistance:	Class 5	Class 4	Class 4	Class 4	Class 4	Class 4	Class 4
Country of Origin	China	China	Colombia, SA	China	China	USA	China