


EXPEDITED RAY 3600

EXPEDITED

3 WEEKS OR LESS

STANDARD FEATURES

- Accommodates up to 300lbs
- Meets CAL 117-2013
- 27" nylon base
- 55 mm dual hooded black casters
- Thoracic and lumbar support
- Ratchet back
- Protective durable plastic outback
- Standard seat height approx. range for model pictured (floor to top of seat): 18 1/2" to 22" (with 100mm cylinder)



Model 42255

OPTIONS See pages 128-129 for additional options

No multi-shift options, 65 headrest or BT models



42255 Task


MEDIUM BACK
Ratchet back, multi-function 55-control w/ built-in seat slider

For more information on the 55 Control, click here for details.

Arm	B	C (com)	D	E (col)	F	G	L
Armless	1,060	1,082	1,107	1,165	1,225	1,315	1,468
18A	1,233	1,255	1,280	1,338	1,398	1,488	1,641
25A	1,192	1,214	1,239	1,297	1,357	1,447	1,600
37A	1,239	1,261	1,286	1,344	1,404	1,494	1,647

STANDARD FEATURES

- Accommodates up to 300lbs
- Meets CAL 117-2013
- 27" nylon base
- 55 mm dual hooded black casters
- Thoracic and lumbar support
- Ratchet back
- Protective durable plastic outback
- Standard seat height approx. range for model pictured (floor to top of seat): 18 1/2" to 22" (with 100mm cylinder)



Model 42355

OPTIONS See pages 128-129 for additional options



42355 Task

MANAGERS HIGH BACK
Ratchet back, multi-function 55-control w/ built-in seat slider

For more information on the 55 Control, click here for details.

Arm	B	C (com)	D	E (col)	F	G	L
Armless	1,122	1,144	1,170	1,228	1,287	1,378	1,531
18A	1,295	1,317	1,343	1,401	1,460	1,551	1,704
25A	1,254	1,276	1,302	1,360	1,419	1,510	1,663
37A	1,301	1,323	1,349	1,407	1,466	1,557	1,710

SEAT SIZE OPTIONS

	LIST PRICE
420 X-Small 18 1/2 w x 17 d	N/C
422 Small 20 w x 17 3/4 d	N/C
423 Medium 20 1/4 w x 19 d	N/C
429 Large 21 w x 19 1/2 d	N/C

POPULAR OPTIONS

	LIST PRICE
■ #70P Extra thick, soft arm pad	17
■ #25F RFoam	83
■ #60L Air Lumbar	149

RAY 4200

STANDARD FEATURES

- Accommodates up to 300lbs
- Meets CAL 117-2013
- 27" nylon base
- 55 mm dual hooded black casters
- Protective durable plastic outback
- Standard seat height approx. range for model pictured (floor to top of seat): 19 1/4" to 22 3/4" (with 100mm cylinder)

back width
17 1/2"



seat width
20"



back height
19 1/2"

seat depth
17 3/4"



Model 4225

OPTIONS See pages 128-129 for additional options

No multi-shift options, no 65 headrest or Bariatric models



01A Fold away arm with vertical and horizontal adjustment and standard 10 pad
219



08A 3 position pivot, vertically and horizontally adjustable arm with standard 10 pad
152



23A Forward angled vertically and horizontally adjustable arm with 10 pad
160



25A Vertical and horizontal adjustable "T" arm with standard 10 pad
132



37A 4-way, multifunction, vertical and horizontal adjustment w/pad. Pads cannot be changed.
179

4225 Task

MEDIUM BACK
Ratchet back, multi-function 05-control w/ seat slider

Arm	B	C (com)	D	E (col)	F	G	L
Armless	910	932	957	1,015	1,075	1,165	1,318

4228 Task

MEDIUM BACK
Ratchet back, multi-function 08-control w/ built-in seat slider, knee tilt

Arm	B	C (com)	D	E (col)	F	G	L
Armless	1,125	1,147	1,173	1,231	1,290	1,381	1,533

42214 Task

MEDIUM BACK
Advanced synchro tilt control w/ built-in seat slider, tilt lock and ratchet back

Arm	B	C (com)	D	E (col)	F	G	L
Armless	910	932	957	1,015	1,075	1,165	1,318

NS422 Task

MEDIUM BACK
Enhanced task 07-control and ratchet back w/ seat slider

Arm	B	C (com)	D	E (col)	F	G	L
Armless	882	904	930	988	1,047	1,137	1,290

SEAT SIZE OPTIONS

	LIST PRICE
420 Small 18 1/2 w x 17 d	N/C
423 Medium 20 1/4 w x 19 d	N/C
429 Large 21 w x 19 1/2 d	N/C
1900 Molded Tractor 21 w x 19 d	N/C

	LIST PRICE
1100 X-Small Tractor 19 3/4 w x 19 3/4 d	55
1200 Small Tractor 22 w x 19 3/4 d	55
1300 Medium Tractor 22 1/2 w x 20 1/4 d	55
1500 Deep Tractor 24 1/4 w x 19 3/4 d	165

POPULAR OPTIONS

	LIST PRICE
■ #70P Extra thick, soft arm pad	17
■ #25F RFoam	83
■ #60L Air Lumbar	149

RAY 4200

STANDARD FEATURES

- Accommodates up to 300lbs
- Meets CAL 117-2013
- 27" nylon base
- 55 mm dual hooded black casters
- Protective durable plastic outback
- Standard seat height approx. range for model pictured (floor to top of seat): 19 1/4" to 22 3/4" (with 100mm cylinder)

back width
19 1/2"



seat width
21 1/4"



back height
25"

seat depth
19"



Model 4235

OPTIONS See pages 128-129 for additional options



No multi-shift options, no 65 headrest or Bariatric models



01A Fold away arm with vertical and horizontal adjustment and standard 10 pad
219



08A 3 position pivot, vertically and horizontally adjustable arm with standard 10 pad
152



23A Forward angled vertically and horizontally adjustable arm with 10 pad
160



25A Vertical and horizontal adjustable "T" arm with standard 10 pad
132



37A 4-way, multifunction, vertical and horizontal adjustment w/pad. Pads cannot be changed.
179

4235 Task

MANAGERS HIGH BACK
Ratchet back, Multi-function 05-control w/seat slider

Arm	B	C (com)	D	E (col)	F	G	L
-----	---	---------	---	---------	---	---	---

Armless	972	994	1,020	1,078	1,137	1,228	1,381
---------	-----	-----	-------	-------	-------	-------	-------

4238 Task

MANAGERS HIGH BACK
Ratchet back, multi-function 08-control w/ built-in seat slider, knee tilt

Arm	B	C (com)	D	E (col)	F	G	L
-----	---	---------	---	---------	---	---	---

Armless	1,188	1,210	1,235	1,294	1,353	1,443	1,596
---------	-------	-------	-------	-------	-------	-------	-------

42314 Task

MANAGERS HIGH BACK
Advanced synchro tilt control w/ built-in seat slider, tilt lock and ratchet back

Arm	B	C (com)	D	E (col)	F	G	L
-----	---	---------	---	---------	---	---	---

Armless	972	994	1,020	1,078	1,137	1,228	1,381
---------	-----	-----	-------	-------	-------	-------	-------

NS423 Task

MANAGERS HIGH BACK
Enhanced task 07-control and ratchet back w/seat slider

Arm	B	C (com)	D	E (col)	F	G	L
-----	---	---------	---	---------	---	---	---

Armless	945	967	992	1,051	1,110	1,200	1,353
---------	-----	-----	-----	-------	-------	-------	-------

SEAT SIZE OPTIONS

	LIST PRICE
420 X-Small 18 1/2 w x 17 d	N/C
422 Small 20 w x 17 3/4 d	N/C
429 Large 21 w x 19 1/2 d	N/C
1900 Molded Tractor 21 w x 19 d	N/C

	LIST PRICE
1100 X-Small Tractor 19 3/4 w x 19 3/4 d	55
1200 Small Tractor 22 w x 19 3/4 d	55
1300 Medium Tractor 22 1/2 w x 20 1/4 d	55
1500 Deep Tractor 24 1/4 w x 19 3/4 d	165

POPULAR OPTIONS

	LIST PRICE
■ #70P Extra thick, soft arm pad	17
■ #25F RFoam	83
■ #60L Air Lumbar	149
■ #70L Air Thoracic	149
■ #68L Air Lumbar & Thoracic	237

RAY 4200

STANDARD FEATURES

- Accommodates up to 300lbs
- Meets CAL 117-2013
- 27" nylon base
- 55 mm dual hooded black casters
- Protective durable plastic outback
- Articulating headrest
- Standard seat height approx. range for model pictured (floor to top of seat): 18 3/4" to 22 1/4" (with 100mm cylinder)

back width
19 1/2"



seat width
20 1/4"

adjustable
12"



back height
25"

seat depth
19"



Model 42911 w/1500 tractor seat

OPTIONS See pages 128-129 for additional options



No multi-shift options or Bariatric models

4295 Task

EXECUTIVE HIGH BACK w/headrest
Ratchet back, multi-function 05-control w/seat slider

Arm	B	C (com)	D	E (col)	F	G	L
Armless	1,387	1,409	1,434	1,493	1,552	1,642	1,795

4298 Task

EXECUTIVE HIGH BACK w/headrest
Ratchet back, multi-function 08-control w/ built-in seat slider, knee tilt

Arm	B	C (com)	D	E (col)	F	G	L
Armless	1,603	1,625	1,650	1,708	1,768	1,858	2,011

42914 Task

EXECUTIVE HIGH BACK w/headrest,
advanced synchro tilt control w/ built-in seat slider, tilt lock and ratchet back

Arm	B	C (com)	D	E (col)	F	G	L
Armless	1,387	1,409	1,434	1,493	1,552	1,642	1,795



01A Fold away arm with vertical and horizontal adjustment and standard 10 pad
219



08A 3 position pivot, vertically and horizontally adjustable arm with standard 10 pad
152



23A Forward angled vertically and horizontally adjustable arm with 10 pad
160



25A Vertical and horizontal adjustable "T" arm with standard 10 pad
132



37A 4-way, multifunction, vertical and horizontal adjustment w/pad. Pads cannot be changed.
179

SEAT SIZE OPTIONS

	LIST PRICE		LIST PRICE
420 Small 18 1/2 w x 17 d	N/C	1100 X-Small Tractor 19 3/4 w x 19 3/4 d	55
422 Medium 20 w x 17 3/4 d	N/C	1200 Small Tractor 22 w x 19 3/4 d	55
429 Large 21 w x 19 1/2 d	N/C	1300 Medium Tractor 22 1/2 w x 20 1/4 d	55
1900 Molded Tractor 21 w x 19 d	N/C	1500 Deep Tractor 24 1/4 w x 19 3/4 d	165

POPULAR OPTIONS

	LIST PRICE
■ #70P Extra thick, soft arm pad	17
■ #25F RFoam	83
■ #60L Air Lumbar	149
■ #70L Air Thoracic	149
■ #68L Air Lumbar & Thoracic	237

RAY 4200

STANDARD FEATURES

- Accommodates up to 300lbs
- Meets CAL 117-2013
- 27" nylon base
- 55 mm dual hooded black casters
- Protective durable plastic outback
- Adjustable height foot ring
- Standard seat height approx. range for model pictured (floor to top of seat): 25" to 32" (with 200mm cylinder)



Model 42233

OPTIONS See pages 128-129 for additional options

Note: please specify stool kit 37200 or 37270

No multi-shift options, no 65 headrest or Bariatric models




42233-37200 Stool

MEDIUM BACK STOOL
Ratchet back, tri-action 33-control

Arm	B	C (com)	D	E (col)	F	G	L
Armless	1,036	1,058	1,084	1,142	1,201	1,291	1,444

STANDARD FEATURES

- Accommodates up to 300lbs
- Meets CAL 117-2013
- 27" nylon base
- 55 mm dual hooded black casters
- Protective durable plastic outback
- Adjustable height foot ring
- Standard seat height approx. range for model pictured (floor to top of seat): 25" to 32" (with 200mm cylinder)



Model 42333

OPTIONS See pages 128-129 for additional options

Note: please specify stool kit 37200 or 37270

No multi-shift options, no 65 headrest or Bariatric models



42333-37200 Stool

MANAGERS HIGH BACK STOOL
Ratchet back, tri-action 33-control

Arm	B	C (com)	D	E (col)	F	G	L
Armless	1,099	1,121	1,146	1,205	1,264	1,354	1,507

SEAT SIZE OPTIONS

	LIST PRICE
420 X-Small 18 1/2 w x 17 d	N/C
422 Small 20 w x 17 3/4 d	N/C
423 Medium 20 1/4 w x 19 d	N/C
429 Large 21 w x 19 1/2 d	N/C
1900 Molded Tractor 21 w x 19 d	N/C

	LIST PRICE
1100 X-Small Tractor 19 3/4 w x 19 3/4 d	55
1200 Small Tractor 22 w x 19 3/4 d	55
1300 Medium Tractor 22 1/2 w x 20 1/4 d	55
1500 Deep Tractor 24 1/4 w x 19 3/4 d	165

STOOLS POPULAR OPTIONS

- #70P Extra thick, soft arm pad **17**
- #33SS Seat Slider **55**
- #25F RFoam **83**
- #60L Air Lumbar **149**
- #16B Foot ring base w/60mm no hood caster. Only available in 175mm or 200mm cylinder **N/C**



For 31" - 39" counter heights - request 200 mm cylinder

For 34" - 44" counter heights - request 270 mm cylinder