


Dillon




Balsa



Quarry



Steel



Stratus



Lucid



Tusk



Storm



Graphite



Iron



Java



Black



Straw



Buff



Sandy



Snow



Fiesta



Luggage




Safari



Balsa



Bordeaux



Cordovan



Lipstick



Chili



Williamsburg



Baltic



Sage



Apple Green



Thunder



Nimbus



Ocean



Grape

Dillon

Content:	100% Polyurethane
Backing:	70% Polyester, 30% Cotton
Finish:	Antimicrobial -- silver based ion technology
Weight:	20.3 oz. per linear yard
Width:	54"
Environmental Benefit:	PVC Free Phthalate - compliant CPSC sec. 108 Lead - compliant CPSC sec. 101
Abrasion:	Heavy Duty - Exceeds 200,000 Cycles (Wyzenbeek - #8 Cotton Duck Abradant) (ASTM D4157)
Light Fastness:	Class 4/100 hrs. min. (AATCC 16A)
Color Fastness:	Class 5 (ASTM D3597, AATCC 8) Wet Class 5 (ASTM D3597, AATCC 8) Dry
Physical Properties:	Class 5 (ASTM D3511) Brush Pill 130 lbs. warp, 120 lbs. weft (ASTM D5034) Breaking Strength 61 lbs. warp, 81 lbs. weft (ASTM D4034) Seam Slippage ISO 1419 - Pass 5 weeks
Passes:	California Tech. Bulletin #117-2013 UFAC Class I NFPA 260 Class I MVSS 302 Pass IMO A. 652(16) 8.2
Cleanability:	WS - Both water and solvent based solutions.

This fabric is made in China.

For samples or further information, please contact:

Culp, Inc.

Contract Fabrics

1823 Eastchester Drive

High Point, NC 27265

Phone: (336)-889-5161

Fax: (336)-899-7848

www.culpcontract.com

CULP
CONTRACT

3-29-2019