


# TRADEMARK 2500

## STANDARD FEATURES

- Accommodates up to 300lbs
- Meets CAL 117-2013
- 17B - 28" black nylon high hub base
- 60mm dual wheeled casters
- Top stitch sewn fabric on seat and back
- 64L - Thoracic support
- Two-color upholstery available
- Standard seat height approx. range for model pictured (floor to top of seat): 18-1/2" to 21-1/2" (with 1101 cylinder)



Model 25114

**OPTIONS** See pages 145-146 for additional options



2515 Task	Arm	B	C (com)	D	E (col)	F	G	L
<b>MEDIUM BACK</b> Ratchet back, multi-function 05-control w/seat slider	Armless	1025	1054	1093	1148	1222	1338	1568
Domestically sourced, 55-control with integrated seat slider					150			

2518 Task	Arm	B	C (com)	D	E (col)	F	G	L
<b>MEDIUM BACK</b> Ratchet back, multi-function 08-control w/built-in seat slider, knee tilt	Armless	1261	1290	1329	1384	1458	1574	1804

25114 Task	Arm	B	C (com)	D	E (col)	F	G	L
<b>MEDIUM BACK</b> Advanced synchro tilt control w/ built-in seat slider, tilt lock and ratchet back	Armless	1025	1054	1093	1148	1222	1338	1568

NS251 Task	Arm	B	C (com)	D	E (col)	F	G	L
<b>MEDIUM BACK</b> Enhanced task 07-control and ratchet back w/seat slider	Armless	997	1026	1065	1120	1194	1310	1540



**01A**  
Fold away arm with vertical and horizontal adjustment. Standard with 10P arm pad.  
**260**



**18A**  
360 degree pivot, vertically and horizontally adjustable arm, standard with 10P arm pad.  
**190**



**23A**  
Forward angled, vertically and horizontally adjustable arm, standard with 10P arm pad.  
**171**



**25A**  
Vertical and horizontal adjustable "T" arm. Standard with 10P arm pad.  
**145**



**37A**  
4-way, multifunction, vertical and horizontal adjustment w/built in pad. Pads cannot be changed.  
**197**

## SEAT SIZE OPTIONS

<b>241 X-Small</b> 18-1/2 w x 18 d	N/C	<b>1100 X-Small Tractor</b> 19-3/4 w x 19-3/4 d	65
<b>242 Small</b> 20 w x 18 d	N/C	<b>1200 Small Tractor</b> 22 w x 19-3/4 d	65
<b>243 Medium</b> 20 w x 19 d	Standard	<b>1300 Medium Tractor</b> 22-1/2 w x 20-1/4 d	65
<b>245 Large</b> 21-1/2 w x 20 d	N/C	<b>1500 Deep Tractor</b> 24-1/4 w x 19-3/4 d	180
<b>1900 Molded Tractor</b> 21 w x 19 d	N/C		

## POPULAR OPTIONS

- 70P** Extra thick, soft arm pad **20**
- 25F** RFoam (memory foam) **91**
- 60L** Air Lumbar **164**


## 24/7 UPGRADE

- 24/7 Upgrade 357**
- Includes:**
- Seat Slider
- 28" Heavy duty base
- 70mm Heavy duty casters
- 9 Ply seat shell
- Dual Density Foam
- \*24/7 Upgrade option only available on 05, 14, and NS models.*

# TRADEMARK 2500

## STANDARD FEATURES

- Accommodates up to 300lbs
- Meets CAL 117-2013
- 17B - 28" black nylon high hub base
- 60mm dual wheeled casters
- Top stitch sewn fabric on seat and back
- 64L - Thoracic support
- Two-color upholstery available
- Standard seat height approx. range for model pictured (floor to top of seat): 19" to 22" (with 1101 cylinder)



Model 2535

**OPTIONS** See pages 145-146 for additional options



2535 Task	Arm	B	C (com)	D	E (col)	F	G	L
<b>MANAGERS HIGH BACK</b> Ratchet back, multi-function 05-control w/seat slider	Armless	1060	1089	1128	1183	1257	1373	1603
Domestically sourced, 55-control with integrated seat slider					150			

2538 Task	Arm	B	C (com)	D	E (col)	F	G	L
<b>MANAGERS HIGH BACK</b> Ratchet back, multi-function 08-control w/built-in seat slider, knee tilt	Armless	1296	1325	1364	1419	1493	1609	1839

25314 Task	Arm	B	C (com)	D	E (col)	F	G	L
<b>MANAGERS HIGH BACK</b> Advanced synchro tilt control w/ built-in seat slider, tilt lock and ratchet back	Armless	1060	1089	1128	1183	1257	1373	1603

NS253 Task	Arm	B	C (com)	D	E (col)	F	G	L
<b>MANAGERS HIGH BACK</b> Enhanced task 07-control and ratchet back w/seat slider	Armless	1032	1061	1100	1155	1229	1345	1575



**01A**  
Fold away arm with vertical and horizontal adjustment. Standard with 10P arm pad.  
**260**



**18A**  
360 degree pivot, vertically and horizontally adjustable arm, standard with 10P arm pad.  
**190**



**23A**  
Forward angled, vertically and horizontally adjustable arm, standard with 10P arm pad.  
**171**



**25A**  
Vertical and horizontal adjustable "T" arm. Standard with 10P arm pad.  
**145**



**37A**  
4-way, multifunction, vertical and horizontal adjustment w/built in pad. Pads cannot be changed.  
**197**

Customize this chair with your logo (option 63).  
See page 145 for idetails.

## SEAT SIZE OPTIONS

<b>241 X-Small</b> 18-1/2 w x 18 d	N/C	<b>1100 X-Small Tractor</b> 19-3/4 w x 19-3/4 d	65
<b>242 Small</b> 20 w x 18 d	N/C	<b>1200 Small Tractor</b> 22 w x 19-3/4 d	65
<b>243 Medium</b> 20 w x 19 d	Standard	<b>1300 Medium Tractor</b> 22-1/2 w x 20-1/4 d	65
<b>245 Large</b> 21-1/2 w x 20 d	N/C	<b>1500 Deep Tractor</b> 24-1/4 w x 19-3/4 d	180
<b>1900 Molded Tractor</b> 21 w x 19 d	N/C		

## POPULAR OPTIONS

■ <b>70P</b> Extra thick, soft arm pad	20
■ <b>25F</b> RFoAM (memory foam)	91
■ <b>59L</b> Comfort Cutout	100
■ <b>60L</b> Air Lumbar	164
■ <b>70L</b> Air Thoracic	164
■ <b>68L</b> Air Lumbar & Thoracic	261
■ <b>65HR</b> Articulating headrest	462

## 24/7 UPGRADE

- **24/7 Upgrade 357**
  - Includes:**
  - Seat Slider
  - 28" Heavy duty base
  - 70mm Heavy duty casters
  - 9 Ply seat shell
  - Dual Density Foam
- \*24/7 Upgrade option only available on 05, 14, and NS models.*


# TRADEMARK 2500



Model MP254-50

## STANDARD FEATURES

- Accommodates up to 350lbs
- 24/7 rated
- Meets CAL 117-2013
- 27B - 28" black nylon reinforced base
- 911C - 70mm heavy-duty casters
- 9 Ply tapered seat shell
- 26F - Dual Density seat foam
- Seat boxing and back seat panel, out-back and bottom in-back cutout in black AIM 1200D ballistic polyester
- 58BD - beading (protective edge guard on back)
- 64L - Thoracic ridge
- Standard seat height approx. range for model pictured (floor to top of seat): 21" to 24-1/2" (with 100mm cylinder)



**OPTIONS** See pages 145-146 for additional options

### MP254-50CONT Task

Arm	B	C (com)	D	E (col)	F	G	L
Managers High Back Ratchet back, multi-function 50-control w/seat slider	Armless	1485	1514	1553	1608	1682	1798 2028

### M2544-14CONT Task

Arm	B	C (com)	D	E (col)	F	G	L
Managers High Back Advanced synchro tilt control w/ built-in seat slider, tilt lock and ratchet back	Armless	1485	1514	1553	1608	1682	1798 2028

### M254N-NS CONT Task

Arm	B	C (com)	D	E (col)	F	G	L
Managers High Back Enhanced task 07-control and ratchet back w/seat slider	Armless	1457	1486	1525	1580	1654	1770 2000



**01A**  
Fold away arm with vertical and horizontal adjustment. Standard with 10P arm pad.  
**260**



**18A**  
360 degree pivot, vertically and horizontally adjustable arm, standard with 10P arm pad.  
**190**



**23A**  
Forward angled, vertically and horizontally adjustable arm, standard with 10P arm pad.  
**171**



**25A**  
Vertical and horizontal adjustable "T" arm. Standard with 10P arm pad.  
**145**



**37A**  
4-way, multifunction, vertical and horizontal adjustment w/built in pad. Pads cannot be changed.  
**197**

Customize this chair with your logo (option 63).  
See page 145 for details.

**Please note:** Cross Check, Foundation, and Symphony classic will be warranted for 3 years on 24/7 chairs. All other fabrics are not covered under warranty. To ensure the greatest protection for these chairs, we strongly recommend selecting one of the fabrics with over 250,000 double rubs.


SEAT SIZE OPTIONS		POPULAR OPTIONS		MP/BT UPGRADE SEAT SIZE OPTIONS	
252 Small 20 w x 18 d	N/C	70P Extra thick, soft arm pad	20	2062 Small 24 w x 20 d	310
253 Medium 20 w x 19 d	Standard	25F RFoAM (memory foam)	91	2063 Medium 24 w x 21 d	310
255 Large 21-1/2 w x 20 d	N/C	60L Air Lumbar	164	2064 Large 24 w x 22 d	310
		70L Air Thoracic	164		
		68L Air Lumbar & Thoracic	261		
		65HR Articulating headrest	462		

\*\* 400 lbs. rated \*\*  
\*400 lbs. rated seats only available on 50-control or NS models  
\*no seat slider

# TRADEMARK 2500

## STANDARD FEATURES

- Accommodates up to 300lbs
- Meets CAL 117-2013
- 17B - 28" black nylon high hub base
- 60mm dual wheeled casters
- Top stitch sewn fabric on seat and back
- 64L - Thoracic support
- Two-color upholstery available
- Standard seat height approx. range for model pictured (floor to top of seat): 18-1/2" to 21-1/2" (with 1101 cylinder)



Model 25914

**OPTIONS** See pages 145-146 for additional options



### 2595 Task

**EXECUTIVE HIGH BACK w/ pillow**  
Ratchet back, multi-function 05-control w/ seat slider

Arm	B	C (com)	D	E (col)	F	G	L
-----	---	---------	---	---------	---	---	---

Armless	1380	1416	1463	1540	1640	1792	2056
---------	------	------	------	------	------	------	------

### 2598 Task

**EXECUTIVE HIGH BACK w/ pillow**  
Ratchet back, multi-function 08-control w/ built-in seat slider, knee tilt

Arm	B	C (com)	D	E (col)	F	G	L
-----	---	---------	---	---------	---	---	---

Armless	1616	1652	1699	1776	1876	2028	2292
---------	------	------	------	------	------	------	------

### 25914 Task

**EXECUTIVE HIGH BACK w/ pillow**  
Advanced synchro tilt control w/ built-in seat slider, tilt lock and ratchet back

Arm	B	C (com)	D	E (col)	F	G	L
-----	---	---------	---	---------	---	---	---

Armless	1380	1416	1463	1540	1640	1792	2056
---------	------	------	------	------	------	------	------



**01A**  
Fold away arm with vertical and horizontal adjustment. Standard with 10P arm pad.  
**260**



**18A**  
360 degree pivot, vertically and horizontally adjustable arm, standard with 10P arm pad.  
**190**



**23A**  
Forward angled, vertically and horizontally adjustable arm, standard with 10P arm pad.  
**171**



**25A**  
Vertical and horizontal adjustable "T" arm. Standard with 10P arm pad.  
**145**



**37A**  
4-way, multifunction, vertical and horizontal adjustment w/ built in pad. Pads cannot be changed.  
**197**

Customize this chair with your logo (option 63).  
See page 145 for details.

## SEAT SIZE OPTIONS

<b>241 X-Small</b> 18-1/2 w x 18 d	N/C
<b>242 Small</b> 20 w x 18 d	N/C
<b>243 Medium</b> 20 w x 19 d	Standard
<b>245 Large</b> 21-1/2 w x 20 d	N/C
<b>1900 Molded Tractor</b> 21 w x 19 d	N/C

<b>1100 X-Small Tractor</b> 19-3/4 w x 19-3/4 d	65
<b>1200 Small Tractor</b> 22 w x 19-3/4 d	65
<b>1300 Medium Tractor</b> 22-1/2 w x 20-1/4 d	65
<b>1500 Deep Tractor</b> 24-1/4 w x 19-3/4 d	180

## POPULAR OPTIONS

■ <b>70P</b> Extra thick, soft arm pad	20
■ <b>25F</b> RFoam (memory foam)	91
■ <b>59L</b> Comfort Cutout	97
■ <b>60L</b> Air Lumbar	164
■ <b>70L</b> Air Thoracic	164
■ <b>68L</b> Air Lumbar & Thoracic	261

## 24/7 UPGRADE


- **24/7 Upgrade 357**  
**Includes:**  
Seat Slider  
28" Heavy duty base  
70mm Heavy duty casters  
9 Ply seat shell  
Dual Density Foam
- \*24/7 Upgrade option only available on 05, 14, and NS models.*

# TRADEMARK 2500



## STANDARD FEATURES

- Accommodates up to 350lbs
- 24/7 rated
- Meets CAL 117-2013
- 27B - 28" black nylon reinforced base
- 911C - 70mm heavy duty casters
- 9 Ply tapered seat shell
- 26F - Dual Density seat foam
- Seat boxing and back seat panel, out-back and bottom in-back cutout in black AIM 1200D ballistic polyester
- 58BD - beading (protective edge guard on back)
- 64L - Thoracic ridge
- Standard seat height approx. range for model pictured (floor to top of seat): 21" to 24-1/2" (with 100mm cylinder)



Model MP258-50

**OPTIONS** See pages 145-146 for additional options



MP258-50CONT Task	Arm	B	C (com)	D	E (col)	F	G	L
<b>MANAGERS HIGH BACK</b> Ratchet back, multi-function 50-control w/seat slider	Armless	1900	1936	1983	2060	2160	2312	2576



**01A**  
Fold away arm with vertical and horizontal adjustment. Standard with 10P arm pad.  
**260**

M2584-14CONT Task	Arm	B	C (com)	D	E (col)	F	G	L
<b>MANAGERS HIGH BACK</b> Advanced synchro tilt control w/ built-in seat slider, tilt lock and ratchet back	Armless	1900	1936	1983	2060	2160	2312	2576



**18A**  
360 degree pivot, vertically and horizontally adjustable arm, standard with 10P arm pad.  
**190**

M258N-NS CONT Task	Arm	B	C (com)	D	E (col)	F	G	L
<b>MANAGERS HIGH BACK</b> Enhanced task 07-control and ratchet back w/seat slider	Armless	1872	1908	1955	2032	2132	2284	2548



**23A**  
Forward angled, vertically and horizontally adjustable arm, standard with 10P arm pad.  
**171**



**25A**  
Vertical and horizontal adjustable "T" arm. Standard with 10P arm pad.  
**145**



**37A**  
4-way, multifunction, vertical and horizontal adjustment w/built in pad. Pads cannot be changed.  
**197**

Customize this chair with your logo (option 63).  
See page 145 for details.

**Please note:** Cross Check, Foundation, and Symphony classic will be warranted for 3 years on 24/7 chairs. All other fabrics are not covered under warranty. To ensure the greatest protection for these chairs, we strongly recommend selecting one of the fabrics with over 250,000 double rubs.


SEAT SIZE OPTIONS			POPULAR OPTIONS	
252 Small 20 w x 18 d		N/C	70P Extra thick, soft arm pad	20
253 Medium 20 w x 19 d		Standard	25F RFoM (memory foam)	91
255 Large 21-1/2 w x 20 d		N/C	60L Air Lumbar	164
			70L Air Thoracic	164
			68L Air Lumbar & Thoracic	261



# TRADEMARK 2500

## STANDARD FEATURES

- Accommodates up to 300lbs
- Meets CAL 117-2013
- Choice of Black arms & base or (CH) Polished aluminum arms & base
- 60mm dual wheeled casters
- Top stitch sewn fabric on seat and back
- 64L - Thoracic ridge
- Two-color upholstery available
- Standard seat height approx. range for model pictured (floor to top of seat): 17-1/2" to 20-1/2" (with 100mm cylinder)



Model 251CH

**OPTIONS** No options or substitutions are available.



### 251 Conference

#### MEDIUM BACK

Swivel tilt 07-control w/ 17B 28" black nylon high hub base & 09A reverse "C" arms

Arm	B	C (com)	D	E (col)	F	G	L
09A	1025	1054	1093	1148	1222	1338	1568



### 251CH Conference

#### MEDIUM BACK


Ratchet back, swivel tilt 07-control w/ 22B polished aluminum base & 30A polished aluminum armsbase

Arm	B	C (com)	D	E (col)	F	G	L
30A	1140	1169	1208	1263	1337	1453	1683



## STANDARD FEATURES

- Accommodates up to 300lbs
- Meets CAL 117-2013
- Choice of Black arms & base or (CH) Polished aluminum arms & base
- 60mm dual wheeled casters
- Top stitch sewn fabric on seat and back
- 64L - Thoracic ridge
- Two-color upholstery available
- Standard seat height approx. range for model pictured (floor to top of seat): 17-1/2" to 20-1/2" (with 100mm cylinder)



Model 253CH

**OPTIONS** No options or substitutions are available.



### 253 Conference

Swivel tilt 07-control w/ 17B 28" black nylon high hub base & 09A reverse "C" arms

Arm	B	C (com)	D	E (col)	F	G	L
09A	1060	1089	1128	1183	1257	1373	1603



### 253CH Conference

#### MANAGERS HIGH BACK

Ratchet back, swivel tilt 07-control w/ 22B polished aluminum base & 30A polished aluminum arms

Arm	B	C (com)	D	E (col)	F	G	L
30A	1175	1204	1243	1298	1372	1488	1718




Customize this chair with your logo (option 63).  
See page 145 for details.

# TRADEMARK 2500

## STANDARD FEATURES

- Accommodates up to 300lbs
- Meets CAL 117-2013
- 17B - 28" black nylon high hub base
- 60mm dual wheeled casters
- Top stitch sewn fabric on seat and back
- 64L - Thoracic support
- Two-color upholstery available
- 37FR - Adjustable height foot ring
- Standard seat height approx. range for model pictured (floor to top of seat): 28-1/2" to 35-1/2" (with 200mm cylinder)



Model 25133-16B200

**OPTIONS** See pages 145-146 for additional options

*CLICK HERE FOR APPROXIMATE STOOL HEIGHT GUIDELINES*

Note: please specify stool kit 37200 or 37270



### 25133-37200 Stool

#### MEDIUM BACK

Ratchet back, tri-action 33-control

Arm	B	C (com)	D	E (col)	F	G	L
Armless	1169	1198	1237	1292	1366	1482	1712



**01A**  
Fold away arm with vertical and horizontal adjustment. Standard with 10P arm pad.  
**260**



**18A**  
360 degree pivot, vertically and horizontally adjustable arm, standard with 10P arm pad.  
**190**



**23A**  
Forward angled, vertically and horizontally adjustable arm, standard with 10P arm pad.  
**171**



**25A**  
Vertical and horizontal adjustable "T" arm. Standard with 10P arm pad.  
**145**




**37A**  
4-way, multifunction, vertical and horizontal adjustment w/built in pad. Pads cannot be changed.  
**197**

## SEAT SIZE OPTIONS

<b>241 X-Small</b> 18-1/2 w x 18 d	N/C	<b>1100 X-Small Tractor</b> 19-3/4 w x 19-3/4 d	65
<b>242 Small</b> 20 w x 18 d	N/C	<b>1200 Small Tractor</b> 22 w x 19-3/4 d	65
<b>243 Medium</b> 20 w x 19 d	Standard	<b>1300 Medium Tractor</b> 22-1/2 w x 20-1/4 d	65
<b>245 Large</b> 21-1/2 w x 20 d	N/C	<b>1500 Deep Tractor</b> 24-1/4 w x 19-3/4 d	180
<b>1900 Molded Tractor</b> 21 w x 19 d	N/C		

## STOOLS POPULAR OPTIONS


- **70P** Extra thick, soft arm pad **20**
- **25F** RFoam (memory foam) **91**
- **60L** Air lumbar **164**
- **33SS** Seat slider **60**
- **16B** Foot ring base w/60mm caster. Only available in 175mm or 200mm cylinder. **N/C**



# TRADEMARK 2500

## STANDARD FEATURES

- Accommodates up to 300lbs
- Meets CAL 117-2013
- 17B - 28" black nylon high hub base
- 60mm dual wheeled casters
- Top stitch sewn fabric on seat and back
- 64L - Thoracic support
- Two-color upholstery available
- 37FR - Adjustable height foot ring
- Standard seat height approx. range for model pictured (floor to top of seat): 28-1/2" to 35-1/2" (with 200mm cylinder)



Model 25333-16B200

**OPTIONS** See pages 145-146 for additional options

*CLICK HERE FOR APPROXIMATE STOOL HEIGHT GUIDELINES*



Note: please specify stool kit 37200 or 37270

### 25333-37200 Stool

#### MANAGERS HIGH BACK

Ratchet back, tri-action 33-control

Arm	B	C (com)	D	E (col)	F	G	L
Armless	1204	1233	1272	1327	1401	1517	1747



**01A**  
Fold away arm with vertical and horizontal adjustment. Standard with 10P arm pad.  
**260**



**18A**  
360 degree pivot, vertically and horizontally adjustable arm, standard with 10P arm pad.  
**190**



**23A**  
Forward angled, vertically and horizontally adjustable arm, standard with 10P arm pad.  
**171**



**25A**  
Vertical and horizontal adjustable "T" arm. Standard with 10P arm pad.  
**145**



**37A**  
4-way, multifunction, vertical and horizontal adjustment w/built in pad. Pads cannot be changed.  
**197**

Customize this chair with your logo (option 63).

See page 145 for details.

## SEAT SIZE OPTIONS

<b>241 X-Small</b> 18-1/2 w x 18 d	N/C	<b>1100 X-Small Tractor</b> 19-3/4 w x 19-3/4 d	65
<b>242 Small</b> 20 w x 18 d	N/C	<b>1200 Small Tractor</b> 22 w x 19-3/4 d	65
<b>243 Medium</b> 20 w x 19 d	Standard	<b>1300 Medium Tractor</b> 22-1/2 w x 20-1/4 d	65
<b>245 Large</b> 21-1/2 w x 20 d	N/C	<b>1500 Deep Tractor</b> 24-1/4 w x 19-3/4 d	180
<b>1900 Molded Tractor</b> 21 w x 19 d	N/C		

## STOOLS POPULAR OPTIONS

■ <b>70P</b> Extra thick, soft arm pad	20
■ <b>25F</b> RFoam (memory foam)	91
■ <b>59L</b> Comfort cutout	100
■ <b>60L</b> Air lumbar	164
■ <b>33SS</b> Seat slider	60
■ <b>16B</b> Foot ring base w/60mm caster. Only available in 175mm or 200mm cylinder.	N/C






# TRADEMARK 2500

## STANDARD FEATURES

- Accommodates up to 400lbs
- Meets CAL 117-2013
- 27B - 28" black nylon reinforced base
- 911C - 70mm heavy duty casters
- Top stitch sewn fabric on seat & back
- 11 Ply seat shell
- 64L - Thoracic support & 14BB - Extended back bar
- Two-color upholstery available
- Standard seat height approx. range for model pictured (floor to top of seat): 19-1/2" to 23" (with 100mm cylinder)



Model BT26

## OPTIONS See pages 145-146 for additional options.

Not available: 04, 08, 09, 18, 23, 24 & 37 Arms; 33 Seat Slider



BT25 Task	Arm	B	C (com)	D	E (col)	F	G	L
<b>MEDIUM BACK</b> Ratchet back swivel tilter 07-control	Armless	1267	1296	1335	1390	1464	1580	1810

BT26 Task	Arm	B	C (com)	D	E (col)	F	G	L
<b>MEDIUM BACK</b> Ratchet back with heavy duty, multi-function infinite tilt lock 50-control w/ longer, easy-access cylinder paddle	Armless	1295	1324	1363	1418	1492	1608	1838



**01A**  
Fold away arm with vertical and horizontal adjustment. Standard with 10P arm pad.  
**260**



**03A**  
Loop arm with vertical and horizontal adjustment.  
**310**



**12A**  
Vertical and horizontal adjustable "T" arm with knob. Standard with 10P arm pad.  
**180**




**25A**  
Vertical and horizontal adjustable "T" arm. Standard with 10P arm pad.  
**145**

SEAT SIZE OPTIONS			BT POPULAR OPTIONS	
2011 X-Small 24 w x 18 d		N/C	70P Extra thick, soft arm pad	19
2012 Small 24 w x 19 d		N/C	25F RFoam (memory foam)	91
2013 Medium 24 w x 20 d		Standard	60L Air lumbar	164
2014 Large 24 w x 21 d		N/C	65HR Articulating headrest	462
			24/7 Upgrade for BT models	420

# TRADEMARK 2500

## STANDARD FEATURES

- Accommodates up to 400lbs
- Meets CAL 117-2013
- 27B - 28" black nylon reinforced base
- 911C - 70mm heavy duty casters
- Top stitch sewn fabric on seat & back
- 11 Ply seat shell
- 64L - Thoracic support & 14BB - Extended back bar
- Two-color upholstery available
- Standard seat height approx. range for model pictured (floor to top of seat): 19-1/2" to 23" (with 100mm cylinder)



Model BT28

**OPTIONS** See pages 145-146 for additional options

Not available: 04, 08, 09, 18, 23, 24 & 37 Arms; 33 Seat Slider



BT27 Task	Arm	B	C (com)	D	E (col)	F	G	L
<b>MANAGERS HIGH BACK</b> Ratchet back swivel tilter 07-control	Armless	1302	1331	1370	1425	1499	1615	1845

BT28 Task	Arm	B	C (com)	D	E (col)	F	G	L
<b>MANAGERS HIGH BACK</b> Ratchet back with heavy duty, multi-function infinite tilt lock 50-control w/ longer, easy-access cylinder paddle	Armless	1330	1359	1398	1453	1527	1643	1873



**01A**  
Fold away arm with vertical and horizontal adjustment. Standard with 10P arm pad.  
**260**



**03A**  
Loop arm with vertical and horizontal adjustment.  
**310**



**12A**  
Vertical and horizontal adjustable "T" arm with knob. Standard with 10P arm pad.  
**180**



**25A**  
Vertical and horizontal adjustable "T" arm. Standard with 10P arm pad.  
**145**

Customize this chair with your logo (option 63).  
See page 145 for details.


SEAT SIZE OPTIONS			BT POPULAR OPTIONS	
2011 X-Small 24 w x 18 d		N/C	70P Extra thick, soft arm pad	20
2012 Small 24 w x 19 d		N/C	25F RFoam (memory foam)	91
2013 Medium 24 w x 20 d		Standard	59L Comfort Cutout	100
2014 Large 24 w x 21 d		N/C	60L Air lumbar	164
			65HR Articulating headrest	462
			24/7 Upgrade for BT models	420

# TRADEMARK 2500

## STANDARD FEATURES


- Accommodates up to 350lbs
- Meets CAL 117-2013
- Welded steel frame
- Fully upholstered seat and back
- Completely assembled
- Ganging capability
- Standard seat height: 17-1/2"

back width  
18 1/2"



seat width  
18 1/2"

back height  
14"



seat depth  
19 1/2"



Model 9251A

**OPTIONS** Available options are listed below.



### 9251NA Guest Lobby

Stacking side chair without arms, stick legs; stacks 8 high

Arm	B	C (com)	D	E (col)	F	G	L
Armless	550	568	590	621	669	739	856

### 9251A Guest Lobby

Stacking side chair with arms, stick legs; stacks 8 high

Arm	B	C (com)	D	E (col)	F	G	L
Arm	575	593	615	646	694	764	881

### 9254NA Guest Lobby

Stacking side chair without arms, casters; stacks 4 high

Arm	B	C (com)	D	E (col)	F	G	L
Armless	580	598	620	651	699	769	886

### 9254A Guest Lobby

Stacking side chair with arms, casters; stacks 4 high

Arm	B	C (com)	D	E (col)	F	G	L
Arm	605	623	645	676	724	794	911

### 9961 Cart

Cart 495

### M9961GB

Ganging Device 73

## GUEST LOBBY POPULAR OPTIONS

- 25F RFoam 91
- 26F Dual density foam 53
- 30C Hard floor casters 53