


EVOLVE 1500

STANDARD FEATURES

- Accommodates up to 300lbs
- Meets CAL 117-2013
- 17B - 28" black nylon high hub base
- 60mm dual wheeled casters
- 1900 comfort molded foam tractor seat
- Defined contoured lumbar area
- Height adjustable, black mesh back
- 37FR - Adjustable height foot ring
- Standard seat height approx. range for model pictured (floor to top of seat): 26" to 33" (with 200mm cylinder)



Model 15133-37200

OPTIONS

See pages 138-139 for additional options

[CLICK HERE FOR APPROXIMATE STOOL HEIGHT GUIDELINES](#)



NOTE: Please specify stool kit 37200 or 37270

15133-37200 Stool

MEDIUM BACK

Ratchet back, tri-action 33-control

Arm	B	C (com)	D	E (col)	F	G	L
Armless	999	1017	1039	1072	1122	1193	1312



01A
Fold away arm with vertical and horizontal adjustment. Standard with 10P arm pad.
260



18A
360 degree pivot, vertically and horizontally adjustable arm, standard with 10P arm pad.
190



23A
Forward angled, vertically and horizontally adjustable arm, standard with 10P arm pad.
171



25A
Vertical and horizontal adjustable "T" arm. Standard with 10P arm pad.
145



37A
4-way, multifunction, vertical and horizontal adjustment w/built in pad. Pads cannot be changed.
197

MESH OPTIONS

Teknit Mesh Color
Bleach Cleanable **75**

Standard Mesh Color **50**

[CLICK HERE FOR COLOR OPTIONS](#)

[CLICK HERE FOR LOGO INFORMATION](#)

SEAT SIZE OPTIONS

480 Small 18-1/2 w x 17-1/2 d	N/C
482 Medium 20 w x 19 d	N/C
484 Large 21 w x 20 d	N/C
490 X-Large 23 w x 21 d	N/C
1900 Molded Tractor 21 w x 19 d	Standard

1100 X-Small Tractor 19-3/4 w x 19-3/4 d	65
1200 Small Tractor 22 w x 19-3/4 d	65
1300 Medium Tractor 22-1/2 w x 20-1/4 d	65
1500 Deep Tractor 24-1/4 w x 19-3/4 d	180

STOOLS POPULAR OPTIONS

- **70P** Extra thick, soft arm pad **20**
- **25F** RFoam (memory foam) **91**
- **60L** Air Lumbar **164**
- **33SS** Seat Slider **60**
- **16B** Foot ring base w/60mm caster. Only available in 175mm or 200mm cylinder. **N/C**



EVOLVE 1500

STANDARD FEATURES

- Accommodates up to 300lbs
- Meets CAL 117-2013
- 17B - 28" black nylon high hub base
- 60mm dual wheeled casters
- 1900 comfort molded foam tractor seat
- Defined contoured lumbar area
- Height adjustable, upholstered back
- 37FR - Adjustable height foot ring
- Standard seat height approx. range for model pictured (floor to top of seat): 26-1/4" to 33-1/4" (with 200mm cylinder)

back width
18 1/2"



seat width
21"

back height
19 1/2"



seat depth
19"



Model 15233-482-37200

OPTIONS See pages 138-139 for additional options

[CLICK HERE FOR APPROXIMATE STOOL HEIGHT GUIDELINES](#)

NOTE: Please specify stool kit 37200 or 37270



15233-37200 Stool

MEDIUM BACK

Ratchet back, tri-action 33-control

Arm	B	C (com)	D	E (col)	F	G	L
Armless	1139	1169	1209	1266	1342	1461	1698



01A
Fold away arm with vertical and horizontal adjustment. Standard with 10P arm pad.
260



18A
360 degree pivot, vertically and horizontally adjustable arm, standard with 10P arm pad.
190



23A
Forward angled, vertically and horizontally adjustable arm, standard with 10P arm pad.
171



25A
Vertical and horizontal adjustable "T" arm. Standard with 10P arm pad.
145



37A
4-way, multifunction, vertical and horizontal adjustment w/built in pad. Pads cannot be changed.
197

SEAT SIZE OPTIONS

480 Small 18-1/2 w x 17-1/2 d	N/C	1100 X-Small Tractor 19-3/4 w x 19-3/4 d	65
482 Medium 20 w x 19 d	N/C	1200 Small Tractor 22 w x 19-3/4 d	65
484 Large 21 w x 20 d	N/C	1300 Medium Tractor 22-1/2 w x 20-1/4 d	65
490 X-Large 23 w x 21 d	N/C	1500 Deep Tractor 24-1/4 w x 19-3/4 d	180
1900 Molded Tractor 21 w x 19 d	Standard		

STOOLS POPULAR OPTIONS


- **70P** Extra thick, soft arm pad **20**
- **25F** RFoAM (memory foam) **91**
- **60L** Air Lumbar **164**
- **33SS** Seat Slider **60**
- **16B** Foot ring base w/60mm caster. Only available in 175mm or 200mm cylinder. **N/C**



EVOLVE 1500

STANDARD FEATURES

- Accommodates up to 300lbs
- Meets CAL 117-2013
- 17B - 28" black nylon high hub base
- 60mm dual wheeled casters
- 1900 comfort molded foam tractor seat
- Defined contoured lumbar area
- Height adjustable, black mesh back
- 37FR - Adjustable height foot ring
- Standard seat height approx. range for model pictured (floor to top of seat): 26" to 33" (with 200mm cylinder)



Model 15333-37200

OPTIONS See pages 138-139 for additional options

[CLICK HERE FOR APPROXIMATE STOOL HEIGHT GUIDELINES](#)

NOTE: Please specify stool kit 37200 or 37270



15333-37200 Stool

MANAGERS HIGH BACK
Ratchet back, tri-action 33-control

Arm	B	C (com)	D	E (col)	F	G	L
Armless	1019	1037	1059	1092	1142	1213	1332



01A
Fold away arm with vertical and horizontal adjustment. Standard with 10P arm pad.
260



18A
360 degree pivot, vertically and horizontally adjustable arm, standard with 10P arm pad.
190



23A
Forward angled, vertically and horizontally adjustable arm, standard with 10P arm pad.
171



25A
Vertical and horizontal adjustable "T" arm. Standard with 10P arm pad.
145



37A
4-way, multifunction, vertical and horizontal adjustment w/built in pad. Pads cannot be changed.
197

MESH OPTIONS

Teknit Mesh Color 75
Bleach Cleanable

Standard Mesh Color 50

[CLICK HERE FOR COLOR OPTIONS](#)

[CLICK HERE FOR LOGO INFORMATION](#)

SEAT SIZE OPTIONS

480 Small 18-1/2 w x 17-1/2 d	N/C	1100 X-Small Tractor 19-3/4 w x 19-3/4 d	65
482 Medium 20 w x 19 d	N/C	1200 Small Tractor 22 w x 19-3/4 d	65
484 Large 21 w x 20 d	N/C	1300 Medium Tractor 22-1/2 w x 20-1/4 d	65
490 X-Large 23 w x 21 d	N/C	1500 Deep Tractor 24-1/4 w x 19-3/4 d	180
1900 Molded Tractor 21 w x 19 d	Standard		

STOOLS POPULAR OPTIONS

- 70P** Extra thick, soft arm pad 20
- 25F** RFoAM (memory foam) 91
- 60L** Air Lumbar 164
- 33SS** Seat Slider 60
- 16B** Foot ring base w/60mm caster. Only available in 175mm or 200mm cylinder. N/C




EVOLVE 1500

STANDARD FEATURES

- Accommodates up to 300lbs
- Meets CAL 117-2013
- 17B - 28" black nylon high hub base
- 60mm dual wheeled casters
- 1900 comfort molded foam tractor seat
- Defined contoured lumbar area
- Height adjustable, upholstered back
- 37FR - Adjustable height foot ring
- Standard seat height approx. range for model pictured (floor to top of seat): 26-1/4" to 33-1/4" (with 200mm cylinder)

back width
19 3/4"



seat width
21"

back height
23 1/2"



seatdepth
19"



Model 15433-482-37200

OPTIONS

See pages 138-139 for additional options

[CLICK HERE FOR APPROXIMATE STOOL HEIGHT GUIDELINES](#)

NOTE: Please specify stool kit 37200 or 37270



15433-37200 Stool

MANAGERS HIGH BACK

Ratchet back, tri-action 33-control

Arm	B	C (com)	D	E (col)	F	G	L
Armless	1159	1189	1229	1286	1362	1481	1718



01A
Fold away arm with vertical and horizontal adjustment. Standard with 10P arm pad.
260



18A
360 degree pivot, vertically and horizontally adjustable arm, standard with 10P arm pad.
190



23A
Forward angled, vertically and horizontally adjustable arm, standard with 10P arm pad.
171



25A
Vertical and horizontal adjustable "T" arm. Standard with 10P arm pad.
145



37A
4-way, multifunction, vertical and horizontal adjustment w/built in pad. Pads cannot be changed.
197

SEAT SIZE OPTIONS

480 Small 18-1/2 w x 17-1/2 d	N/C	1100 X-Small Tractor 19-3/4 w x 19-3/4 d	65
482 Medium 20 w x 19 d	N/C	1200 Small Tractor 22 w x 19-3/4 d	65
484 Large 21 w x 20 d	N/C	1300 Medium Tractor 22-1/2 w x 20-1/4 d	65
490 X-Large 23 w x 21 d	N/C	1500 Deep Tractor 24-1/4 w x 19-3/4 d	180
1900 Molded Tractor 21 w x 19 d	Standard		

STOOLS POPULAR OPTIONS


- **70P** Extra thick, soft arm pad **20**
- **25F** RFoAM (memory foam) **91**
- **60L** Air Lumbar **164**
- **33SS** Seat Slider **60**
- **16B** Foot ring base w/60mm caster. Only available in 175mm or 200mm cylinder. **N/C**



EVOLVE 1500

STANDARD FEATURES

- Accommodates up to 300lbs
- Meets CAL 117-2013
- 17B - 28" black nylon high hub base
- 60mm dual wheeled casters
- Black mesh seat w/seat slider
- Defined contoured lumbar area
- Height adjustable, black mesh back
- 37FR - Adjustable height foot ring
- Standard seat height approx. range for model pictured (floor to top of seat): 26-3/4" to 33-3/4" (with 200mm cylinder)



Model 15533-37200

OPTIONS See pages 138-139 for additional options

No multi-shift or bariatric models, mesh seat not available without seat slider

[CLICK HERE FOR APPROXIMATE STOOL HEIGHT GUIDELINES](#)



NOTE: Please specify stool kit 37200 or 37270

15533-37200 Stool Arm Standard black mesh

MEDIUM BACK
Ratchet back, tri-action 33-control, w/ seat slider

Armless 1159



01A
Fold away arm with vertical and horizontal adjustment. Standard with 10P arm pad.
260



18A
360 degree pivot, vertically and horizontally adjustable arm, standard with 10P arm pad.
190



23A
Forward angled, vertically and horizontally adjustable arm, standard with 10P arm pad.
171



25A
Vertical and horizontal adjustable "T" arm. Standard with 10P arm pad.
145



37A
4-way, multifunction, vertical and horizontal adjustment w/built in pad. Pads cannot be changed.
197

SEAT SIZE OPTIONS

165 Small Mesh Seat 20 w x 18 d	N/C
166 Medium Mesh Seat 20 w x 19-3/4 d	Standard
167 Large Mesh Seat 21-1/2 w x 20 d	N/C

MESH OPTIONS

Teknit Mesh Color - Back Bleach Cleanable	75
Teknit Mesh Color - Seat Bleach Cleanable	75
Standard Mesh Color - Back	50
Standard Mesh Color - Seat	50
CLICK HERE FOR COLOR OPTIONS	
CLICK HERE FOR LOGO INFORMATION	

STOOLS POPULAR OPTIONS

■ 70P Extra thick, soft arm pad	20
■ 60L Air Lumbar	164
■ 16B Foot ring base w/60mm caster. Only available in 175mm or 200mm cylinder.	N/C




EVOLVE 1500


STANDARD FEATURES

- Accommodates up to 300lbs
- Meets CAL 117-2013
- 17B - 28" black nylon high hub base
- 60mm dual wheeled casters
- Black mesh seat w/ seat slider
- Defined contoured lumbar area
- 37FR - Adjustable height foot ring
- Height adjustable, black mesh back
- Standard seat height approx. range for model pictured (floor to top of seat): 26-3/4" to 33-3/4" (with 200mm cylinder)

back width
19 3/4"



seat width
21 1/2"



back height
23 1/2"

seat depth
20"



Model 15633-37200

OPTIONS See pages 138-139 for additional options

[CLICK HERE FOR APPROXIMATE STOOL HEIGHT GUIDELINES](#)

No multi-shift or bariatric models, mesh seat not available without seat slider



NOTE: Please specify stool kit 37200 or 37270

15633-37200 Stool

Arm

Standard black mesh

MANAGERS HIGH BACK
Ratchet back, tri-action 33-control, w/ seat slider

Armless

1179



01A
Fold away arm with vertical and horizontal adjustment. Standard with 10P arm pad.
260



18A
360 degree pivot, vertically and horizontally adjustable arm, standard with 10P arm pad.
190



23A
Forward angled, vertically and horizontally adjustable arm, standard with 10P arm pad.
171



25A
Vertical and horizontal adjustable "T" arm. Standard with 10P arm pad.
145



37A
4-way, multifunction, vertical and horizontal adjustment w/built in pad. Pads cannot be changed.
197

SEAT SIZE OPTIONS

165 Small Mesh Seat 20 w x 18 d	N/C
166 Medium Mesh Seat 20 w x 19-3/4 d	N/C
167 Large Mesh Seat 21-1/2 w x 20 d	Standard

MESH OPTIONS

Teknit Mesh Color - Back Bleach Cleanable	75
Teknit Mesh Color - Seat Bleach Cleanable	75
Standard Mesh Color - Back	50
Standard Mesh Color - Seat	50

[CLICK HERE FOR COLOR OPTIONS](#)

[CLICK HERE FOR LOGO INFORMATION](#)

STOOLS POPULAR OPTIONS

- **70P** Extra thick, soft arm pad **20**
- **60L** Air Lumbar **164**
- **16B** Foot ring base w/60mm caster. Only available in 175mm or 200mm cylinder. **N/C**

