


EVOLVE 1500

STANDARD FEATURES

- Accommodates up to 300lbs
- Meets CAL 117-2013
- 17B - 28" black nylon high hub base
- 60mm dual wheeled casters
- 1900 comfort molded foam tractor seat
- Defined contoured lumbar area
- Height adjustable, black mesh back
- Standard seat height approx. range for model pictured (floor to top of seat) : 18" to 21" (with 1101 cylinder)



Model 15114

OPTIONS See pages 138-139 for additional options



1515 Task

MEDIUM BACK

Ratchet back, multi-function 05-control w/ seat slider

Arm	B	C (com)	D	E (col)	F	G	L
Armless	855	873	895	928	978	1049	1168

1518 Task

MEDIUM BACK

Ratchet back, multi-function 08-control w/built-in seat slider, knee tilt

Arm	B	C (com)	D	E (col)	F	G	L
Armless	1091	1109	1131	1164	1214	1285	1404

15114 Task

MEDIUM BACK

Advanced synchro tilt control w/ built-in seat slider, tilt lock and ratchet back

Arm	B	C (com)	D	E (col)	F	G	L
Armless	855	873	895	928	978	1049	1168

NS151 Task

MEDIUM BACK

Enhanced task 07 control and ratchet back w/ seat slider

Arm	B	C (com)	D	E (col)	F	G	L
Armless	827	845	867	900	950	1021	1140



01A
Fold away arm with vertical and horizontal adjustment. Standard with 10P arm pad.
260



18A
360 degree pivot, vertically and horizontally adjustable arm, standard with 10P arm pad.
190



23A
Forward angled, vertically and horizontally adjustable arm, standard with 10P arm pad.
171



25A
Vertical and horizontal adjustable "T" arm. Standard with 10P arm pad.
145



37A
4-way, multifunction, vertical and horizontal adjustment w/built in pad. Pads cannot be changed.
197

MESH OPTIONS

Teknit Mesh Color
Bleach Cleanable **75**

Standard Mesh Color **50**

[CLICK HERE FOR COLOR OPTIONS](#)

[CLICK HERE FOR LOGO INFORMATION](#)

SEAT SIZE OPTIONS

480 Small 18-1/2 w x 17-1/2 d	N/C	1100 X-Small Tractor 19-3/4 w x 19-3/4 d	65
482 Medium 20 w x 19 d	N/C	1200 Small Tractor 22 w x 19-3/4 d	65
484 Large 21 w x 20 d	N/C	1300 Medium Tractor 22-1/2 w x 20-1/4 d	65
490 X-Large 23 w x 21 d	N/C	1500 Deep Tractor 24-1/4 w x 19-3/4 d	180
1900 Molded Tractor 21 w x 19 d	Standard		

POPULAR OPTIONS

- **70P** Extra thick, soft arm pad **20**
- **25F** RFoAM (memory foam) **91**
- **60L** Air Lumbar **164**

24/7 UPGRADE


- **24/7 Upgrade 357**
Includes:
Seat Slider
28" Heavy duty base
70mm Heavy duty casters
9 Ply seat shell
Dual Density Foam

**24/7 Upgrade option only available on 05, 14, and NS models.*

EVOLVE 1500

STANDARD FEATURES

- Accommodates up to 300lbs
- Meets CAL 117-2013
- 17B - 28" black nylon high hub base
- 60mm dual wheeled casters
- 1900 comfort molded foam tractor seat
- Defined contoured lumbar area
- Height adjustable, upholstered back
- Standard seat height approx. range for model pictured (floor to top of seat) : 18-3/4" to 21-3/4" (with 1101 cylinder)



Model 1525-482S

OPTIONS See pages 138-139 for additional options



1525 Task

MEDIUM BACK
Ratchet back, multi-function
05-control w/ seat slider

Arm	B	C (com)	D	E (col)	F	G	L
Armless	995	1025	1065	1122	1198	1317	1554

1528 Task

MEDIUM BACK
Ratchet back, multi-function 08-
control w/built-in seat slider, knee tilt

Arm	B	C (com)	D	E (col)	F	G	L
Armless	1231	1261	1301	1358	1434	1553	1790

15214 Task

MEDIUM BACK
Advanced synchro tilt control w/ built-in
seat slider, tilt lock and ratchet back

Arm	B	C (com)	D	E (col)	F	G	L
Armless	995	1025	1065	1122	1198	1317	1554

NS152 Task

MEDIUM BACK
Enhanced task 07 control, ratchet
back w/ seat slider

Arm	B	C (com)	D	E (col)	F	G	L
Armless	967	997	1037	1094	1170	1289	1526



01A
Fold away arm with vertical
and horizontal adjustment.
Standard with 10P arm pad.
260



18A
360 degree pivot, vertically
and horizontally adjustable
arm, standard with 10P arm
pad.
190



23A
Forward angled, vertically
and horizontally adjustable
arm, standard with 10P arm
pad.
171



25A
Vertical and horizontal
adjustable "T" arm.
Standard with 10P arm pad.
145



37A
4-way, multifunction,
vertical and horizontal
adjustment w/built in pad.
Pads cannot be changed.
197

SEAT SIZE OPTIONS

480 Small 18-1/2 w x 17-1/2 d	N/C	1100 X-Small Tractor 19-3/4 w x 19-3/4 d	65
482 Medium 20 w x 19 d	N/C	1200 Small Tractor 22 w x 19-3/4 d	65
484 Large 21 w x 20 d	N/C	1300 Medium Tractor 22-1/2 w x 20-1/4 d	65
490 X-Large 23 w x 21 d	N/C	1500 Deep Tractor 24-1/4 w x 19-3/4 d	180
1900 Molded Tractor 21 w x 19 d	Standard		

POPULAR OPTIONS

- **70P** Extra thick, soft arm pad **20**
- **25F** RFoAM (memory foam) **91**
- **60L** Air Lumbar **164**

24/7 UPGRADE


- **24/7 Upgrade 357**
Includes:
Seat Slider
28" Heavy duty base
70mm Heavy duty casters
9 Ply seat shell
Dual Density Foam

**24/7 Upgrade option only available on 05, 14, and NS models.*

EVOLVE 1500

STANDARD FEATURES

- Accommodates up to 300lbs
- Meets CAL 117-2013
- 17B - 28" black nylon high hub base
- 60mm dual wheeled casters
- 1900 comfort molded foam tractor seat
- Defined contoured lumbar area
- Height adjustable, black mesh back
- Standard seat height approx. range for model pictured (floor to top of seat) : 18-1/2" to 21-1/2" (with 1101 cylinder)



Model 1535

OPTIONS See pages 138-139 for additional options



1535 Task

MANAGERS HIGH BACK
Ratchet back, multi-function
05-control w/ seat slider

Arm	B	C (com)	D	E (col)	F	G	L
-----	---	---------	---	---------	---	---	---

Armless	875	893	915	948	998	1069	1188
---------	-----	-----	-----	-----	-----	------	------

1538 Task

MANAGERS HIGH BACK
Ratchet back, multi-function 08-
control w/built-inseat slider, knee tilt

Arm	B	C (com)	D	E (col)	F	G	L
-----	---	---------	---	---------	---	---	---

Armless	1111	1129	1151	1184	1234	1305	1424
---------	------	------	------	------	------	------	------

15314 Task

MANAGERS HIGH BACK
Advanced synchro tilt control w/ built-
in seat slider, tilt lock and ratchet back

Arm	B	C (com)	D	E (col)	F	G	L
-----	---	---------	---	---------	---	---	---

Armless	875	893	915	948	998	1069	1188
---------	-----	-----	-----	-----	-----	------	------

NS153 Task

MANAGERS HIGH BACK
Enhancedtask07control, ratchet back
w/seatslider

Arm	B	C (com)	D	E (col)	F	G	L
-----	---	---------	---	---------	---	---	---

Armless	847	865	887	920	970	1041	1160
---------	-----	-----	-----	-----	-----	------	------



01A
Fold away arm with vertical
and horizontal adjustment.
Standard with 10P arm pad.
260



18A
360 degree pivot, vertically
and horizontally adjustable
arm, standard with 10P arm
pad.
190



23A
Forward angled, vertically
and horizontally adjustable
arm, standard with 10P arm
pad.
171



25A
Vertical and horizontal
adjustable "T" arm.
Standard with 10P arm pad.
145



37A
4-way, multifunction,
vertical and horizontal
adjustment w/built in pad.
Pads cannot be changed.
197

MESH OPTIONS

Teknit Mesh Color
Bleach Cleanable **75**

Standard Mesh Color **50**

[CLICK HERE FOR
COLOR OPTIONS](#)

[CLICK HERE FOR
LOGO INFORMATION](#)

SEAT SIZE OPTIONS

480 Small 18-1/2 w x 17-1/2 d	N/C
482 Medium 20 w x 19 d	N/C
484 Large 21 w x 20 d	N/C
490 X-Large 23 w x 21 d	N/C
1900 Molded Tractor 21 w x 19 d	Standard

1100 X-Small Tractor 19-3/4 w x 19-3/4 d	65
1200 Small Tractor 22 w x 19-3/4 d	65
1300 Medium Tractor 22-1/2 w x 20-1/4 d	65
1500 Deep Tractor 24-1/4 w x 19-3/4 d	180

POPULAR OPTIONS

■ 70P Extra thick, soft arm pad	20
■ 25F RFoAM (memory foam)	91
■ 60L Air Lumbar	164
■ 70L Air Thoracic	164
■ 68L Air Lumbar & Thoracic	261
■ 65HR Articulating headrest	485

24/7 UPGRADE

■ 24/7 Upgrade	357
Includes:	
Seat Slider	
28" Heavy duty base	
70mm Heavy duty casters	
9 Ply seat shell	
Dual Density Foam	


**24/7 Upgrade option only
available on 05, 14, and NS
models.*

EVOLVE 1500

STANDARD FEATURES

- Accommodates up to 300lbs
- Meets CAL 117-2013
- 17B - 28" black nylon high hub base
- 60mm dual wheeled casters
- 1900 comfort molded foam tractor seat
- Defined contoured lumbar area
- Height adjustable, upholstered back
- Standard seat height approx. range for model pictured (floor to top of seat) : 18" to 21" (with 1101 cylinder)

back width
19 3/4"



seat width
21"

back height
23 1/2"



seat depth
19"



Model 15414-482S

OPTIONS See pages 138-139 for additional options



1545 Task

MANAGERS HIGH BACK
Ratchet back, multi-function
05-control w/ seat slider

Arm	B	C (com)	D	E (col)	F	G	L
Armless	1015	1045	1085	1142	1218	1337	1574

1548 Task

MANAGERS HIGH BACK
Ratchet back, multi-function 08-control
w/ built-in seat slider, knee tilt

Arm	B	C (com)	D	E (col)	F	G	L
Armless	1251	1281	1321	1378	1454	1573	1810

15414 Task

MANAGERS HIGH BACK
Advanced synchro tilt control w/ built-in
seat slider, tilt lock and ratchet back

Arm	B	C (com)	D	E (col)	F	G	L
Armless	1015	1045	1085	1142	1218	1337	1574

NS154 Task

MANAGERS HIGH BACK
Enhanced task 07 control and ratchet
back w/ seat slider

Arm	B	C (com)	D	E (col)	F	G	L
Armless	987	1017	1057	1114	1190	1309	1546



01A
Fold away arm with vertical and horizontal adjustment. Standard with 10P arm pad.
260



18A
360 degree pivot, vertically and horizontally adjustable arm, standard with 10P arm pad.
190



23A
Forward angled, vertically and horizontally adjustable arm, standard with 10P arm pad.
171



25A
Vertical and horizontal adjustable "T" arm. Standard with 10P arm pad.
145



37A
4-way, multifunction, vertical and horizontal adjustment w/ built in pad. Pads cannot be changed.
197

SEAT SIZE OPTIONS

480 Small 18-1/2 w x 17-1/2 d	N/C	1100 X-Small Tractor 19-3/4 w x 19-3/4 d	65
482 Medium 20 w x 19 d	N/C	1200 Small Tractor 22 w x 19-3/4 d	65
484 Large 21 w x 20 d	N/C	1300 Medium Tractor 22-1/2 w x 20-1/4 d	65
490 X-Large 23 w x 21 d	N/C	1500 Deep Tractor 24-1/4 w x 19-3/4 d	180
1900 Molded Tractor 21 w x 19 d	Standard		

POPULAR OPTIONS

■ 70P Extra thick, soft arm pad	20
■ 25F RFoM (memory foam)	91
■ 60L Air Lumbar	164
■ 70L Air Thoracic	164
■ 68L Air Lumbar & Thoracic	261
■ 65HR Articulating headrest	485


24/7 UPGRADE

- **24/7 Upgrade** 357
Includes:
Seat Slider
28" Heavy duty base
70mm Heavy duty casters
9 Ply seat shell
Dual Density Foam
- *24/7 Upgrade option only available on 05, 14, and NS models.*

EVOLVE 1500

STANDARD FEATURES

- Accommodates up to 300lbs
- Meets CAL 117-2013
- 17B - 28" black nylon high hub base
- 60mm dual wheeled casters
- Black mesh seat w/ seat slider
- Defined contoured lumbar area
- Height adjustable, black mesh back
- Standard seat height approx. range for model pictured (floor to top of seat): 19" to 22" (with 1101 cylinder)



Model 1555

OPTIONS See pages 138-139 for additional options

No multi-shift or bariatric models, mesh seat not available without seat slider



1555 Task

Arm Standard
black mesh

MEDIUM BACK
Ratchet back, multi-function 05-control w/ seat slider

Armless 955

1558 Task

Arm Standard
black mesh

MEDIUM BACK
Ratchet back, multi-function 08-control w/ built-in seat slider, knee tilt

Armless 1191

15514 Task

Arm Standard
black mesh

MEDIUM BACK
Advanced synchro tilt control w/ built-in seat slider, tilt lock and ratchet back

Armless 955

NS155 Task

Arm Standard
black mesh

MEDIUM BACK
Enhanced task 07 control and ratchet back w/ seat slider

Armless 927



01A
Fold away arm with vertical and horizontal adjustment. Standard with 10P arm pad.
260



18A
360 degree pivot, vertically and horizontally adjustable arm, standard with 10P arm pad.
190



23A
Forward angled, vertically and horizontally adjustable arm, standard with 10P arm pad.
171



25A
Vertical and horizontal adjustable "T" arm. Standard with 10P arm pad.
145



37A
4-way, multifunction, vertical and horizontal adjustment w/ built in pad. Pads cannot be changed.
197

SEAT SIZE OPTIONS

165 Small Mesh Seat 20 w x 18 d	N/C
166 Medium Mesh Seat 20 w x 19-3/4 d	Standard
167 Large Mesh Seat 21-1/2 w x 20 d	N/C

POPULAR OPTIONS

- 70P Extra thick, soft arm pad 20
- 60L Air Lumbar 164

MESH OPTIONS

Teknit Mesh Color - Back Bleach Cleanable	75
Teknit Mesh Color - Seat Bleach Cleanable	75
Standard Mesh Color - Back	50
Standard Mesh Color - Seat	50

[CLICK HERE FOR COLOR OPTIONS](#)
[CLICK HERE FOR LOGO INFORMATION](#)

EVOLVE 1500

STANDARD FEATURES

- Accommodates up to 300lbs
- Meets CAL 117-2013
- 17B - 28" black nylon high hub base
- 60mm dual wheeled casters
- Black mesh seat w/ seat slider
- Defined contoured lumbar area
- Height adjustable, black mesh back
- Standard seat height approx. range for model pictured (floor to top of seat): 19" to 22" (with 1101 cylinder)

back width
19 3/4"
seat width
21 1/2"

back height
23 1/2"
seat depth
20"



Model 1565

OPTIONS See pages 138-139 for additional options

No multi-shift or bariatric models, mesh seat not available without seat slider



1565 Task

Arm Standard
black mesh

MANAGERS HIGH BACK
Ratchet back, multi-function
05-control w/ seat slider

Armless 975

1568 Task

Arm Standard
black mesh

MANAGERS HIGH BACK
Ratchet back, multi-function 08-control
w/ built-in seat slider, knee tilt

Armless 1211

15614 Task

Arm Standard
black mesh

MANAGERS HIGH BACK
Advanced synchro tilt control w/ built-in
seat slider, tilt lock and ratchet back

Armless 975

NS156 Task

Arm Standard
black mesh

MANAGERS HIGH BACK
Enhanced task 07 control and ratchet
back w/ seat slider

Armless 947



01A
Fold away arm with vertical
and horizontal adjustment.
Standard with 10P arm pad.
260



18A
360 degree pivot, vertically
and horizontally adjustable
arm, standard with 10P arm
pad.
190



23A
Forward angled, vertically
and horizontally adjustable
arm, standard with 10P arm
pad.
171



25A
Vertical and horizontal
adjustable "T" arm.
Standard with 10P arm pad.
145



37A
4-way, multifunction,
vertical and horizontal
adjustment w/ built in pad.
Pads cannot be changed.
197

SEAT SIZE OPTIONS

165 Small Mesh Seat 20 w x 18 d	N/C
166 Medium Mesh Seat 20 w x 19-3/4 d	N/C
167 Large Mesh Seat 21-1/2 w x 20 d	Standard

POPULAR OPTIONS

■ 70P Extra thick, soft arm pad	20
■ 60L Air Lumbar	164
■ 70L Air Thoracic	164
■ 68L Air Lumbar & Thoracic	261
■ 65HR Articulating headrest	485

MESH OPTIONS

Teknit Mesh Color - Back Bleach Cleanable	75
Teknit Mesh Color - Seat Bleach Cleanable	75
Standard Mesh Color - Back	50
Standard Mesh Color - Seat	50


[CLICK HERE FOR
COLOR OPTIONS](#)

[CLICK HERE FOR
LOGO INFORMATION](#)

EVOLVE 1500

STANDARD FEATURES

- Accommodates up to 300lbs
- Meets CAL 117-2013
- Choice of Black arms & base or (CH) Polished aluminum arms & base
- 60mm dual wheeled casters
- 1900 comfort molded foam tractor seat
- Defined contoured lumbar area
- Height adjustable, black mesh back
- Standard seat height approx. range for model pictured (floor to top of seat): 17" to 20" (with 1101 cylinder)



Model 151

OPTIONS

No options or substitutions are available.



151 Conference

MEDIUM BACK

Ratchet back, swivel tilt 07-control w/ 17B 28" black nylon high hub base & 09A reverse "C" arms

Arm	B	C (com)	D	E (col)	F	G	L
09A	955	973	995	1028	1078	1149	1268

151CH Conference

MEDIUM BACK


Ratchet back, swivel tilt 07-control w/ 22B polished aluminum base & 30A polished aluminum arms

Arm	B	C (com)	D	E (col)	F	G	L
30A	1070	1088	1110	1143	1193	1264	1383



STANDARD FEATURES


- Accommodates up to 300lbs
- Meets CAL 117-2013
- Choice of Black arms & base or (CH) Polished aluminum arms & base
- 60mm dual wheeled casters
- 1900 comfort molded foam tractor seat
- Defined contoured lumbar area
- Height adjustable, black mesh back
- Standard seat height approx. range for model pictured (floor to top of seat): 17" to 20" (with 1101 cylinder)



Model 153

OPTIONS

No options or substitutions are available.



153 Conference

MANAGERS HIGH BACK

Ratchet back, swivel tilt 07-control w/ 17B 28" black nylon high hub base & 09A reverse "C" arms

Arm	B	C (com)	D	E (col)	F	G	L
09A	975	993	1015	1048	1098	1169	1288

153CH Conference

MANAGERS HIGH BACK

Ratchet back, swivel tilt 07-control w/ 22B polished aluminum base & 30A polished aluminum arms

Arm	B	C (com)	D	E (col)	F	G	L
30A	1090	1108	1130	1163	1213	1284	1403



MESH OPTIONS

Teknit Mesh Color Bleach Cleanable	75
Standard Mesh Color	50


[CLICK HERE FOR COLOR OPTIONS](#)

[CLICK HERE FOR LOGO INFORMATION](#)

EVOLVE 1500

STANDARD FEATURES

- Accommodates up to 300lbs
- Meets CAL 117-2013
- Choice of Black arms & base or (CH) Polished aluminum arms & base
- 60mm dual wheeled casters
- 1900 comfort molded foam tractor seat
- Defined contoured lumbar area
- Height adjustable, upholstered back
- Standard seat height approx. range for model pictured (floor to top of seat): 17" to 20" (with 1101 cylinder)



Model 152CH

OPTIONS

No options or substitutions are available.



152 Conference

MEDIUM BACK

Ratchet back, swivel tilt 07-control w/ 17B 28" black nylon high hub base & 09A reverse "C" arm

Arm	B	C (com)	D	E (col)	F	G	L
09A	1095	1125	1165	1222	1298	1417	1654



152CH Conference

MEDIUM BACK


Ratchet back, swivel tilt 07-control w/ 22B polished aluminum base & 30A polished aluminum arms

Arm	B	C (com)	D	E (col)	F	G	L
30A	1210	1240	1280	1337	1413	1532	1769



STANDARD FEATURES


- Accommodates up to 300lbs
- Meets CAL 117-2013
- Choice of Black arms & base or (CH) Polished aluminum arms & base
- 60mm dual wheeled casters
- 1900 comfort molded foam tractor seat
- Defined contoured lumbar area
- Height adjustable, upholstered back
- Standard seat height approx. range for model pictured (floor to top of seat): 17" to 20" (with 1101 cylinder)



Model 154CH

OPTIONS

No options or substitutions are available.



154 Conference

MANAGERS HIGH BACK

Ratchet back, swivel tilt 07-control w/ 17B 28" black nylon high hub base & 09A reverse "C" arm

Arm	B	C (com)	D	E (col)	F	G	L
09A	1115	1145	1185	1242	1318	1437	1674



154CH Conference

MANAGERS HIGH BACK

Ratchet back, swivel tilt 07-control w/ 22B polished aluminum base & 30A polished aluminum arms


Arm	B	C (com)	D	E (col)	F	G	L
30A	1230	1260	1300	1357	1433	1552	1789



EVOLVE 1500

STANDARD FEATURES

- Accommodates up to 300lbs
- Meets CAL 117-2013
- 17B - 28" black nylon high hub base
- 60mm dual wheeled casters
- 1900 comfort molded foam tractor seat
- Defined contoured lumbar area
- Height adjustable, black mesh back
- 37FR - Adjustable height foot ring
- Standard seat height approx. range for model pictured (floor to top of seat): 26" to 33" (with 200mm cylinder)



Model 15133-37200

OPTIONS See pages 138-139 for additional options

[CLICK HERE FOR APPROXIMATE STOOL HEIGHT GUIDELINES](#)

NOTE: Please specify stool kit 37200 or 37270



15133-37200 Stool

MEDIUM BACK

Ratchet back, tri-action 33-control

Arm	B	C (com)	D	E (col)	F	G	L
Armless	999	1017	1039	1072	1122	1193	1312



01A
Fold away arm with vertical and horizontal adjustment. Standard with 10P arm pad.
260



18A
360 degree pivot, vertically and horizontally adjustable arm, standard with 10P arm pad.
190



23A
Forward angled, vertically and horizontally adjustable arm, standard with 10P arm pad.
171



25A
Vertical and horizontal adjustable "T" arm. Standard with 10P arm pad.
145



37A
4-way, multifunction, vertical and horizontal adjustment w/built in pad. Pads cannot be changed.
197

MESH OPTIONS

Teknit Mesh Color
Bleach Cleanable **75**

Standard Mesh Color **50**

[CLICK HERE FOR COLOR OPTIONS](#)

[CLICK HERE FOR LOGO INFORMATION](#)

SEAT SIZE OPTIONS

480 Small 18-1/2 w x 17-1/2 d	N/C
482 Medium 20 w x 19 d	N/C
484 Large 21 w x 20 d	N/C
490 X-Large 23 w x 21 d	N/C
1900 Molded Tractor 21 w x 19 d	Standard

1100 X-Small Tractor 19-3/4 w x 19-3/4 d	65
1200 Small Tractor 22 w x 19-3/4 d	65
1300 Medium Tractor 22-1/2 w x 20-1/4 d	65
1500 Deep Tractor 24-1/4 w x 19-3/4 d	180

STOOLS POPULAR OPTIONS


- **70P** Extra thick, soft arm pad **20**
- **25F** RFoam (memory foam) **91**
- **60L** Air Lumbar **164**
- **33SS** Seat Slider **60**
- **16B** Foot ring base w/60mm caster. Only available in 175mm or 200mm cylinder. **N/C**



EVOLVE 1500

STANDARD FEATURES

- Accommodates up to 300lbs
- Meets CAL 117-2013
- 17B - 28" black nylon high hub base
- 60mm dual wheeled casters
- 1900 comfort molded foam tractor seat
- Defined contoured lumbar area
- Height adjustable, upholstered back
- 37FR - Adjustable height foot ring
- Standard seat height approx. range for model pictured (floor to top of seat): 26-1/4" to 33-1/4" (with 200mm cylinder)



Model 15233-482-37200

OPTIONS See pages 138-139 for additional options

[CLICK HERE FOR APPROXIMATE STOOL HEIGHT GUIDELINES](#)

NOTE: Please specify stool kit 37200 or 37270



15233-37200 Stool

MEDIUM BACK

Ratchet back, tri-action 33-control

Arm	B	C (com)	D	E (col)	F	G	L
Armless	1139	1169	1209	1266	1342	1461	1698



01A
Fold away arm with vertical and horizontal adjustment. Standard with 10P arm pad.
260



18A
360 degree pivot, vertically and horizontally adjustable arm, standard with 10P arm pad.
190



23A
Forward angled, vertically and horizontally adjustable arm, standard with 10P arm pad.
171



25A
Vertical and horizontal adjustable "T" arm. Standard with 10P arm pad.
145



37A
4-way, multifunction, vertical and horizontal adjustment w/built in pad. Pads cannot be changed.
197

SEAT SIZE OPTIONS

480 Small 18-1/2 w x 17-1/2 d	N/C	1100 X-Small Tractor 19-3/4 w x 19-3/4 d	65
482 Medium 20 w x 19 d	N/C	1200 Small Tractor 22 w x 19-3/4 d	65
484 Large 21 w x 20 d	N/C	1300 Medium Tractor 22-1/2 w x 20-1/4 d	65
490 X-Large 23 w x 21 d	N/C	1500 Deep Tractor 24-1/4 w x 19-3/4 d	180
1900 Molded Tractor 21 w x 19 d	Standard		

STOOLS POPULAR OPTIONS


- **70P** Extra thick, soft arm pad **20**
- **25F** RFoAM (memory foam) **91**
- **60L** Air Lumbar **164**
- **33SS** Seat Slider **60**
- **16B** Foot ring base w/60mm caster. Only available in 175mm or 200mm cylinder. **N/C**



EVOLVE 1500

STANDARD FEATURES

- Accommodates up to 300lbs
- Meets CAL 117-2013
- 17B - 28" black nylon high hub base
- 60mm dual wheeled casters
- 1900 comfort molded foam tractor seat
- Defined contoured lumbar area
- Height adjustable, black mesh back
- 37FR - Adjustable height foot ring
- Standard seat height approx. range for model pictured (floor to top of seat): 26" to 33" (with 200mm cylinder)



Model 15333-37200

OPTIONS See pages 138-139 for additional options

[CLICK HERE FOR APPROXIMATE STOOL HEIGHT GUIDELINES](#)

NOTE: Please specify stool kit 37200 or 37270



15333-37200 Stool

MANAGERS HIGH BACK
Ratchet back, tri-action 33-control

Arm	B	C (com)	D	E (col)	F	G	L
Armless	1019	1037	1059	1092	1142	1213	1332



01A
Fold away arm with vertical and horizontal adjustment. Standard with 10P arm pad.
260



18A
360 degree pivot, vertically and horizontally adjustable arm, standard with 10P arm pad.
190



23A
Forward angled, vertically and horizontally adjustable arm, standard with 10P arm pad.
171



25A
Vertical and horizontal adjustable "T" arm. Standard with 10P arm pad.
145



37A
4-way, multifunction, vertical and horizontal adjustment w/built in pad. Pads cannot be changed.
197

MESH OPTIONS

Teknit Mesh Color 75
Bleach Cleanable

Standard Mesh Color 50

[CLICK HERE FOR COLOR OPTIONS](#)

[CLICK HERE FOR LOGO INFORMATION](#)

SEAT SIZE OPTIONS

480 Small 18-1/2 w x 17-1/2 d	N/C	1100 X-Small Tractor 19-3/4 w x 19-3/4 d	65
482 Medium 20 w x 19 d	N/C	1200 Small Tractor 22 w x 19-3/4 d	65
484 Large 21 w x 20 d	N/C	1300 Medium Tractor 22-1/2 w x 20-1/4 d	65
490 X-Large 23 w x 21 d	N/C	1500 Deep Tractor 24-1/4 w x 19-3/4 d	180
1900 Molded Tractor 21 w x 19 d	Standard		

STOOLS POPULAR OPTIONS

- 70P** Extra thick, soft arm pad 20
- 25F** RFoAM (memory foam) 91
- 60L** Air Lumbar 164
- 33SS** Seat Slider 60
- 16B** Foot ring base w/60mm caster. Only available in 175mm or 200mm cylinder. N/C




EVOLVE 1500

STANDARD FEATURES

- Accommodates up to 300lbs
- Meets CAL 117-2013
- 17B - 28" black nylon high hub base
- 60mm dual wheeled casters
- 1900 comfort molded foam tractor seat
- Defined contoured lumbar area
- Height adjustable, upholstered back
- 37FR - Adjustable height foot ring
- Standard seat height approx. range for model pictured (floor to top of seat): 26-1/4" to 33-1/4" (with 200mm cylinder)

back width
19 3/4"



seat width
21"

back height
23 1/2"



seatdepth
19"



Model 15433-482-37200

OPTIONS

See pages 138-139 for additional options

[CLICK HERE FOR APPROXIMATE STOOL HEIGHT GUIDELINES](#)

NOTE: Please specify stool kit 37200 or 37270



15433-37200 Stool

MANAGERS HIGH BACK

Ratchet back, tri-action 33-control

Arm	B	C (com)	D	E (col)	F	G	L
Armless	1159	1189	1229	1286	1362	1481	1718



01A
Fold away arm with vertical and horizontal adjustment. Standard with 10P arm pad.
260



18A
360 degree pivot, vertically and horizontally adjustable arm, standard with 10P arm pad.
190



23A
Forward angled, vertically and horizontally adjustable arm, standard with 10P arm pad.
171



25A
Vertical and horizontal adjustable "T" arm. Standard with 10P arm pad.
145



37A
4-way, multifunction, vertical and horizontal adjustment w/built in pad. Pads cannot be changed.
197

SEAT SIZE OPTIONS

480 Small 18-1/2 w x 17-1/2 d	N/C	1100 X-Small Tractor 19-3/4 w x 19-3/4 d	65
482 Medium 20 w x 19 d	N/C	1200 Small Tractor 22 w x 19-3/4 d	65
484 Large 21 w x 20 d	N/C	1300 Medium Tractor 22-1/2 w x 20-1/4 d	65
490 X-Large 23 w x 21 d	N/C	1500 Deep Tractor 24-1/4 w x 19-3/4 d	180
1900 Molded Tractor 21 w x 19 d	Standard		

STOOLS POPULAR OPTIONS


- 70P** Extra thick, soft arm pad **20**
- 25F** RFoAM (memory foam) **91**
- 60L** Air Lumbar **164**
- 33SS** Seat Slider **60**
- 16B** Foot ring base w/60mm caster. Only available in 175mm or 200mm cylinder. **N/C**



EVOLVE 1500

STANDARD FEATURES

- Accommodates up to 300lbs
- Meets CAL 117-2013
- 17B - 28" black nylon high hub base
- 60mm dual wheeled casters
- Black mesh seat w/seat slider
- Defined contoured lumbar area
- Height adjustable, black mesh back
- 37FR - Adjustable height foot ring
- Standard seat height approx. range for model pictured (floor to top of seat): 26-3/4" to 33-3/4" (with 200mm cylinder)



Model 15533-37200

OPTIONS See pages 138-139 for additional options

No multi-shift or bariatric models, mesh seat not available without seat slider

[CLICK HERE FOR APPROXIMATE STOOL HEIGHT GUIDELINES](#)



NOTE: Please specify stool kit 37200 or 37270

15533-37200 Stool Arm Standard
black mesh

MEDIUM BACK
Ratchet back, tri-action 33-control,
w/ seat slider

Armless 1159



01A
Fold away arm with vertical and horizontal adjustment. Standard with 10P arm pad.
260



18A
360 degree pivot, vertically and horizontally adjustable arm, standard with 10P arm pad.
190



23A
Forward angled, vertically and horizontally adjustable arm, standard with 10P arm pad.
171



25A
Vertical and horizontal adjustable "T" arm. Standard with 10P arm pad.
145



37A
4-way, multifunction, vertical and horizontal adjustment w/built in pad. Pads cannot be changed.
197

SEAT SIZE OPTIONS

165 Small Mesh Seat 20 w x 18 d	N/C
166 Medium Mesh Seat 20 w x 19-3/4 d	Standard
167 Large Mesh Seat 21-1/2 w x 20 d	N/C

MESH OPTIONS

Teknit Mesh Color - Back Bleach Cleanable	75
Teknit Mesh Color - Seat Bleach Cleanable	75
Standard Mesh Color - Back	50
Standard Mesh Color - Seat	50
CLICK HERE FOR COLOR OPTIONS	
CLICK HERE FOR LOGO INFORMATION	

STOOLS POPULAR OPTIONS


■ 70P Extra thick, soft arm pad	20
■ 60L Air Lumbar	164
■ 16B Foot ring base w/60mm caster. Only available in 175mm or 200mm cylinder.	N/C




EVOLVE 1500

STANDARD FEATURES

- Accommodates up to 300lbs
- Meets CAL 117-2013
- 17B - 28" black nylon high hub base
- 60mm dual wheeled casters
- Black mesh seat w/ seat slider
- Defined contoured lumbar area
- 37FR - Adjustable height foot ring
- Height adjustable, black mesh back
- Standard seat height approx. range for model pictured (floor to top of seat): 26-3/4" to 33-3/4" (with 200mm cylinder)

back width
19 3/4"

seat width
21 1/2"

back height
23 1/2"

seat depth
20"



Model 15633-37200

OPTIONS See pages 138-139 for additional options

[CLICK HERE FOR APPROXIMATE STOOL HEIGHT GUIDELINES](#)

No multi-shift or bariatric models, mesh seat not available without seat slider



NOTE: Please specify stool kit 37200 or 37270

15633-37200 Stool

Arm

Standard black mesh

MANAGERS HIGH BACK
Ratchet back, tri-action 33-control, w/ seat slider

Armless

1179



01A
Fold away arm with vertical and horizontal adjustment. Standard with 10P arm pad.
260



18A
360 degree pivot, vertically and horizontally adjustable arm, standard with 10P arm pad.
190



23A
Forward angled, vertically and horizontally adjustable arm, standard with 10P arm pad.
171



25A
Vertical and horizontal adjustable "T" arm. Standard with 10P arm pad.
145



37A
4-way, multifunction, vertical and horizontal adjustment w/built in pad. Pads cannot be changed.
197

SEAT SIZE OPTIONS

165 Small Mesh Seat 20 w x 18 d	N/C
166 Medium Mesh Seat 20 w x 19-3/4 d	N/C
167 Large Mesh Seat 21-1/2 w x 20 d	Standard

MESH OPTIONS

Teknit Mesh Color - Back Bleach Cleanable	75
Teknit Mesh Color - Seat Bleach Cleanable	75
Standard Mesh Color - Back	50
Standard Mesh Color - Seat	50
CLICK HERE FOR COLOR OPTIONS	
CLICK HERE FOR LOGO INFORMATION	

STOOLS POPULAR OPTIONS



■ 70P Extra thick, soft arm pad	20
■ 60L Air Lumbar	164
■ 16B Foot ring base w/60mm caster. Only available in 175mm or 200mm cylinder.	N/C



EVOLVE 1500

STANDARD FEATURES

- Accommodates up to 400lbs
- Meets CAL 117-2013
- 27B - 28" black nylon reinforced base
- 911C - 70mm heavy-duty casters
- Height adjustable, black mesh back
- Heavy-duty back bar
- 11 Ply seat shell
- Standard seat height approx. range for model pictured (floor to top of seat): 19-1/2" to 23" (with 100mm cylinder)



Model BT16

OPTIONS See pages 138-139 for additional options

Not available: 04, 08, 09, 18, 23, 24 & 37 Arms; 33 Seat Slider



BT15 Task

MANAGERS HIGH BACK
Enhanced ratchet back swivel tilter
07-control

Arm	B	C (com)	D	E (col)	F	G	L
Armless	1127	1145	1167	1200	1250	1321	1440

BT16 Task

MANAGERS HIGH BACK
Ratchet back with heavy duty, multi-
function infinite tilt lock 50-control w/
longer, easy-access cylinder paddle

Arm	B	C (com)	D	E (col)	F	G	L
Armless	1155	1173	1195	1228	1278	1349	1468



01A
Fold away arm with vertical and horizontal adjustment. Standard with 10P arm pad.
260



03A
Loop arm with vertical and horizontal adjustment.
310



12A
Vertical and horizontal adjustable "T" arm with knob. Standard with 10P arm pad.
180



25A
Vertical and horizontal adjustable "T" arm. Standard with 10P arm pad.
145

MESH OPTIONS

Teknit Mesh Color
Bleach Cleanable **75**

Standard Mesh Color **50**

[CLICK HERE FOR
COLOR OPTIONS](#)

[CLICK HERE FOR
LOGO INFORMATION](#)

SEAT SIZE OPTIONS

2021 X-Small 24 w x 18 d	N/C
2022 Small 24 w x 19 d	N/C
2023 Medium 24 w x 20 d	Standard
2024 Large 24 w x 21 d	N/C


BT POPULAR OPTIONS

- 70P Extra thick, soft arm pad **20**
- 25F RFoam (memory foam) **91**
- 60L Air Lumbar **164**
- 65HR Articulating headrest **485**
- 24/7 Upgrade for BT models **420**

EVOLVE 1500

STANDARD FEATURES


- Accommodates up to 400lbs
- Meets CAL 117-2013
- 27B - 28" black nylon reinforced base
- 911C - 70mm heavy-duty casters
- Height adjustable, upholstered back
- Heavy-duty back bar
- 11 Ply seat shell
- Standard seat height approx. range for model pictured (floor to top of seat): 19-1/2" to 23" (with 100mm cylinder)



Model BT18

OPTIONS See pages 138-139 for additional options

Not available: 04, 08, 09, 18, 23, 24 & 37 Arms; 33 Seat Slider



BT17 Task

MANAGERS HIGH BACK
Enhanced ratchet back swivel tilter
07-control

Arm	B	C (com)	D	E (col)	F	G	L
Armless	1267	1297	1337	1394	1470	1589	1826

BT18 Task

MANAGERS HIGH BACK
Ratchet back with heavy duty, multi-function infinite tilt lock 50-control w/ longer, easy-access cylinder paddle

Arm	B	C (com)	D	E (col)	F	G	L
Armless	1295	1325	1365	1422	1498	1617	1854



01A
Fold away arm with vertical and horizontal adjustment. Standard with 10P arm pad.
260



03A
Loop arm with vertical and horizontal adjustment.
310



12A
Vertical and horizontal adjustable "T" arm with knob. Standard with 10P arm pad.
180



25A
Vertical and horizontal adjustable "T" arm. Standard with 10P arm pad.
145

SEAT SIZE OPTIONS

2021 X-Small 24 w x 18 d	N/C
2022 Small 24 w x 19 d	N/C
2023 Medium 24 w x 20 d	Standard
2024 Large 24 w x 21 d	N/C


BT POPULAR OPTIONS

- 70P Extra thick, soft arm pad **20**
- 25F RFoam (memory foam) **91**
- 60L Air Lumbar **164**
- 65HR Articulating headrest **485**
- 24/7 Upgrade for BT models **420**

EVOLVE 9500

STANDARD FEATURES

- Accommodates up to 350lbs
- Meets CAL 117-2013
- Welded steel frame
- Black mesh back, fully upholstered seat
- Completely assembled
- Ganging capability
- Standard seat height: 17-1/2"



Model 9531A

OPTIONS Available options are listed below.



9531NA Guest Lobby

Stacking side chair without arms, stick legs, stacks 8 high

Arm	B	C (com)	D	E (col)	F	G	L
Armless	505	523	545	578	628	699	818



9531A Guest Lobby

Stacking side chair with arms, stick legs, stacks 8 high

Arm	B	C (com)	D	E (col)	F	G	L
Arm	530	548	570	603	653	724	843

9534NA Guest Lobby

Stacking side chair without arms, with casters, stacks 4 high

Arm	B	C (com)	D	E (col)	F	G	L
Armless	535	553	575	608	658	729	848

9534A Guest Lobby

Stacking side chair with arms, with casters, stacks 4 high

Arm	B	C (com)	D	E (col)	F	G	L
Arm	560	578	600	633	683	754	873

9961 Cart

Cart 495

M9961GB

Ganging Device 73

GUEST LOBBY MESH OPTIONS

Teknit Mesh Color Bleach Cleanable	50
Standard Mesh Color	30

[CLICK HERE FOR COLOR OPTIONS](#)

[CLICK HERE FOR LOGO INFORMATION](#)


GUEST LOBBY POPULAR OPTIONS

■ 25F RFoam	91
■ 26F Dual density foam	53
■ 30C Hard floor casters	53

EVOLVE 9500

STANDARD FEATURES

- Accommodates up to 350lbs
- Meets CAL 117-2013
- Fully upholstered seat and back
- Welded steel frame
- Completely assembled
- Ganging capability
- Standard seat height: 17-1/2"



Model 9541A

OPTIONS Available options are listed below.



9541NA Guest Lobby

Stacking side chair without arms, stick legs, stacks 8 high

Arm	B	C (com)	D	E (col)	F	G	L
Armless	620	638	660	693	743	814	933



9541A Guest Lobby

Stacking side chair with arms, stick legs, stacks 8 high

Arm	B	C (com)	D	E (col)	F	G	L
Arm	645	663	685	718	768	839	958

9544NA Guest Lobby

Stacking side chair without arms, with casters, stacks 4 high

Arm	B	C (com)	D	E (col)	F	G	L
Armless	650	668	690	723	773	844	963

9544A Guest Lobby

Stacking side chair with arms, with casters, stacks 4 high

Arm	B	C (com)	D	E (col)	F	G	L
Arm	675	693	715	748	798	869	988

9961 Cart

Cart 495

M9961GB

Ganging Device 73

GUEST LOBBY POPULAR OPTIONS

- 25F RFoam 91
- 26F Dual density foam 53
- 30C Hard floor casters 53