


INTERNET 4800

STANDARD FEATURES

- Accommodates up to 300lbs
- Meets CAL 117-2013
- 13B - 28" black nylon base
- 55mm dual wheeled, hooded casters
- Standard seat height approx. range for model pictured (floor to top of seat): 19" to 22-1/2" (with 100mm cylinder)



Model 4814

OPTIONS See pages 138-139 for additional options



4814 Task

MEDIUM BACK
Multi-function 04-control w/ seat slider

Arm	B	C (com)	D	E (col)	F	G	L
Armless	967	997	1037	1094	1170	1289	1526

4815 Task

MEDIUM BACK
Ratchet back, multi-function 05-control w/seat slider

Arm	B	C (com)	D	E (col)	F	G	L
Armless	1045	1075	1115	1172	1248	1367	1604

4818 Task

MEDIUM BACK
Ratchet back, multi-function 08-control w/ built-in seat slider, knee tilt

Arm	B	C (com)	D	E (col)	F	G	L
Armless	1281	1311	1351	1408	1484	1603	1840

48114 Task

MEDIUM BACK
Ratchet back, advanced synchro tilt control w/ built-in seat slider, tilt lock

Arm	B	C (com)	D	E (col)	F	G	L
Armless	1045	1075	1115	1172	1248	1367	1604

NS481 Task

MEDIUM BACK
Enhanced task 07 control and ratchet back w/ seat slider

Arm	B	C (com)	D	E (col)	F	G	L
Armless	1017	1047	1087	1144	1220	1339	1576



01A
Fold away arm with vertical and horizontal adjustment. Standard with 10P arm pad. **260**



18A
360 degree pivot, vertically and horizontally adjustable arm, standard with 10P arm pad. **190**



23A
Forward angled, vertically and horizontally adjustable arm, standard with 10P arm pad. **171**



25A
Vertical and horizontal adjustable "T" arm. Standard with 10P arm pad. **145**



37A
4-way, multifunction, vertical and horizontal adjustment w/built in pad. Pads cannot be changed. **197**

SEAT SIZE OPTIONS

480 Small 18-1/2 w x 17-1/2 d	N/C	1100 X-Small Tractor 19-3/4 w x 19-3/4 d	65
482 Medium 20 w x 19 d	Standard	1200 Small Tractor 22 w x 19-3/4 d	65
484 Large 21 w x 20 d	N/C	1300 Medium Tractor 22-1/2 w x 20-1/4 d	65
490 X-Large 23 w x 21 d	N/C	1500 Deep Tractor 24-1/4 w x 19-3/4 d	180
1900 Molded Tractor 21 w x 19 d	N/C		

POPULAR OPTIONS

- 70P** Extra thick, soft arm pad **20**
- 25F** RFoAM (memory foam) **91**
- 60L** Air Lumbar **164**


24/7 UPGRADE

- 24/7 Upgrade 357**
Includes:
Seat Slider
28" Heavy duty base
70mm Heavy duty casters
9 Ply seat shell
Dual Density Foam
- *24/7 Upgrade option only available on 05, 14, and NS models.*

INTERNET 4800

STANDARD FEATURES

- Accommodates up to 300lbs
- Meets CAL 117-2013
- 13B - 28" black nylon base
- 55mm dual wheeled, hooded casters
- Standard seat height approx. range for model pictured (floor to top of seat): 19" to 22-1/2" (with 100mm cylinder)



Model 4834

OPTIONS See pages 138-139 for additional options



01A
Fold away arm with vertical and horizontal adjustment. Standard with 10P arm pad. **260**



18A
360 degree pivot, vertically and horizontally adjustable arm, standard with 10P arm pad. **190**



23A
Forward angled, vertically and horizontally adjustable arm, standard with 10P arm pad. **171**



25A
Vertical and horizontal adjustable "T" arm. Standard with 10P arm pad. **145**



37A
4-way, multifunction, vertical and horizontal adjustment w/built in pad. Pads cannot be changed. **197**

4834 Task

MANAGERS HIGH BACK
Multi-function 04-control w/ seat slider

Arm	B	C (com)	D	E (col)	F	G	L
Armless	1012	1042	1082	1139	1215	1334	1571

4835 Task

MANAGERS HIGH BACK
Ratchet back, multi-function 05-control w/seat slider

Arm	B	C (com)	D	E (col)	F	G	L
Armless	1090	1120	1160	1217	1293	1412	1649

4838 Task

MANAGERS HIGH BACK
Ratchet back, multi-function 08-control w/ built-in seat slider, knee tilt

Arm	B	C (com)	D	E (col)	F	G	L
Armless	1326	1356	1396	1453	1529	1648	1885

48314 Task

MANAGERS HIGH BACK
Advanced synchro tilt control w/ built-in seat slider, tilt lock and ratchet back

Arm	B	C (com)	D	E (col)	F	G	L
Armless	1090	1120	1160	1217	1293	1412	1649

NS483 Task

MANAGERS HIGH BACK
Enhanced task 07 control and ratchet back w/ seat slider

Arm	B	C (com)	D	E (col)	F	G	L
Armless	1062	1092	1132	1189	1265	1384	1621

SEAT SIZE OPTIONS

480 Small 18-1/2 w x 17-1/2 d	N/C
482 Medium 20 w x 19 d	Standard
484 Large 21 w x 20 d	N/C
490 X-Large 23 w x 21 d	N/C
1900 Molded Tractor 21 w x 19 d	N/C

1100 X-Small Tractor 19-3/4 w x 19-3/4 d	65
1200 Small Tractor 22 w x 19-3/4 d	65
1300 Medium Tractor 22-1/2 w x 20-1/4 d	65
1500 Deep Tractor 24-1/4 w x 19-3/4 d	180

POPULAR OPTIONS

70P Extra thick, soft arm pad	20
25F RFoM (memory foam)	91
59L Comfort Cutout	100
60L Air Lumbar	164
70L Air Thoracic	164
68L Air Lumbar & Thoracic	261

24/7 UPGRADE


- 24/7 Upgrade **357**
Includes:
Seat Slider
28" Heavy duty base
70mm Heavy duty casters
9 Ply seat shell
Dual Density Foam
- *24/7 Upgrade option only available on 05, 14, and NS models.*

INTERNET 4800



STANDARD FEATURES

- Accommodates up to 350lbs
- 24/7 rated
- Meets CAL 117-2013
- 27B - 28" black nylon reinforced base
- 911C - 70mm heavy-duty casters
- 9 Ply tapered seat shell
- 26F - Dual Density seat foam
- Seat boxing, back seat panel, out-back and bottom in-back cutout in black ballistic nylon
- 58BD - beading (protective edge guard on back)
- Standard seat height approx. range for model pictured (floor to top of seat): 21" to 24-1/2" (with 100mm cylinder)



Model MP484-50

OPTIONS See pages 138-139 for additional options

MP484-50CONT Task

Arm	B	C (com)	D	E (col)	F	G	L
Armless	1460	1490	1530	1587	1663	1782	2019

M4844-14CONT Task

Arm	B	C (com)	D	E (col)	F	G	L
Armless	1460	1490	1530	1587	1663	1782	2019

M484N-NS CONT Task

Arm	B	C (com)	D	E (col)	F	G	L
Armless	1432	1462	1502	1559	1635	1754	1991



01A
Fold away arm with vertical and horizontal adjustment. Standard with 10P arm pad.
260



18A
360 degree pivot, vertically and horizontally adjustable arm, standard with 10P arm pad.
190



23A
Forward angled, vertically and horizontally adjustable arm, standard with 10P arm pad.
171



25A
Vertical and horizontal adjustable "T" arm. Standard with 10P arm pad.
145



37A
4-way, multifunction, vertical and horizontal adjustment w/built in pad. Pads cannot be changed.
197

Please note: Cross Check, Open House, and Symphony classic will be warranted for 3 years on 24/7 chairs. All other fabrics are not covered under warranty. To ensure the greatest protection for these chairs, we strongly recommend selecting one of the fabrics with over 250,000 double rubs.

SEAT SIZE OPTIONS		
252 Small 20 w x 18 d	N/C	
253 Medium 20 w x 19 d	Standard	
255 Large 21-1/2 w x 20 d	N/C	

POPULAR OPTIONS	
70P Extra thick, soft arm pad	20
25F RFoM (memory foam)	91
60L Air Lumbar	164
70L Air Thoracic	164
68L Air Lumbar & Thoracic	261
65HR Articulating headrest	485


MP/BT UPGRADE SEAT SIZE OPTIONS	
** 400 lbs. rated **	
2062 Small 24 w x 20 d	310
2063 Medium 24 w x 21 d	310
2064 Large 24 w x 22 d	310

*400 lbs. rated seats only available on 50-control or NS models
*no seat slider

INTERNET 4800

STANDARD FEATURES

- Accommodates up to 300lbs
- Meets CAL 117-2013
- 13B - 28" black nylon base
- 55mm dual wheeled, hooded casters
- Standard seat height approx. range for model pictured (floor to top of seat): 19" to 22-1/2" (with 100mm cylinder)



Model 4895

OPTIONS See pages 138-139 for additional options



4894 Task

EXECUTIVE HIGH BACK
w/pillow Multi-function 04-control
w/ seat slider

Arm	B	C (com)	D	E (col)	F	G	L
Armless	1422	1459	1507	1587	1690	1846	2118

4895 Task

EXECUTIVE HIGH BACK
w/pillow Ratchet back, multi-
function 05-control w/seat slider

Arm	B	C (com)	D	E (col)	F	G	L
Armless	1500	1537	1585	1665	1768	1924	2196

4898 Task

EXECUTIVE HIGH BACK
w/pillow, ratchet back, multi-
function 08-control w/built-in seat
slider, knee tilt

Arm	B	C (com)	D	E (col)	F	G	L
Armless	1736	1773	1821	1901	2004	2160	2432

48914 Task

EXECUTIVE HIGH BACK
w/pillow, advanced synchro tilt
control w/built-in seat slider, tilt lock
and ratchet back

Arm	B	C (com)	D	E (col)	F	G	L
Armless	1500	1537	1585	1665	1768	1924	2196



01A
Fold away arm with vertical
and horizontal adjustment.
Standard with 10P arm pad.
260



18A
360 degree pivot, vertically
and horizontally adjustable
arm, standard with 10P arm
pad.
190



23A
Forward angled, vertically
and horizontally adjustable
arm, standard with 10P arm
pad.
171



25A
Vertical and horizontal
adjustable "T" arm.
Standard with 10P arm pad.
145



37A
4-way, multifunction,
vertical and horizontal
adjustment w/built in pad.
Pads cannot be changed.
197

SEAT SIZE OPTIONS

480 Small 18 1/2 w x 17 1/2 d	N/C	1100 X-Small Tractor 19-3/4 w x 19-3/4 d	65
482 Medium 20 w x 19 d	N/C	1200 Small Tractor 22 w x 19-3/4 d	65
484 Large 21 w x 20 d	Standard	1300 Medium Tractor 22-1/2 w x 20-1/4 d	65
490 X-Large 23 w x 21 d	N/C	1500 Deep Tractor 24-1/4 w x 19-3/4 d	180
1900 Molded Tractor 21 w x 19 d	N/C		

POPULAR OPTIONS

70P Extra thick, soft arm pad	20
25F RFoAM (memory foam)	91
60L Air Lumbar	164
70L Air Thoracic	164
68L Air Lumbar & Thoracic	261


24/7 UPGRADE

- 24/7 Upgrade 357**
Includes:
Seat Slider
28" Heavy duty base
70mm Heavy duty casters
9 Ply seat shell
Dual Density Foam
- *24/7 Upgrade option only available on 05, 14, and NS models.*

INTERNET 4800

STANDARD FEATURES

- Accommodates up to 300lbs
- Meets CAL 117-2013
- 13B - 28" black nylon base
- 55mm dual wheeled, hooded casters
- 37FR - Adjustable height foot ring
- Standard seat height approx. range for model pictured (floor to top of seat): 25" to 32" (with 200mm cylinder)



Model 4813

OPTIONS See pages 138-139 for additional options

[CLICK HERE FOR APPROXIMATE STOOL HEIGHT GUIDELINES](#)

Note: please specify stool kit 37200 or 37270



4813-37200 Stool	Arm	B	C (com)	D	E (col)	F	G	L
------------------	-----	---	---------	---	---------	---	---	---

MEDIUM BACK STOOL Tri-action 03-control	Armless	1113	1143	1183	1240	1316	1435	1672
---	---------	------	------	------	------	------	------	------

48133-37200 Stool	Arm	B	C (com)	D	E (col)	F	G	L
-------------------	-----	---	---------	---	---------	---	---	---

MEDIUM BACK STOOL Ratchet back, tri-action 33-control	Armless	1189	1219	1259	1316	1392	1511	1748
---	---------	------	------	------	------	------	------	------



01A
Fold away arm with vertical and horizontal adjustment. Standard with 10P arm pad.
260



18A
360 degree pivot, vertically and horizontally adjustable arm, standard with 10P arm pad.
190



23A
Forward angled, vertically and horizontally adjustable arm, standard with 10P arm pad.
171



25A
Vertical and horizontal adjustable "T" arm. Standard with 10P arm pad.
145



37A
4-way, multifunction, vertical and horizontal adjustment w/built in pad. Pads cannot be changed.
197

SEAT SIZE OPTIONS

480 Small 18-1/2 w x 17-1/2 d	N/C
482 Medium 20 w x 19 d	Standard
484 Large 21 w x 20 d	N/C
490 X-Large 23 w x 21 d	N/C
1900 Molded Tractor 21 w x 19 d	N/C

1100 X-Small Tractor 19-3/4 w x 19-3/4 d	65
1200 Small Tractor 22 w x 19-3/4 d	65
1300 Medium Tractor 22-1/2 w x 20-1/4 d	65
1500 Deep Tractor 24-1/4 w x 19-3/4 d	180

STOOLS POPULAR OPTIONS


- 70P Extra thick, soft arm pad **20**
- 25F RFoAM (memory foam) **91**
- 60L Air Lumbar **164**
- 33SS Seat Slider **60**
- 16B Foot ring base w/60mm caster. Only available in 175mm or 200mm cylinder. **N/C**



INTERNET 4800

STANDARD FEATURES

- Accommodates up to 300lbs
- Meets CAL 117-2013
- 13B - 28" black nylon base
- 55mm dual wheeled, hooded casters
- 37FR - Adjustable height foot ring
- Standard seat height approx. range for model pictured (floor to top of seat): 25" to 32" (with 200mm cylinder)



Model 4833

OPTIONS See pages 138-139 for additional options

[CLICK HERE FOR APPROXIMATE STOOL HEIGHT GUIDELINES](#)



NOTE: please specify stool kit 37200 or 37270

4833-37200 Stool	Arm	B	C (com)	D	E (col)	F	G	L
------------------	-----	---	---------	---	---------	---	---	---

MANAGERS HIGH BACK STOOL Tri-action 03-control	Armless	1158	1188	1228	1285	1361	1480	1717
--	---------	------	------	------	------	------	------	------

48333-37200	Arm	B	C (com)	D	E (col)	F	G	L
-------------	-----	---	---------	---	---------	---	---	---

MANAGERS HIGH BACK STOOL Ratchet back, tri-action 33-control	Armless	1234	1264	1304	1361	1437	1556	1793
--	---------	------	------	------	------	------	------	------



01A
Fold away arm with vertical and horizontal adjustment. Standard with 10P arm pad.
260



18A
360 degree pivot, vertically and horizontally adjustable arm, standard with 10P arm pad.
190



23A
Forward angled, vertically and horizontally adjustable arm, standard with 10P arm pad.
171



25A
Vertical and horizontal adjustable "T" arm. Standard with 10P arm pad.
145



37A
4-way, multifunction, vertical and horizontal adjustment w/built in pad. Pads cannot be changed.
197

SEAT SIZE OPTIONS

480 Small 18-1/2 w x 17-1/2 d	N/C	1100 X-Small Tractor 19-3/4 w x 19-3/4 d	65
482 Medium 20 w x 19 d	Standard	1200 Small Tractor 22 w x 19-3/4 d	65
484 Large 21 w x 20 d	N/C	1300 Medium Tractor 22-1/2 w x 20-1/4 d	65
490 X-Large 23 w x 21 d	N/C	1500 Deep Tractor 24-1/4 w x 19-3/4 d	180
1900 Molded Tractor 21 w x 19 d	N/C		

STOOLS POPULAR OPTIONS


- 70P** Extra thick, soft arm pad **20**
 - 25F** RFoAM (memory foam) **91**
 - 59L** Comfort Cutout **100**
 - 60L** Air Lumbar **164**
 - 33S** Seat Slider **60**
 - 16B** Foot ring base **N/C**
- w/60mm caster. Only available in 175mm or 200mm cylinder.



INTERNET 4800

STANDARD FEATURES

- Accommodates up to 400lbs
- Meets CAL 117-2013
- 27B - 28" black nylon reinforced base
- 911 - 70mm heavy-duty casters
- 11 Ply seat shell
- 14BB - Extended back bar
- Standard seat height approx. range for model pictured (floor to top of seat): 19-1/4" to 22-3/4" (with 100mm cylinder)



Model BT41

OPTIONS See pages 138-139 for additional options

Not available: 04, 08, 09, 18, 23, 24 & 37 Arms; 33 Seat Slider; 481, 489 Backs



BT41 Task

MANAGERS HIGH BACK

Enhanced ratchet back swivel tilter
07-control

Arm	B	C (com)	D	E (col)	F	G	L
Armless	1342	1372	1412	1469	1545	1664	1901

BT42 Task

MANAGERS HIGH BACK

Ratchet back with heavy duty, multi-function infinite tilt lock 50-control w/ longer, easy-access cylinder paddle

Arm	B	C (com)	D	E (col)	F	G	L
Armless	1370	1400	1440	1497	1573	1692	1929



01A
Fold away arm with vertical and horizontal adjustment. Standard with 10P arm pad.
260



03A
Loop arm with vertical and horizontal adjustment.
310



12A
Vertical and horizontal adjustable "T" arm with knob. Standard with 10P arm pad.
180



25A
Vertical and horizontal adjustable "T" arm. Standard with 10P arm pad.
145

SEAT SIZE OPTIONS

2021 X-Small 24 w x 18 d	N/C
2022 Small 24 w x 19 d	N/C
2023 Medium 24 w x 20 d	Standard
2024 Large 24 w x 21 d	N/C

BT POPULAR OPTIONS

■ 70P Extra thick, soft arm pad	20
■ 25F RFoam (memory foam)	91
■ 59L Comfort Cutout	100
■ 60L Air Lumbar	164
■ 65HR Articulating headrest	485
■ 24/7 Upgrade for BT models	420