


PHOENIX 2400

STANDARD FEATURES

- Accommodates up to 300lbs
- Meets CAL 117-2013
- 17B - 28" black nylon high hub base
- 60mm dual wheeled casters
- Top stitch sewn fabric on seat and back
- Standard seat height approx. range for model pictured (floor to top of seat): 18-1/2" to 21-1/2" (with 1101 cylinder)



Model 24114-22B

OPTIONS See pages 138-139 for additional options



2415 Task	Arm	B	C (com)	D	E (col)	F	G	L
-----------	-----	---	---------	---	---------	---	---	---

MEDIUM BACK Ratchet back, multi-function 05-control w/seat slider	Armless	1040	1070	1110	1167	1243	1362	1599
---	---------	------	------	------	------	------	------	------

2418 Task	Arm	B	C (com)	D	E (col)	F	G	L
-----------	-----	---	---------	---	---------	---	---	---

MEDIUM BACK Ratchet back, multi-function 08-control w/built inseat slider, knee tilt	Armless	1276	1306	1346	1403	1479	1598	1835
--	---------	------	------	------	------	------	------	------

24114 Task	Arm	B	C (com)	D	E (col)	F	G	L
------------	-----	---	---------	---	---------	---	---	---

MEDIUM BACK Advanced synchro tilt control w/ built-in seat slider, tilt lock and ratchet back	Armless	1040	1070	1110	1167	1243	1362	1599
---	---------	------	------	------	------	------	------	------

NS241 Task	Arm	B	C (com)	D	E (col)	F	G	L
------------	-----	---	---------	---	---------	---	---	---

MEDIUM BACK Enhanced task 07-control and ratchet back w/seat slider	Armless	1012	1042	1082	1139	1215	1334	1571
---	---------	------	------	------	------	------	------	------



01A
Fold away arm with vertical and horizontal adjustment. Standard with 10P arm pad.
260



18A
360 degree pivot, vertically and horizontally adjustable arm, standard with 10P arm pad.
190



23A
Forward angled, vertically and horizontally adjustable arm, standard with 10P arm pad.
171



25A
Vertical and horizontal adjustable "T" arm. Standard with 10P arm pad.
145



37A
4-way, multifunction, vertical and horizontal adjustment w/built in pad. Pads cannot be changed.
197

SEAT SIZE OPTIONS

241 X-Small 18-1/2 w x 18 d	N/C
242 Small 20 w x 18 d	N/C
243 Medium 20 w x 19 d	Standard
245 Large 21-1/2 w x 20 d	N/C

POPULAR OPTIONS

70P Extra thick, soft arm pad	20
25F RFoam (memory foam)	91
60L Air Lumbar	164

24/7 UPGRADE


- 24/7 Upgrade 357
Includes:
Seat Slider
28" Heavy duty base
70mm Heavy duty casters
9 Ply seat shell
Dual Density Foam

**24/7 Upgrade option only available on 05, 14, and NS models.*

PHOENIX 2400

STANDARD FEATURES

- Accommodates up to 300lbs
- Meets CAL 117-2013
- 17B - 28" black nylon high hub base
- 60mm dual wheeled casters
- Top stitch sewn fabric on seat and back
- Standard seat height approx. range for model pictured (floor to top of seat): 18-1/2" to 21-1/2" (with 1101 cylinder)



Model 24314-22B

OPTIONS See pages 138-139 for additional options



01A
Fold away arm with vertical and horizontal adjustment. Standard with 10P arm pad.
260



18A
360 degree pivot, vertically and horizontally adjustable arm, standard with 10P arm pad.
190



23A
Forward angled, vertically and horizontally adjustable arm, standard with 10P arm pad.
171



25A
Vertical and horizontal adjustable "T" arm. Standard with 10P arm pad.
145



37A
4-way, multifunction, vertical and horizontal adjustment w/built in pad. Pads cannot be changed.
197

2435 Task

MANAGERS HIGH BACK
Ratchet back, multi-function 05-control w/seat slider

Arm	B	C (com)	D	E (col)	F	G	L
-----	---	---------	---	---------	---	---	---

Armless	1070	1100	1140	1197	1273	1392	1629
---------	------	------	------	------	------	------	------

2438 Task

MANAGERS HIGH BACK
Ratchet back, multi-function 08-control w/built inset slider, knee tilt

Arm	B	C (com)	D	E (col)	F	G	L
-----	---	---------	---	---------	---	---	---

Armless	1306	1336	1376	1433	1509	1628	1865
---------	------	------	------	------	------	------	------

24314 Task

MANAGERS HIGH BACK
Advanced synchro tilt control w/ built-in seat slider, tilt lock and ratchet back

Arm	B	C (com)	D	E (col)	F	G	L
-----	---	---------	---	---------	---	---	---

Armless	1070	1100	1140	1197	1273	1392	1629
---------	------	------	------	------	------	------	------

NS243 Task

MANAGERS HIGH BACK
Enhanced task 07-control and ratchet back w/seat slider

Arm	B	C (com)	D	E (col)	F	G	L
-----	---	---------	---	---------	---	---	---

Armless	1042	1072	1112	1169	1245	1364	1601
---------	------	------	------	------	------	------	------

SEAT SIZE OPTIONS

241 X-Small 18-1/2 w x 18 d	N/C
242 Small 20 w x 18 d	N/C
243 Medium 20 w x 19 d	Standard
245 Large 21-1/2 w x 20 d	N/C

POPULAR OPTIONS

■ 70P Extra thick, soft arm pad	20
■ 25F RFoM(memory foam)	91
■ 59L Comfort Cutout	100
■ 60L Air Lumbar	164
■ 70L Air Thoracic	164
■ 68L Air Lumbar & Thoracic	261
■ 65HR Articulating headrest	485

24/7 UPGRADE


■ 24/7 Upgrade	357
Includes:	
Seat Slider	
28" Heavy duty base	
70mm Heavy duty casters	
9 Ply seat shell	
Dual Density Foam	
<i>*24/7 Upgrade option only available on 05, 14, and NS models.</i>	

PHOENIX 2400



STANDARD FEATURES

- Accommodates up to 350lbs
- 24/7 rated
- Meets CAL 117-2013
- 27B - 28" black nylon reinforced base
- 911C - 70mm heavy-duty casters
- 9 Ply tapered seat shell
- 26F - Dual Density seat foam
- Seat boxing and back seat panel, out-back and bottom in-back cutout in black ballistic nylon
- 58BD - beading (protective edge guard on back)
- Standard seat height approx. range for model pictured (floor to top of seat): 21" to 24-1/2" (with 100mm cylinder)



Model MP244

OPTIONS See pages 138-139 for additional options

MP244-50CONT Task	Arm	B	C (com)	D	E (col)	F	G	L
MANAGERS HIGH BACK Ratchet back, multi-function 50-control w/seat slider	Armless	1505	1535	1575	1632	1708	1827	2064

M2444-14CONT Task	Arm	B	C (com)	D	E (col)	F	G	L
MANAGERS HIGH BACK Advanced synchro tilt control w/ built-in seat slider, tilt lock and ratchet back	Armless	1505	1535	1575	1632	1708	1827	2064

M244N-NS CONT Task	Arm	B	C (com)	D	E (col)	F	G	L
MANAGERS HIGH BACK Enhanced task 07-control and ratchet back w/seat slider	Armless	1477	1507	1547	1604	1680	1799	2036



01A
Fold away arm with vertical and horizontal adjustment. Standard with 10P arm pad.
260



18A
360 degree pivot, vertically and horizontally adjustable arm, standard with 10P arm pad.
190



23A
Forward angled, vertically and horizontally adjustable arm, standard with 10P arm pad.
171



25A
Vertical and horizontal adjustable "T" arm. Standard with 10P arm pad.
145



37A
4-way, multifunction, vertical and horizontal adjustment w/built in pad. Pads cannot be changed.
197

Please note: Cross Check, Open House, and Symphony classic will be warranted for 3 years on 24/7 chairs. All other fabrics are not covered under warranty. To ensure the greatest protection for these chairs, we strongly recommend selecting one of the fabrics with over 250,000 double rubs.

SEAT SIZE OPTIONS		
252 Small 20 w x 18 d	N/C	
253 Medium 20 w x 19 d	Standard	
255 Large 21-1/2 w x 20 d	N/C	

POPULAR OPTIONS		
70P Extra thick, soft arm pad	20	
25F RFoM (memory foam)	91	
60L Air Lumbar	164	
70L Air Thoracic	164	
68L Air Lumbar & Thoracic	261	
65HR Articulating headrest	485	


MP/BT UPGRADE SEAT SIZE OPTIONS		** 400 lbs. rated **
2062 Small 24 w x 20 d	310	
2063 Medium 24 w x 21 d	310	
2064 Large 24 w x 22 d	310	

**400 lbs. rated seats only available on 50-control or NS models
no seat slider

PHOENIX 2400

STANDARD FEATURES

- Accommodates up to 300lbs
- Meets CAL 117-2013
- Choice of Black arms & base or (CH) Polished aluminum arms & base
- 60mm dual wheeled casters
- Top stitch sewn fabric on seat and back
- Standard seat height approx. range for model pictured (floor to top of seat): 17-1/2" to 20-1/2" (with 100mm cylinder)



Model 241CH

OPTIONS No options or substitutions are available.



241 Conference

MEDIUM BACK

Swivel tilt 07-control w/ 17B 28" black nylon high hub base & 09A reverse "C" arm

Arm	B	C (com)	D	E (col)	F	G	L
09A	1040	1070	1110	1167	1243	1362	1599

241CH Conference


MEDIUM BACK

Swivel tilt 07-control w/ 22B polished aluminum base & 30A polished aluminum arms

Arm	B	C (com)	D	E (col)	F	G	L
30A	1155	1185	1225	1282	1358	1477	1714

STANDARD FEATURES

- Accommodates up to 300lbs
- Meets CAL 117-2013
- Choice of Black arms & base or (CH) Polished aluminum arms & base
- 60mm dual wheeled casters
- Top stitch sewn fabric on seat and back
- Standard seat height approx. range for model pictured (floor to top of seat): 17-1/2" to 20-1/2" (with 100mm cylinder)



Model 243

OPTIONS No options or substitutions are available.



243 Conference

MANAGERS HIGH BACK

Swivel tilt 07-control w/ 17B 28" black nylon high hub base & 09A reverse "C" arm

Arm	B	C (com)	D	E (col)	F	G	L
09A	1070	1100	1140	1197	1273	1392	1629

243CH Conference

MANAGERS HIGH BACK


Swivel tilt 07-control w/ 22B polished aluminum base & 30A polished aluminum arms

Arm	B	C (com)	D	E (col)	F	G	L
30A	1185	1215	1255	1312	1388	1507	1744

PHOENIX 2400

STANDARD FEATURES

- Accommodates up to 300lbs
- Meets CAL 117-2013
- 17B - 28" black nylon high hub base
- 60mm dual wheeled casters
- Top stitch sewn fabric on seat and back
- 37FR - Adjustable height foot ring
- Standard seat height approx. range for model pictured (floor to top of seat): 26-3/4" to 33-3/4" (with 200mm cylinder)



Model 24133-37200

OPTIONS See pages 138-139 for additional options

[CLICK HERE FOR APPROXIMATE STOOL HEIGHT GUIDELINES](#)



Note: please specify stool kit 37200 or 37270


24133-37200 Stool

MEDIUM BACK
Ratchet back, tri-action 33-control

Arm	B	C (com)	D	E (col)	F	G	L
Armless	1184	1214	1254	1311	1387	1506	1743

STANDARD FEATURES

- Accommodates up to 300lbs
- Meets CAL 117-2013
- 17B - 28" black nylon high hub base
- 60mm dual wheeled casters
- Top stitch sewn fabric on seat and back
- 37FR - Adjustable height foot ring
- Standard seat height approx. range for model pictured (floor to top of seat): 26-3/4" to 33-3/4" (with 200mm cylinder)



Model 24333-37200

OPTIONS See pages 138-139 for additional options

[CLICK HERE FOR APPROXIMATE STOOL HEIGHT GUIDELINES](#)



Note: please specify stool kit 37200 or 37270

24333-37200 Stool

MANAGERS HIGH BACK
Ratchet back, tri-action 33-control

Arm	B	C (com)	D	E (col)	F	G	L
Armless	1214	1244	1284	1341	1417	1536	1773

SEAT SIZE OPTIONS

241 X-Small 18-1/2 w x 18 d	N/C
242 Small 20 w x 18 d	N/C
243 Medium 20 w x 19 d	Standard
245 Large 21-1/2 w x 20 d	N/C

STOOLS POPULAR OPTIONS


- 70P Extra thick, soft arm pad 20
- 25RFoAM (memory foam) 91
- 60L Air Lumbar 164
- 33SS Seat Slider 60
- 16B Foot ring base
w/60mm caster.
Only available in
175mm or 200mm
cylinder. N/C



PHOENIX 2400

STANDARD FEATURES

- Accommodates up to 400lbs
- Meets CAL 117-2013
- 27B - 28" black nylon reinforced base
- 911C - 70mm heavy-duty casters
- 11 Ply seat shell
- 14BB - Extended back bar
- Top stitch sewn fabric on seat & back
- Standard seat height approx. range for model pictured (floor to top of seat): 19-1/2" to 23" (with 100mm cylinder)



Model BT22

OPTIONS See pages 138-139 for additional options

Not available: 04, 08, 09, 18, 23, 24 & 37 Arms; 33 Seat Slider



BT21 Task	Arm	B	C (com)	D	E (col)	F	G	L
-----------	-----	---	---------	---	---------	---	---	---

MEDIUM BACK Enhanced ratchet back swivel tilter 07-control	Armless	1292	1322	1362	1419	1495	1614	1851
---	---------	------	------	------	------	------	------	------

BT22 Task	Arm	B	C (com)	D	E (col)	F	G	L
-----------	-----	---	---------	---	---------	---	---	---

MEDIUM BACK Ratchet back with heavy duty, multi-function infinite tilt lock 50-control w/ longer, easy-access cylinder paddle	Armless	1320	1350	1390	1447	1523	1642	1879
---	---------	------	------	------	------	------	------	------



01A
Fold away arm with vertical and horizontal adjustment. Standard with 10P arm pad.
260



03A
Loop arm with vertical and horizontal adjustment.
310



12A
Vertical and horizontal adjustable "T" arm with knob. Standard with 10P arm pad.
180




25A
Vertical and horizontal adjustable "T" arm. Standard with 10P arm pad.
145

SEAT SIZE OPTIONS			BT POPULAR OPTIONS	
2011 X-Small 24 w x 18 d		N/C	70P Extra thick, soft arm pad	20
2012 Small 24 w x 19 d		N/C	25F RFoaM(memory foam)	91
2013 Medium 24 w x 20 d		Standard	60L Air Lumbar	164
2014 Large 24 w x 21 d		N/C	65HR Articulating headrest	485
			24/7 Upgrade for BT models	420

PHOENIX 2400

STANDARD FEATURES

- Accommodates up to 400lbs
- Meets CAL 117-2013
- 27B - 28" black nylon reinforced base
- 911C - 70mm heavy-duty casters
- 11 Ply seat shell
- 14BB - Extended back bar
- Top stitch sewn fabric on seat & back
- Standard seat height approx. range for model pictured (floor to top of seat): 19-1/2" to 23" (with 100mm cylinder)



Model BT24

OPTIONS See pages 138-139 for additional options

Not available: 04, 08, 09, 18, 23, 24 & 37 Arms; 33 Seat Slider



BT23 Task

MANAGERSHIGHBACK

Enhanced ratchet back swivel tilter 07-control

Arm	B	C (com)	D	E (col)	F	G	L
-----	---	------------	---	------------	---	---	---

Armless	1322	1352	1392	1449	1525	1644	1881
---------	------	------	------	------	------	------	------

BT24 Task

MANAGERSHIGHBACK

Ratchet back with heavy duty, multi-function infinite tilt lock 50-control w/ longer, easy-access cylinder paddle

Arm	B	C (com)	D	E (col)	F	G	L
-----	---	------------	---	------------	---	---	---

Armless	1350	1380	1420	1477	1553	1672	1909
---------	------	------	------	------	------	------	------



01A

Fold away arm with vertical and horizontal adjustment. Standard with 10P arm pad.

260



03A

Loop arm with vertical and horizontal adjustment.

310



12A

Vertical and horizontal adjustable "T" arm with knob. Standard with 10P arm pad.

180



25A

Vertical and horizontal adjustable "T" arm. Standard with 10P arm pad.

145

SEAT SIZE OPTIONS

2011 X-Small 24 w x 18 d	N/C
2012 Small 24 w x 19 d	N/C
2013 Medium 24 w x 20 d	Standard
2014 Large 24 w x 21 d	N/C

BT POPULAR OPTIONS

70P Extra thick, soft arm pad	20
25F RFoam (memory foam)	91
59L Comfort Cutout	100
60L Air Lumbar	164
65HR Articulating headrest	485
24/7 Upgrade for BT models	420