


RAINIER 3600

STANDARD FEATURES

- Accommodates up to 300lbs
- Meets CAL 117-2013
- 25A arms standard (armless available)
- 13B - 28" black nylon base
- 55mm dual wheeled, hooded casters
- 64L - Thoracic ridge
- Ratchet back
- Protective durable plastic outback
- Standard seat height approx. range for model pictured (floor to top of seat): 19" to 22-1/2" (with 100mm cylinder)



Model R2

OPTIONS See pages 138-139 for additional options

No multi-shift options, no 65 headrest or Bariatric models



R2 Task

Arm	B	C (com)	D	E (col)	F	G	L
-----	---	---------	---	---------	---	---	---

MEDIUM BACK Ratchet back, multi-function 05-control w/seat slider	Standard	1015	1040	1069	1134	1202	1304	1477
Standard arm is 25A	Armless	910	935	964	1029	1097	1199	1372

R2-8 Task

Arm	B	C (com)	D	E (col)	F	G	L
-----	---	---------	---	---------	---	---	---

MEDIUM BACK Ratchet back, multi-function 08-control w/built-in seat slider, knee tilt	Standard	1251	1276	1305	1370	1438	1540	1713
Standard arm is 25A	Armless	1146	1171	1200	1265	1333	1435	1608

R2-14 Task

Arm	B	C (com)	D	E (col)	F	G	L
-----	---	---------	---	---------	---	---	---

MEDIUM BACK Advanced synchro tilt control w/ built-in seat slider, tilt lock and ratchet back	Standard	1015	1040	1069	1134	1202	1304	1477
Standard arm is 25A	Armless	910	935	964	1029	1097	1199	1372

NSR2 Task

Arm	B	C (com)	D	E (col)	F	G	L
-----	---	---------	---	---------	---	---	---

MEDIUM BACK Enhanced task 07-control and ratchet back w/seat slider	Standard	987	1012	1041	1106	1174	1276	1449
Standard arm is 25A	Armless	882	907	936	1001	1069	1171	1344



01A
Fold away arm with vertical and horizontal adjustment. Standard with 10P arm pad.
260



18A
360 degree pivot, vertically and horizontally adjustable arm, standard with 10P arm pad.
190



23A
Forward angled, vertically and horizontally adjustable arm, standard with 10P arm pad.
171



25A - STANDARD
Vertical and horizontal adjustable "T" arm. Standard with 10P arm pad.



37A
4-way, multifunction, vertical and horizontal adjustment w/built in pad. Pads cannot be changed.
197

SEAT SIZE OPTIONS

420 X-Small 18-1/2 w x 17 d	N/C
422 Small 20 w x 17-3/4 d	Standard
423 Medium 20-1/4 w x 19 d	N/C
429 Large 21 w x 19-1/2 d	N/C

POPULAR OPTIONS

- 70P Extra thick, soft arm pad 20
- 25F RFoM (memory foam) 91
- 60L Air Lumbar 164
- 14BB Extended Back Bar 50

RAINIER 3600

STANDARD FEATURES

- Accommodates up to 300lbs
- Meets CAL 117-2013
- 25A arms standard (armless available)
- 13B - 28" black nylon base
- 55mm dual wheeled, hooded casters
- 64L - Thoracic ridge
- Ratchet back
- Protective durable plastic outback
- Standard seat height approx. range for model pictured (floor to top of seat): 19" to 22-1/2" (with 100mm cylinder)

back width
19 1/2"



seat width
20 1/4"



back height
25"

seat depth
19"



Model R4

OPTIONS See pages 138-139 for additional options

No multi-shift options or Bariatric models



R4 Task

MANAGERS HIGH BACK

Ratchet back, multi-function 05-control w/seat slider

Standard arm is 25A

Arm	B	C (com)	D	E (col)	F	G	L
Standard	1090	1115	1144	1209	1277	1379	1552
Armless	985	1010	1039	1104	1172	1274	1447

R4-8 Task

MANAGERS HIGH BACK

Ratchet back, multi-function 08-control w/built-in seat slider, knee tilt

Standard arm is 25A

Arm	B	C (com)	D	E (col)	F	G	L
Standard	1326	1351	1380	1445	1513	1615	1788
Armless	1221	1246	1275	1340	1408	1510	1683

R4-14 Task

MANAGERS HIGH BACK

Advanced synchro tilt control w/ built-in seat slider, tilt lock and ratchet back

Standard arm is 25A

Arm	B	C (com)	D	E (col)	F	G	L
Standard	1090	1115	1144	1209	1277	1379	1552
Armless	985	1010	1039	1104	1172	1274	1447

NSR4 Task

MANAGERS HIGH BACK

Enhanced task 07-control and ratchet back w/seat slider

Standard arm is 25A

Arm	B	C (com)	D	E (col)	F	G	L
Standard	1062	1087	1116	1181	1249	1351	1524
Armless	957	982	1011	1076	1144	1246	1419



01A
Fold away arm with vertical and horizontal adjustment. Standard with 10P arm pad.
260



18A
360 degree pivot, vertically and horizontally adjustable arm, standard with 10P arm pad.
190



23A
Forward angled, vertically and horizontally adjustable arm, standard with 10P arm pad.
171



25A - STANDARD
Vertical and horizontal adjustable "T" arm. Standard with 10P arm pad.



37A
4-way, multifunction, vertical and horizontal adjustment w/built in pad. Pads cannot be changed.
197

SEAT SIZE OPTIONS

420 X-Small 18-1/2 w x 17 d	N/C
422 Small 20 w x 17-3/4 d	N/C
423 Medium 20-1/4 w x 19 d	Standard
429 Large 21 w x 19-1/2 d	N/C


POPULAR OPTIONS

70P Extra thick, soft arm pad	20
25F RFoAM (memory foam)	91
60L Air Lumbar	164
14BB Extended Back Bar	50
65HR Articulating Headrest	485

RAINIER 3600

STANDARD FEATURES

- Accommodates up to 300lbs
- Meets CAL 117-2013
- 25A arms standard (armless available)
- 13B - 28" black nylon base
- 55mm dual wheeled, hooded casters
- 1900 comfort molded foam tractor seat
- 64L - Thoracic ridge
- Ratchet back
- Protective durable plastic outback
- Standard seat height approx. range for model pictured (floor to top of seat): 18-3/4" to 22-1/4" (with 100mm cylinder)



Model R6

OPTIONS See pages 138-139 for additional options

No multi-shift options, no 65 headrest or Bariatric models



R6 Task

MEDIUM BACK
Ratchet back, multi-function 05-control w/seat slider
Standard arm is 25A

Arm	B	C (com)	D	E (col)	F	G	L
Standard	1015	1040	1069	1134	1202	1304	1477
Armless	910	935	964	1029	1097	1199	1372

R6-8 Task

MEDIUM BACK
Ratchet back, multi-function 08-control w/built-in seat slider, knee tilt
Standard arm is 25A

Arm	B	C (com)	D	E (col)	F	G	L
Standard	1251	1276	1305	1370	1438	1540	1713
Armless	1146	1171	1200	1265	1333	1435	1608

R6-14 Task

MEDIUM BACK
Advanced synchro tilt control w/ built-in seat slider, tilt lock and ratchet back
Standard arm is 25A

Arm	B	C (com)	D	E (col)	F	G	L
Standard	1015	1040	1069	1134	1202	1304	1477
Armless	910	935	964	1029	1097	1199	1372

NSR6 Task

MEDIUM BACK
Enhanced task 07-control and ratchet back w/seat slider
Standard arm is 25A

Arm	B	C (com)	D	E (col)	F	G	L
Standard	987	1012	1041	1106	1174	1276	1449
Armless	882	907	936	1001	1069	1171	1344



01A
Fold away arm with vertical and horizontal adjustment. Standard with 10P arm pad.
260



18A
360 degree pivot, vertically and horizontally adjustable arm, standard with 10P arm pad.
190



23A
Forward angled, vertically and horizontally adjustable arm, standard with 10P arm pad.
171



25A - STANDARD
Vertical and horizontal adjustable "T" arm. Standard with 10P arm pad.



37A
4-way, multifunction, vertical and horizontal adjustment w/built in pad. Pads cannot be changed.
197

SEAT SIZE OPTIONS

1100 X-Small Tractor 19-3/4 w x 19-3/4 d	65
1200 Small Tractor 22 w x 19-3/4 d	65
1300 Medium Tractor 22-1/2 w x 20-1/4 d	65
1500 Deep Tractor 24-1/4 w x 19-3/4 d	180
1900 Molded Tractor 21 w x 19 d	Standard


POPULAR OPTIONS

- 70P Extra thick, soft arm pad 20
- 25F RFoAM (memory foam) 91
- 60L Air Lumbar 164
- 14BB Extended Back Bar 50

RAINIER 3600

STANDARD FEATURES

- Accommodates up to 300lbs
 - Meets CAL 117-2013
 - 25A arms standard (armless available)
 - 13B - 28" black nylon base
 - 55mm dual wheeled, hooded casters
 - 1900 comfort molded foam tractor seat
 - 64L - Thoracic ridge
 - Ratchet back
 - Protective durable plastic outback
- Standard seat height approx. range for model pictured (floor to top of seat): 18-3/4" to 22-1/4" (with 100mm cylinder)



Model R8

OPTIONS See pages 138-139 for additional options

No multi-shift options or Bariatric models



R8 Task

MANAGERS HIGH BACK Ratchet back, multi-function 05-control w/seat slider

Standard arm is 25A

Arm	B	C (com)	D	E (col)	F	G	L
Standard	1090	1115	1144	1209	1277	1379	1552
Armless	985	1010	1039	1104	1172	1274	1447

R8-8 Task

MANAGERS HIGH BACK Ratchet back, multi-function 08-control w/built-in seat slider, knee tilt

Standard arm is 25A

Arm	B	C (com)	D	E (col)	F	G	L
Standard	1326	1351	1380	1445	1513	1615	1788
Armless	1221	1246	1275	1340	1408	1510	1683

R8-14 Task

MANAGERS HIGH BACK Advanced synchro tilt control w/ built-in seat slider, tilt lock and ratchet back

Standard arm is 25A

Arm	B	C (com)	D	E (col)	F	G	L
Standard	1090	1115	1144	1209	1277	1379	1552
Armless	985	1010	1039	1104	1172	1274	1447

NSR8 Task

MANAGERS HIGH BACK Enhanced task 07-control and ratchet back w/seat slider

Standard arm is 25A

Arm	B	C (com)	D	E (col)	F	G	L
Standard	1062	1087	1116	1181	1249	1351	1524
Armless	957	982	1011	1076	1144	1246	1419



01A
Fold away arm with vertical and horizontal adjustment. Standard with 10P arm pad.
260



18A
360 degree pivot, vertically and horizontally adjustable arm, standard with 10P arm pad.
190



23A
Forward angled, vertically and horizontally adjustable arm, standard with 10P arm pad.
171



25A - STANDARD
Vertical and horizontal adjustable "T" arm. Standard with 10P arm pad.



37A
4-way, multifunction, vertical and horizontal adjustment w/built in pad. Pads cannot be changed.
197

SEAT SIZE OPTIONS

1100 X-Small Tractor 19-3/4 w x 19-3/4 d	65
1200 Small Tractor 22 w x 19-3/4 d	65
1300 Medium Tractor 22-1/2 w x 20-1/4 d	65
1500 Deep Tractor 24-1/4 w x 19-3/4 d	180
1900 Molded Tractor 21 w x 19 d	Standard


POPULAR OPTIONS

70P Extra thick, soft arm pad	20
25F RFoAM (memory foam)	91
60L Air Lumbar	164
14BB Extended Back Bar	50
65HR Articulating Headrest	485

RAINIER 3600

STANDARD FEATURES

- Accommodates up to 300lbs
- Meets CAL 117-2013
- 25A arms standard (armless available)
- 13B - 28" black nylon base
- 55mm dual wheeled, hooded casters
- 64L - Thoracic ridge
- Ratchet back
- Protective durable plastic outback
- 37FR - Height adjustable foot ring
- Standard seat height approx. range for model pictured (floor to top of seat): 25" to 32" (with 200mm cylinder)



Model R1-33-37200

OPTIONS See pages 138-139 for additional options

[CLICK HERE FOR APPROXIMATE STOOL HEIGHT GUIDELINES](#)

No multi-shift options, no 65 headrest or Bariatric models



Note: please specify stool kit 37200 or 37270

R1-33-37200

MEDIUM BACK STOOL
Ratchet back, tri-action 33-control
Standard arm is 25A

Arm	B	C (com)	D	E (col)	F	G	L
Standard	1159	1184	1213	1278	1346	1448	1621
Armless	1054	1079	1108	1173	1241	1343	1516



01A
Fold away arm with vertical and horizontal adjustment. Standard with 10P arm pad.
260



18A
360 degree pivot, vertically and horizontally adjustable arm, standard with 10P arm pad.
190



23A
Forward angled, vertically and horizontally adjustable arm, standard with 10P arm pad.
171



25A - STANDARD
Vertical and horizontal adjustable "T" arm. Standard with 10P arm pad.



37A
4-way, multifunction, vertical and horizontal adjustment w/built in pad. Pads cannot be changed.
197

SEAT SIZE OPTIONS

420 X-Small 18-1/2 w x 17 d	N/C
422 Small 20 w x 17-3/4 d	Standard
423 Medium 20-1/4 w x 19 d	N/C
429 Large 21 w x 19-1/2 d	N/C
1900 Molded tractor 21 w x 19 d	N/C

STOOLS POPULAR OPTIONS


■ 70P Extra thick, soft arm pad	20
■ 25F RFoam (memory foam)	91
■ 60L Air Lumbar	164
■ 33SS Seat Slider	60
■ 14BB Extended Back Bar	50
■ 16B Foot ring base w/60mm caster. Only available in 175mm or 200mm cylinder.	N/C



RAINIER 3600

STANDARD FEATURES

- Accommodates up to 300lbs
- Meets CAL 117-2013
- 25A arms standard (armless available)
- 13B - 28" black nylon base
- 55mm dual wheeled,hooded casters
- 64L - Thoracic ridge
- Ratchet back
- Protective durable plastic outback
- 37FR - Height adjustable foot ring
- Standard seat height approx. range for model pictured (floor to top of seat): 25" to 32" (with 200mm cylinder)



Model R3-33-37200

OPTIONS See pages 138-139 for additional options

[CLICK HERE FOR APPROXIMATE STOOL HEIGHT GUIDELINES](#)

No multi-shift options, no 65 headrest or Bariatric models



Note: please specify stool kit 37200 or 37270

R3-33-37200 Stool

MANAGERS HIGH BACK STOOL
Ratchet back, tri-action 33-control
Standard arm is 25A

	Arm	B	C (com)	D	E (col)	F	G	L
Standard		1234	1259	1288	1353	1421	1523	1696
Armless		1129	1154	1183	1248	1316	1418	1591



01A
Fold away arm with vertical and horizontal adjustment. Standard with 10P arm pad.
260



18A
360 degree pivot, vertically and horizontally adjustable arm, standard with 10P arm pad.
190



23A
Forward angled, vertically and horizontally adjustable arm, standard with 10P arm pad.
171



25A - STANDARD
Vertical and horizontal adjustable "T" arm. Standard with 10P arm pad.



37A
4-way, multifunction, vertical and horizontal adjustment w/built in pad. Pads cannot be changed.
197

SEAT SIZE OPTIONS

420 X-Small 18-1/2 w x 17 d	N/C
422 Small 20 w x 17-3/4 d	N/C
423 Medium 20-1/4 w x 19 d	Standard
429 Large 21 w x 19-1/2 d	N/C
1900 Molded tractor 21 w x 19 d	N/C

STOOLS POPULAR OPTIONS

- **70P** Extra thick, soft arm pad **20**
- **25F** RFoam (memory foam) **91**
- **60L** Air Lumbar **164**
- **33SS** Seat Slider **60**
- **14BB** Extended Back Bar **50**
- **16B** Foot ring base w/60mm caster. Only available in 175mm or 200mm cylinder. **N/C**

