


RAY 4200

STANDARD FEATURES

- Accommodates up to 300lbs
- Meets CAL 117-2013
- 13B - 28" black nylon base
- 55mm dual wheeled, hooded casters
- Protective durable plastic outback
- Standard seat height approx. range for model pictured (floor to top of seat): 19" to 22-1/2" (with 100mm cylinder)



Model 4225

OPTIONS See pages 138-139 for additional options

No multi-shift options, no 65 headrest or Bariatric models



4225 Task

MEDIUM BACK

Ratchet back, multi-function 05-control w/seat slider

Arm	B	C (com)	D	E (col)	F	G	L
Armless	1070	1095	1124	1189	1257	1359	1532

4228 Task

MEDIUM BACK

Ratchet back, multi-function 08-control w/built-in seat slider, knee tilt

Arm	B	C (com)	D	E (col)	F	G	L
Armless	1306	1331	1360	1425	1493	1595	1768

42214 Task

MEDIUM BACK

Advanced synchro tilt control w/ built-in seat slider, tilt lock and ratchet back

Arm	B	C (com)	D	E (col)	F	G	L
Armless	1070	1095	1124	1189	1257	1359	1532

NS422 Task

MEDIUM BACK

Enhanced task 07-control and ratchet back w/ seat slider

Arm	B	C (com)	D	E (col)	F	G	L
Armless	1042	1067	1096	1161	1229	1331	1504



01A
Fold away arm with vertical and horizontal adjustment. Standard with 10P arm pad.
260



18A
360 degree pivot, vertically and horizontally adjustable arm, standard with 10P arm pad.
190



23A
Forward angled, vertically and horizontally adjustable arm, standard with 10P arm pad.
171



25A
Vertical and horizontal adjustable "T" arm. Standard with 10P arm pad.
145



37A
4-way, multifunction, vertical and horizontal adjustment w/built in pad. Pads cannot be changed.
197

SEAT SIZE OPTIONS

420 X-Small 18-1/2 w x 17 d	N/C	1100 X-Small Tractor 19-3/4 w x 19-3/4 d	65
422 Small 20 w x 17-3/4 d	Standard	1200 Small Tractor 22 w x 19-3/4 d	65
423 Medium 20-1/4 w x 19 d	N/C	1300 Medium Tractor 22-1/2 w x 20-1/4 d	65
429 Large 21 w x 19-1/2 d	N/C	1500 Deep Tractor 24-1/4 w x 19-3/4 d	180
1900 Molded Tractor 21 w x 19 d	N/C		

POPULAR OPTIONS

- 70P Extra thick, soft arm pad **20**
- 25F RFoam (memory foam) **91**
- 60L Air Lumbar **164**

RAY 4200

STANDARD FEATURES

- Accommodates up to 300lbs
- Meets CAL 117-2013
- 13B - 28" black nylon base
- 55mm dual wheeled, hooded casters
- Protective durable plastic outback
- Standard seat height approx. range for model pictured (floor to top of seat): 19" to 22-1/2" (with 100mm cylinder)



Model 4235

OPTIONS See pages 138-139 for additional options

No multi-shift options, no 65 headrest or Bariatric models



4235 Task

MANAGERS HIGH BACK

Ratchet back, Multi-function 05-control w/seat slider

Arm	B	C (com)	D	E (col)	F	G	L
Armless	1140	1165	1194	1259	1327	1429	1602

4238 Task

MANAGERS HIGH BACK

Ratchet back, multi-function 08-control w/built-in seat slider, knee tilt

Arm	B	C (com)	D	E (col)	F	G	L
Armless	1376	1401	1430	1495	1563	1665	1838

42314 Task

MANAGERS HIGH BACK

Advanced synchro tilt control w/ built-in seat slider, tilt lock and ratchet back

Arm	B	C (com)	D	E (col)	F	G	L
Armless	1140	1165	1194	1259	1327	1429	1602

NS423 Task

MANAGERS HIGH BACK

Enhanced task 07-control and ratchet back w/seat slider

Arm	B	C (com)	D	E (col)	F	G	L
Armless	1112	1137	1166	1231	1299	1401	1574



01A
Fold away arm with vertical and horizontal adjustment. Standard with 10P arm pad.
260



18A
360 degree pivot, vertically and horizontally adjustable arm, standard with 10P arm pad.
190



23A
Forward angled, vertically and horizontally adjustable arm, standard with 10P arm pad.
171



25A
Vertical and horizontal adjustable "T" arm. Standard with 10P arm pad.
145



37A
4-way, multifunction, vertical and horizontal adjustment w/built in pad. Pads cannot be changed.
197

SEAT SIZE OPTIONS

420 X-Small 18-1/2 w x 17 d	N/C	1100 X-Small Tractor 19-3/4 w x 19-3/4 d	65
422 Small 20 w x 17-3/4 d	N/C	1200 Small Tractor 22 w x 19-3/4 d	65
423 Medium 20-1/4 w x 19 d	Standard	1300 Medium Tractor 22-1/2 w x 20-1/4 d	65
429 Large 21 w x 19-1/2 d	N/C	1500 Deep Tractor 24-1/4 w x 19-3/4 d	180
1900 Molded Tractor 21 w x 19 d	N/C		


POPULAR OPTIONS

- 70P** Extra thick, soft arm pad **20**
- 25F** RFoAM (memory foam) **91**
- 60L** Air Lumbar **164**
- 70L** Air Thoracic **164**
- 68L** Air Lumbar & Thoracic **261**

RAY 4200

STANDARD FEATURES

- Accommodates up to 300lbs
- Meets CAL 117-2013
- 13B - 28" black nylon base
- 55mm dual wheeled, hooded casters
- Protective durable plastic outback
- 65HR - Articulating Headrest
- Standard seat height approx. range for model pictured (floor to top of seat): 18-1/2" to 22" (with 100mm cylinder)



Model 42914

OPTIONS See pages 138-139 for additional options

No multi-shift options or Bariatric models



4295 Task

EXECUTIVE HIGH BACK w/headrest
Ratchet back, multi-function 05-control w/seat slider

Arm	B	C (com)	D	E (col)	F	G	L
-----	---	---------	---	---------	---	---	---

Armless	1625	1650	1679	1744	1812	1914	2087
---------	------	------	------	------	------	------	------

4298 Task

EXECUTIVE HIGH BACK w/headrest
Ratchet back, multi-function 08-control w/ built-in seat slider, knee tilt

Arm	B	C (com)	D	E (col)	F	G	L
-----	---	---------	---	---------	---	---	---

Armless	1861	1886	1915	1980	2048	2150	2323
---------	------	------	------	------	------	------	------

42914 Task

EXECUTIVE HIGH BACK w/headrest,
advanced synchro tilt control w/ built-in seat slider, tilt lock and ratchet back

Arm	B	C (com)	D	E (col)	F	G	L
-----	---	---------	---	---------	---	---	---

Armless	1625	1650	1679	1744	1812	1914	2087
---------	------	------	------	------	------	------	------



01A
Fold away arm with vertical and horizontal adjustment. Standard with 10P arm pad.
260



18A
360 degree pivot, vertically and horizontally adjustable arm, standard with 10P arm pad.
190



23A
Forward angled, vertically and horizontally adjustable arm, standard with 10P arm pad.
171



25A
Vertical and horizontal adjustable "T" arm. Standard with 10P arm pad.
145



37A
4-way, multifunction, vertical and horizontal adjustment w/built in pad. Pads cannot be changed.
197

SEAT SIZE OPTIONS

420 X-Small 18-1/2 w x 17 d	N/C	1100 X-Small Tractor 19-3/4 w x 19-3/4 d	65
422 Small 20 w x 17-3/4 d	N/C	1200 Small Tractor 22 w x 19-3/4 d	65
423 Medium 20-1/4 w x 19 d	Standard	1300 Medium Tractor 22-1/2 w x 20-1/4 d	65
429 Large 21 w x 19-1/2 d	N/C	1500 Deep Tractor 24-1/4 w x 19-3/4 d	180
1900 Molded Tractor 21 w x 19 d	N/C		

POPULAR OPTIONS

- **70P** Extra thick, soft arm pad **20**
- **25F** RFoAM (memory foam) **91**
- **60L** Air Lumbar **164**
- **70L** Air Thoracic **164**
- **68L** Air Lumbar & Thoracic **261**

RAY 4200

STANDARD FEATURES

- Accommodates up to 300lbs
- Meets CAL 117-2013
- 13B - 28" black nylon base
- 55mm dual wheeled, hooded casters
- Protective durable plastic outback
- 37FR - Adjustable foot ring
- Standard seat height approx. range for model pictured (floor to top of seat): 25" to 32" (with 200mm cylinder)



Model 42233-37200

OPTIONS See pages 138-139 for additional options

No multi-shift options, no 65 headrest or Bariatric models

[CLICK HERE FOR APPROXIMATE STOOL HEIGHT GUIDELINES](#)



NOTE: please specify stool kit 37200 or 37270

42233-37200 Stool	Arm	B	C (com)	D	E (col)	F	G	L
MEDIUM BACK STOOL Ratchet back, tri-action 33-control	Armless	1214	1239	1268	1333	1401	1503	1676



01A
Fold away arm with vertical and horizontal adjustment. Standard with 10P arm pad.
260



18A
360 degree pivot, vertically and horizontally adjustable arm, standard with 10P arm pad.
190



23A
Forward angled, vertically and horizontally adjustable arm, standard with 10P arm pad.
171



25A
Vertical and horizontal adjustable "T" arm. Standard with 10P arm pad.
145



37A
4-way, multifunction, vertical and horizontal adjustment w/built in pad. Pads cannot be changed.
197

SEAT SIZE OPTIONS

420 X-Small 18-1/2 w x 17 d	N/C	1100 X-Small Tractor 19-3/4 w x 19-3/4 d	65
422 Small 20 w x 17-3/4 d	Standard	1200 Small Tractor 22 w x 19-3/4 d	65
423 Medium 20-1/4 w x 19 d	N/C	1300 Medium Tractor 22-1/2 w x 20-1/4 d	65
429 Large 21 w x 19-1/2 d	N/C	1500 Deep Tractor 24-1/4 w x 19-3/4 d	180
1900 Molded Tractor 21 w x 19 d	N/C		

STOOL POPULAR OPTIONS

- **70P** Extra thick, soft arm pad **20**
- **25F** RFoAM (memory foam) **91**
- **60L** Air Lumbar **164**
- **33SS** Seat Slider **60**
- **16B** Foot ring base w/60mm caster. Only available in 175mm or 200mm cylinder. **N/C**



RAY 4200

STANDARD FEATURES

- Accommodates up to 300lbs
- Meets CAL 117-2013
- 13B - 28" black nylon base
- 55mm dual wheeled, hooded casters
- Protective durable plastic outback
- 37FR - Adjustable foot ring
- Standard seat height approx. range for model pictured (floor to top of seat): 25" to 32" (with 200mm cylinder)



Model 42333-37200

OPTIONS See pages 138-139 for additional options

No multi-shift options, no 65 headrest or Bariatric models

[CLICK HERE FOR APPROXIMATE STOOL HEIGHT GUIDELINES](#)



Note: please specify stool kit 37200 or 37270

42333-37200 Stool	Arm	B	C (com)	D	E (col)	F	G	L
MANAGERS HIGH BACK STOOL Ratchet back, tri-action 33-control	Armless	1284	1309	1338	1403	1471	1573	1746



01A
Fold away arm with vertical and horizontal adjustment. Standard with 10P arm pad.
260



18A
360 degree pivot, vertically and horizontally adjustable arm, standard with 10P arm pad.
190



23A
Forward angled, vertically and horizontally adjustable arm, standard with 10P arm pad.
171



25A
Vertical and horizontal adjustable "T" arm. Standard with 10P arm pad.
145



37A
4-way, multifunction, vertical and horizontal adjustment w/built in pad. Pads cannot be changed.
197

SEAT SIZE OPTIONS					STOOL POPULAR OPTIONS	
420 X-Small 18-1/2 w x 17 d	N/C	1100 X-Small Tractor 19-3/4 w x 19-3/4 d	65	70P Extra thick, soft arm pad	20	
422 Small 20 w x 17-3/4 d	N/C	1200 Small Tractor 22 w x 19-3/4 d	65	25F RFoam (memory foam)	91	
423 Medium 20-1/4 w x 19 d	Standard	1300 Medium Tractor 22-1/2 w x 20-1/4 d	65	60L Air Lumbar	164	
429 Large 21 w x 19-1/2 d	N/C	1500 Deep Tractor 24-1/4 w x 19-3/4 d	180	33SS Seat Slider	60	
1900 Molded Tractor 21 w x 19 d	N/C			16B Foot ring base w/60mm caster. Only available in 175mm or 200mm cylinder.	N/C	

