


SIENNA 8400

STANDARD FEATURES

- Accommodates up to 300lbs
- Meets CAL 117-2013
- 13B - 28" black nylon base
- 55mm dual wheeled, hooded casters
- Fully upholstered outback in black air knit
- Standard seat height approx. range for model pictured (floor to top of seat): 18-3/4" to 22" (with 100mm cylinder)



Model 84214

OPTIONS See pages 138-139 for additional options



8425 Task

MEDIUM BACK

Ratchet back, Multi-function 05-control w/seat slider

Arm	B	C (com)	D	E (col)	F	G	L
Armless	1220	1250	1290	1347	1423	1542	1779

8428 Task

MEDIUM BACK

Ratchet back, multi-function 08-control w/built-in seat slider, knee tilt

Arm	B	C (com)	D	E (col)	F	G	L
Armless	1456	1486	1526	1583	1659	1778	2015

84214 Task

MEDIUM BACK

Advanced synchro tilt control w/ built-in seat slider, tilt lock and ratchet back

Arm	B	C (com)	D	E (col)	F	G	L
Armless	1220	1250	1290	1347	1423	1542	1779

NS842 Task

MEDIUM BACK

Enhanced task 07-control and ratchet back, w/ seat slider

Arm	B	C (com)	D	E (col)	F	G	L
Armless	1192	1222	1262	1319	1395	1514	1751



01A
Fold away arm with vertical and horizontal adjustment. Standard with 10P arm pad.
260



18A
360 degree pivot, vertically and horizontally adjustable arm, standard with 10P arm pad.
190



23A
Forward angled, vertically and horizontally adjustable arm, standard with 10P arm pad.
171



25A
Vertical and horizontal adjustable "T" arm. Standard with 10P arm pad.
145



37A
4-way, multifunction, vertical and horizontal adjustment w/built in pad. Pads cannot be changed.
197

SEAT SIZE OPTIONS

841 X-Small 18 1/2 w x 18 d	N/C	1100 X-Small Tractor 19-3/4 w x 19-3/4 d	65
842 Small 20 w x 18 d	N/C	1200 Small Tractor 22 w x 19-3/4 d	65
843 Medium 20 w x 19 d	Standard	1300 Medium Tractor 22-1/2 w x 20-1/4 d	65
845 Large 21 1/2 w x 20 d	N/C	1500 Deep Tractor 24-1/4 w x 19-3/4 d	180
490 X-Large 23 w x 21 d	N/C		
1900 Molded Tractor 21 w x 19 d	N/C		

POPULAR OPTIONS

■ 70P Extra thick, soft arm pad	20
■ 25F RFoAM (memory foam)	91
■ 60L Air Lumbar	164


24/7 UPGRADE

- **24/7 Upgrade 357**
Includes:
Seat Slider
28" Heavy duty base
70mm Heavy duty casters
9 Ply seat shell
Dual Density Foam
- *24/7 Upgrade option only available on 05, 14, and NS models.*

SIENNA 8400

STANDARD FEATURES

- Accommodates up to 300lbs
- Meets CAL 117-2013
- 13B - 28" black nylon base
- 55mm dual wheeled, hooded casters
- Fully upholstered outback in black air knit
- Standard seat height approx. range for model pictured (floor to top of seat): 18-3/4" to 22" (with 100mm cylinder)



Model 84314

OPTIONS See pages 138-139 for additional options



8435 Task	Arm	B	C (com)	D	E (col)	F	G	L
-----------	-----	---	---------	---	---------	---	---	---

MANAGERS HIGH BACK Ratchet back, multi-function 05-control w/seat slider	Armless	1275	1305	1345	1402	1478	1597	1834
--	---------	------	------	------	------	------	------	------

8438 Task	Arm	B	C (com)	D	E (col)	F	G	L
-----------	-----	---	---------	---	---------	---	---	---

MANAGERS HIGH BACK Ratchet back, multi-function 08-control w/built-in seat slider, knee tilt	Armless	1511	1541	1581	1638	1714	1833	2070
--	---------	------	------	------	------	------	------	------

84314 Task	Arm	B	C (com)	D	E (col)	F	G	L
------------	-----	---	---------	---	---------	---	---	---

MANAGERS HIGH BACK Advanced synchro tilt control w/ built-in seat slider, tilt lock and ratchet back	Armless	1275	1305	1345	1402	1478	1597	1834
--	---------	------	------	------	------	------	------	------

NS843 Task	Arm	B	C (com)	D	E (col)	F	G	L
------------	-----	---	---------	---	---------	---	---	---

MANAGERS HIGH BACK Enhanced task 07-control and ratchet back, w/ seat slider	Armless	1247	1277	1317	1374	1450	1569	1806
--	---------	------	------	------	------	------	------	------



- 01A**
Fold away arm with vertical and horizontal adjustment. Standard with 10P arm pad. **260**
- 18A**
360 degree pivot, vertically and horizontally adjustable arm, standard with 10P arm pad. **190**
- 23A**
Forward angled, vertically and horizontally adjustable arm, standard with 10P arm pad. **171**
- 25A**
Vertical and horizontal adjustable "T" arm. Standard with 10P arm pad. **145**
- 37A**
4-way, multifunction, vertical and horizontal adjustment w/built in pad. Pads cannot be changed. **197**

SEAT SIZE OPTIONS		
841 X-Small 18 1/2 w x 18 d	N/C	
842 Small 20 w x 18 d	N/C	
843 Medium 20 w x 19 d	Standard	
845 Large 21 1/2 w x 20 d	N/C	
490 X-Large 23 w x 21 d	N/C	
1900 Molded Tractor 21 w x 19 d	N/C	

1100 X-Small Tractor 19-3/4 w x 19-3/4 d	65
1200 Small Tractor 22 w x 19-3/4 d	65
1300 Medium Tractor 22-1/2 w x 20-1/4 d	65
1500 Deep Tractor 24-1/4 w x 19-3/4 d	180

POPULAR OPTIONS	
70P Extra thick, soft arm pad	20
25F RFoM (memory foam)	91
59L Comfort Cutout	100
60L Air Lumbar	164
65HR Articulating headrest	485


24/7 Upgrade	357
Includes:	
Seat Slider	
28" Heavy duty base	
70mm Heavy duty casters	
9 Ply seat shell	
Dual Density Foam	
<i>*24/7 Upgrade option only available on 05, 14, and NS models.</i>	

SIENNA 8400



STANDARD FEATURES

- Accommodates up to 350lbs
- 24/7 rated
- Meets CAL 117-2013
- 27B - 28" black nylon reinforced base
- 911C - 70mm heavy-duty casters
- 9 Ply tapered seat shell
- 26F - Dual Density seat foam
- Seat boxing and back seat panel, out-back and bottom in-back cutout in black ballistic nylon
- 58BD - beading (protective edge guard on back)
- Standard seat height approx. range for model pictured (floor to top of seat): 21" to 24-1/2" (with 100mm cylinder)



Model MP844-50

OPTIONS See pages 138-139 for additional options

MP844-50CONT Task	Arm	B	C (com)	D	E (col)	F	G	L
MANAGERS HIGH BACK Ratchet back, Multi-function 50-control w/seat slider	Armless	1725	1755	1795	1852	1928	2047	2284

M8444-14CONT Task	Arm	B	C (com)	D	E (col)	F	G	L
MANAGERS HIGH BACK Advanced synchro tilt control w/ built-in seat slider, tilt lock and ratchet back	Armless	1725	1755	1795	1852	1928	2047	2284

M844N-NS CONT Task	Arm	B	C (com)	D	E (col)	F	G	L
MANAGERS HIGH BACK Enhanced task 07-control and ratchet back, w/ seat slider	Armless	1697	1727	1767	1824	1900	2019	2256



01A
Fold away arm with vertical and horizontal adjustment. Standard with 10P arm pad.
260



18A
360 degree pivot, vertically and horizontally adjustable arm, standard with 10P arm pad.
190



23A
Forward angled, vertically and horizontally adjustable arm, standard with 10P arm pad.
171



25A
Vertical and horizontal adjustable "T" arm. Standard with 10P arm pad.
145



37A
4-way, multifunction, vertical and horizontal adjustment w/built in pad. Pads cannot be changed.
197

Please note: Cross Check, Open House, and Symphony classic will be warranted for 3 years on 24/7 chairs. All other fabrics are not covered under warranty. To ensure the greatest protection for these chairs, we strongly recommend selecting one of the fabrics with over 250,000 double rubs.

SEAT SIZE OPTIONS		
252 Small 20 w x 18 d	N/C	
253 Medium 20 w x 19 d	Standard	
255 Large 21 1/2 w x 20 d	N/C	

POPULAR OPTIONS		
70P Extra thick, soft arm pad	20	
25F RFoAM (memory foam)	91	
60L Air Lumbar	164	
70L Air Thoracic	164	
68L Air Lumbar & Thoracic	261	
65HR Articulating headrest	485	


MP/BT UPGRADE SEAT SIZE OPTIONS		** 400 lbs. rated **
2062 Small 24 w x 20 d	310	
2063 Medium 24 w x 21 d	310	
2064 Large 24 w x 22 d	310	

**400 lbs. rated seats only available on 50-control or NS models
no seat slider

SIENNA 8400

STANDARD FEATURES

- Accommodates up to 300lbs
- Meets CAL 117-2013
- Choice of Black arms & base or (CH) Polished aluminum arms & base
- 55mm dual wheeled, hooded casters
- Fully upholstered outback in black air knit
- Standard seat height approx. range for model pictured (floor to top of seat): 18" to 21-1/2" (with 100mm cylinder)



Model 842

OPTIONS

No options or substitutions are available.



842 Conference

MEDIUM BACK

Swivel tilt 07-control w/ 13B 28" black nylon base & 09A reverse "C" arms

Arm	B	C (com)	D	E (col)	F	G	L
09A	1220	1250	1290	1347	1423	1542	1779



842CH Conference

MEDIUM BACK


Swivel tilt 07-control w/ 15B polished aluminum base & 30A polished aluminum arms

Arm	B	C (com)	D	E (col)	F	G	L
30A	1335	1365	1405	1462	1538	1657	1894



STANDARD FEATURES

- Accommodates up to 300lbs
- Meets CAL 117-2013
- Choice of Black arms & base or (CH) Polished aluminum arms & base
- 55mm dual wheeled, hooded casters
- Fully upholstered outback in black air knit
- Standard seat height approx. range for model pictured (floor to top of seat): 18" to 21-1/2" (with 100mm cylinder)



Model 843

OPTIONS

No options or substitutions are available.



843 Conference

MANAGERS HIGH BACK

Swivel tilt 07-control w/ 13B 28" black nylon high hub base & 09A reverse "C" arms

Arm	B	C (com)	D	E (col)	F	G	L
09A	1275	1305	1345	1402	1478	1597	1834



843CH Conference

MANAGERS HIGH BACK

Swivel tilt 07-control w/ 15B polished aluminum base & 30A polished aluminum arms


Arm	B	C (com)	D	E (col)	F	G	L
30A	1390	1420	1460	1517	1593	1712	1949



SIENNA 8400

STANDARD FEATURES

- Accommodates up to 300lbs
- Meets CAL 117-2013
- 13B - 28" black nylon base
- 55mm dual wheeled, hooded casters
- Fully upholstered outback in black air knit
- 37FR - Adjustable height foot ring
- Standard seat height approx. range for model pictured (floor to top of seat): 28-1/2" to 35-1/2" (with 200mm cylinder)



Model 84233-16B200

OPTIONS See pages 138-139 for additional options

CLICK HERE FOR APPROXIMATE STOOL HEIGHT GUIDELINES

Note: please specify stool kit 37200 or 37270



84233-37200 Stool

MEDIUM BACK
Ratchet back, tri-action 33-control

Arm	B	C (com)	D	E (col)	F	G	L
Armless	1364	1394	1434	1491	1567	1686	1923



01A
Fold away arm with vertical and horizontal adjustment. Standard with 10P arm pad.
260



18A
360 degree pivot, vertically and horizontally adjustable arm, standard with 10P arm pad.
190



23A
Forward angled, vertically and horizontally adjustable arm, standard with 10P arm pad.
171



25A
Vertical and horizontal adjustable "T" arm. Standard with 10P arm pad.
145



37A
4-way, multifunction, vertical and horizontal adjustment w/built in pad. Pads cannot be changed.
197

SEAT SIZE OPTIONS

841 X-Small 18-1/2 w x 18 d	N/C	1100 X-Small Tractor 19-3/4 w x 19-3/4 d	65
842 Small 20 w x 18 d	N/C	1200 Small Tractor 22 w x 19-3/4 d	65
843 Medium 20 w x 19 d	Standard	1300 Medium Tractor 22-1/2 w x 20-1/4 d	65
845 Large 21-1/2 w x 20 d	N/C	1500 Deep Tractor 24-1/4 w x 19-3/4 d	180
490 X-Large 23 w x 21 d	N/C		
1900 Molded Tractor 21 w x 19 d	N/C		

STOOLS POPULAR OPTIONS


- **70P** Extra thick, soft arm pad **20**
- **25F** RFoAM (memory foam) **91**
- **60L** Air Lumbar **164**
- **33SS** Seat Slider **60**
- **16B** Foot ring base **N/C**
w/60mm caster. Only available in 175mm or 200mm cylinder.



SIENNA 8400

STANDARD FEATURES

- Accommodates up to 300lbs
- Meets CAL 117-2013
- 13B - 28" black nylon base
- 55mm dual wheeled, hooded casters
- Fully upholstered outback in black air knit
- 37FR - Adjustable height foot ring
- Standard seat height approx. range for model pictured (floor to top of seat): 28-1/2" to 35-1/2" (with 200mm cylinder)



Model 84333-16B200

OPTIONS See pages 138-139 for additional options

[CLICK HERE FOR APPROXIMATE STOOL HEIGHT GUIDELINES](#)

Note: please specify stool kit 37200 or 37270



84333-37200 Stool

MANAGERS HIGH BACK
Ratchet back, tri-action 33-control

Arm	B	C (com)	D	E (col)	F	G	L
Armless	1419	1449	1489	1546	1622	1741	1978



01A
Fold away arm with vertical and horizontal adjustment. Standard with 10P arm pad.
260



18A
360 degree pivot, vertically and horizontally adjustable arm, standard with 10P arm pad.
190



23A
Forward angled, vertically and horizontally adjustable arm, standard with 10P arm pad.
171



25A
Vertical and horizontal adjustable "T" arm. Standard with 10P arm pad.
145



37A
4-way, multifunction, vertical and horizontal adjustment w/built in pad. Pads cannot be changed.
197

SEAT SIZE OPTIONS

841 X-Small 18-1/2 w x 18 d	N/C	1100 X-Small Tractor 19-3/4 w x 19-3/4 d	65
842 Small 20 w x 18 d	N/C	1200 Small Tractor 22 w x 19-3/4 d	65
843 Medium 20 w x 19 d	Standard	1300 Medium Tractor 22-1/2 w x 20-1/4 d	65
845 Large 21-1/2 w x 20 d	N/C	1500 Deep Tractor 24-1/4 w x 19-3/4 d	180
490 X-Large 23 w x 21 d	N/C		
1900 Molded Tractor 21 w x 19 d	N/C		

STOOLS POPULAR OPTIONS


- 70P Extra thick, soft arm pad 20
- 25F RFoam (memory foam) 91
- 59L Comfort Cutout 100
- 60L Air Lumbar 164
- 33SS Seat Slider 60
- 16B Foot ring base w/60mm caster. Only available in 175mm or 200mm cylinder. N/C



SIENNA 9800

STANDARD FEATURES

- Accommodates up to 350lbs
- Meets CAL 117-2013
- Welded steel frame
- Fully upholstered seat and back
- Outback standard in black air knit
- Completely assembled
- Ganging capability
- Standard seat height: 17-1/2"



Model 9844A

OPTIONS Available options are listed below.



9841NA Guest Lobby

Stacking side chair without arms, stick legs; stacks 8 high

Arm	B	C (com)	D	E (col)	F	G	L
Armless	560	578	600	633	683	754	873

9841A Guest Lobby

Stacking side chair with arms, stick legs; stacks 8 high

Arm	B	C (com)	D	E (col)	F	G	L
Arm	585	603	625	658	708	779	898

9844NA Guest Lobby

Stacking side chair without arms, casters; stacks 4 high

Arm	B	C (com)	D	E (col)	F	G	L
Armless	590	608	630	663	713	784	903

9844A Guest Lobby

Stacking side chair with arms, casters; stacks 4 high

Arm	B	C (com)	D	E (col)	F	G	L
Arm	615	633	655	688	738	809	928

9961 Cart

Cart 495

M9961GB

Ganging Device 73

GUEST LOBBY POPULAR OPTIONS

- 25F RFoam 91
- 26F Dual density foam 53
- 30C Hard floor casters 53