


TECH 1400

STANDARD FEATURES

- Accommodates up to 300lbs
- Meets CAL 117-2013
- 17B - 28" black nylon high hub base
- 60mm dual wheeled casters
- Height adjustable, black mesh back
- Standard seat height approx. range for model pictured (floor to top of seat): 18" to 21" (with 1101 cylinder)



Model 14314

OPTIONS See pages 138-139 for additional options



1435 Task	Arm	B	C (com)	D	E (col)	F	G	L
MANAGERS HIGH BACK Ratchet back, multi-function 05-control w/seat slider	Armless	890	908	930	963	1013	1084	1203

1438 Task	Arm	B	C (com)	D	E (col)	F	G	L
MANAGERS HIGH BACK Ratchet back, multi-function 08-control w/built-in seat slider, knee tilt	Armless	1126	1144	1166	1199	1249	1320	1439

14314 Task	Arm	B	C (com)	D	E (col)	F	G	L
MANAGERS HIGH BACK Advanced synchro tilt control w/ built-in seat slider, tilt lock and ratchet back	Armless	890	908	930	963	1013	1084	1203

NS143 Task	Arm	B	C (com)	D	E (col)	F	G	L
MANAGERS HIGH BACK Enhanced task 07 control and ratchet back w/ seat slider	Armless	862	880	902	935	985	1056	1175



01A
Fold away arm with vertical and horizontal adjustment. Standard with 10P arm pad.
260



18A
360 degree pivot, vertically and horizontally adjustable arm, standard with 10P arm pad.
190



23A
Forward angled, vertically and horizontally adjustable arm, standard with 10P arm pad.
171



25A
Vertical and horizontal adjustable "T" arm. Standard with 10P arm pad.
145



37A
4-way, multifunction, vertical and horizontal adjustment w/built in pad. Pads cannot be changed.
197

MESH OPTIONS

Teknit Mesh Color Bleach Cleanable	75
Standard Mesh Color	50
CLICK HERE FOR COLOR OPTIONS	
CLICK HERE FOR LOGO INFORMATION	

SEAT SIZE OPTIONS

420 X-Small 18-1/2 w x 17 d	N/C
422 Small 20 w x 17-3/4 d	N/C
423 Medium 20-1/4 w x 19 d	Standard
429 Large 21 w x 19-1/2 d	N/C
1900 Molded Tractor 21 w x 19 d	N/C

1100 X-Small Tractor 19-3/4 w x 19-3/4 d	65
1200 Small Tractor 22 w x 19-3/4 d	65
1300 Medium Tractor 22-1/2 w x 20-1/4 d	65
1500 Deep Tractor 24-1/4 w x 19-3/4 d	180

POPULAR OPTIONS

70P Extra thick, soft arm pad	20
25F RFoM (memory foam)	91
60L Air Lumbar	164
70L Air Thoracic	164
68L Air Lumbar & Thoracic	261
65HR Articulating headrest	485

24/7 UPGRADE

24/7 Upgrade	357
Includes:	
Seat Slider	
28" Heavy duty base	
70mm Heavy duty casters	
9 Ply seat shell	
Dual Density Foam	
*24/7 Upgrade option only available on 05, 14, and NS models.	

TECH 1400

STANDARD FEATURES

- Accommodates up to 300lbs
- Meets CAL 117-2013
- 17B - 28" black nylon high hub base
- 60mm dual wheeled casters
- Height adjustable, upholstered back
- Standard seat height approx. range for model pictured (floor to top of seat): 18" to 21" (with 1101 cylinder)



Model 14414

OPTIONS See pages 138-139 for additional options



1445 Task

MANAGERS HIGH BACK

Ratchet back, multi-function 05-control w/seat slider

Arm	B	C (com)	D	E (col)	F	G	L
Armless	1030	1060	1100	1157	1233	1352	1589

1448 Task

MANAGERS HIGH BACK

Ratchet back, multi-function 08-control w/built-in seat slider, knee tilt

Arm	B	C (com)	D	E (col)	F	G	L
Armless	1266	1296	1336	1393	1469	1588	1825

14414 Task

MANAGERS HIGH BACK

Advanced synchro tilt control w/ built-in seat slider, tilt lock and ratchet back

Arm	B	C (com)	D	E (col)	F	G	L
Armless	1030	1060	1100	1157	1233	1352	1589

NS144 Task

MANAGERS HIGH BACK

Enhanced task 07 control and ratchet back w/ seat slider

Arm	B	C (com)	D	E (col)	F	G	L
Armless	1002	1032	1072	1129	1205	1324	1561



01A
Fold away arm with vertical and horizontal adjustment. Standard with 10P arm pad.
260



18A
360 degree pivot, vertically and horizontally adjustable arm, standard with 10P arm pad.
190



23A
Forward angled, vertically and horizontally adjustable arm, standard with 10P arm pad.
171



25A
Vertical and horizontal adjustable "T" arm. Standard with 10P arm pad.
145



37A
4-way, multifunction, vertical and horizontal adjustment w/built in pad. Pads cannot be changed.
197

SEAT SIZE OPTIONS

420 X-Small 18-1/2 w x 17 d	N/C
422 Small 20 w x 17-3/4 d	N/C
423 Medium 20-1/4 w x 19 d	Standard
429 Large 21 w x 19-1/2 d	N/C
1900 Molded Tractor 21 w x 19 d	N/C

1100 X-Small Tractor 19-3/4 w x 19-3/4 d	65
1200 Small Tractor 22 w x 19-3/4 d	65
1300 Medium Tractor 22-1/2 w x 20-1/4 d	65
1500 Deep Tractor 24-1/4 w x 19-3/4 d	180

POPULAR OPTIONS

70P Extra thick, soft arm pad	20
25F RFoAM (memory foam)	91
60L Air Lumbar	164
70L Air Thoracic	164
68L Air Lumbar & Thoracic	261
65HR Articulating headrest	485

24/7 UPGRADE

24/7 Upgrade	357
Includes:	
Seat Slider	
28" Heavy duty base	
70mm Heavy duty casters	
9 Ply seat shell	
Dual Density Foam	
<i>*24/7 Upgrade option only available on 05, 14, and NS models.</i>	

TECH 1400

STANDARD FEATURES

- Accommodates up to 300lbs
- Meets CAL 117-2013
- 17B - 28" black nylon high hub base
- 60mm dual wheeled casters
- Black mesh seat w/ seat slider
- Height adjustable, black mesh back
- Standard seat height approx. range for model pictured (floor to top of seat): 19" to 22" (with 1101 cylinder)



Model 1455

OPTIONS See pages 138-139 for additional options

No multi-shift or bariatric models, mesh seat not available without seat slider



1455 Task

Arm Standard
black mesh

MANAGERS HIGH BACK

Ratchet back, multi-function 05-control w/seat slider

Armless 990

1458 Task

Arm Standard
black mesh

MANAGERS HIGH BACK

Ratchet back, multi-function 08-control w/seat slider, knee tilt

Armless 1226

14514 Task

Arm Standard
black mesh

MANAGERS HIGH BACK

Advanced synchro tilt control w/ built-in seat slider, tilt lock and ratchet back

Armless 990

NS145 Task

Arm Standard
black mesh

MANAGERS HIGH BACK

Enhanced task 07 control and ratchet back w/ seat slider

Armless 962



01A
Fold away arm with vertical and horizontal adjustment. Standard with 10P arm pad.
260



18A
360 degree pivot, vertically and horizontally adjustable arm, standard with 10P arm pad.
190



23A
Forward angled, vertically and horizontally adjustable arm, standard with 10P arm pad.
171



25A
Vertical and horizontal adjustable "T" arm. Standard with 10P arm pad.
145



37A
4-way, multifunction, vertical and horizontal adjustment w/built in pad. Pads cannot be changed.
197

SEAT SIZE OPTIONS

165 Small Mesh Seat 20 w x 18 d	N/C
166 Medium Mesh Seat 20 w x 19-3/4 d	N/C
167 Large Mesh Seat 21-1/2 w x 20 d	Standard

POPULAR OPTIONS

■ 70P Extra thick, soft arm pad	20
■ 60L Air Lumbar	164
■ 70L Air Thoracic	164
■ 68L Air Lumbar & Thoracic	261
■ 65HR Articulating headrest	485

MESH OPTIONS


Teknit Mesh Color - Back Bleach Cleanable	75
Teknit Mesh Color - Seat Bleach Cleanable	75
Standard Mesh Color - Back	50
Standard Mesh Color - Seat	50

[CLICK HERE FOR COLOR OPTIONS](#)
[CLICK HERE FOR LOGO INFORMATION](#)

TECH 1400

STANDARD FEATURES

- Accommodates up to 300lbs
- Meets CAL 117-2013
- Choice of Black arms & base or (CH) Polished aluminum arms & base
- 60mm dual wheeled casters
- Height adjustable, black mesh back
- Standard seat height approx. range for model pictured (floor to top of seat): 17-1/2" to 20-1/2" (with 1101 cylinder)



Model 143CH

OPTIONS

No options or substitutions are available.

No multi-shift or bariatric models



143 Conference

MANAGERS HIGH BACK

Ratchet back, swivel tilt 07-control w/ 17B 28" black nylon high hub base & 09A reverse "C" arms

Arm	B	C (com)	D	E (col)	F	G	L
09A	990	1008	1030	1063	1113	1184	1303



143CH Conference

MANAGERS HIGH BACK

Ratchet back, swivel tilt 07-control w/ 22B polished aluminum base & 30A polished aluminum arms

Arm	B	C (com)	D	E (col)	F	G	L
30A	1105	1123	1145	1178	1228	1299	1418



MESH OPTIONS

Teknit Mesh Color Bleach Cleanable	75
Standard Mesh Color	50

[CLICK HERE FOR COLOR OPTIONS](#)


[CLICK HERE FOR LOGO INFORMATION](#)

TECH 1400

STANDARD FEATURES

- Accommodates up to 300lbs
- Meets CAL 117-2013
- 60mm dual wheeled casters
- Choice of Black arms & base or (CH) Polished aluminum arms & base
- Height adjustable, upholstered back
- Standard seat height approx. range for model pictured (floor to top of seat): 17-1/2" to 20-1/2" (with 1101 cylinder)

back width
19"



seat width
20 1/4"

back height
21 1/2"



seat depth
19"



Model 144

OPTIONS No options or substitutions are available.

No multi-shift or bariatric models



144 Conference

MANAGERS HIGH BACK

Ratchet back, swivel tilt 07-control w/ 17B 28" black nylon high hub base & 09A reverse "C" arms

Arm	B	C (com)	D	E (col)	F	G	L
-----	---	------------	---	------------	---	---	---

09A	1130	1160	1200	1257	1333	1452	1689
-----	------	------	------	------	------	------	------



144CH Conference

MANAGERS HIGH BACK

Ratchet back, swivel tilt 07-control w/ 22B polished aluminum base & 30A polished aluminum arms

Arm	B	C (com)	D	E (col)	F	G	L
-----	---	------------	---	------------	---	---	---


30A	1245	1275	1315	1372	1448	1567	1804
-----	------	------	------	------	------	------	------



TECH 1400

STANDARD FEATURES

- Accommodates up to 300lbs
- Meets CAL 117-2013
- 60mm dual wheeled casters
- 17B - 28" black nylon high hub base
- Height adjustable, black mesh back
- 37FR - Adjustable height foot ring
- Standard seat height approx. range for model pictured (floor to top of seat): 26-1/2" to 33-1/2" (with 200mm cylinder)



Model 14333-37200

OPTIONS See pages 138-139 for additional options

[CLICK HERE FOR APPROXIMATE STOOL HEIGHT GUIDELINES](#)

NOTE: Please specify stool kit 37200 or 37270



14333-37200

MANAGERS HIGH BACK STOOL
Ratchet back, tri-action 33-control

Arm	B	C (com)	D	E (col)	F	G	L
Armless	1034	1052	1074	1107	1157	1228	1347



01A
Fold away arm with vertical and horizontal adjustment. Standard with 10P arm pad.
260



18A
360 degree pivot, vertically and horizontally adjustable arm, standard with 10P arm pad.
190



23A
Forward angled, vertically and horizontally adjustable arm, standard with 10P arm pad.
171



25A
Vertical and horizontal adjustable "T" arm. Standard with 10P arm pad.
145



37A
4-way, multifunction, vertical and horizontal adjustment w/built in pad. Pads cannot be changed.
197

MESH OPTIONS

Teknit Mesh Color Bleach Cleanable	75
Standard Mesh Color	50

[CLICK HERE FOR COLOR OPTIONS](#)

[CLICK HERE FOR LOGO INFORMATION](#)

SEAT SIZE OPTIONS

420 X-Small 18-1/2 w x 17 d	N/C
422 Small 20 w x 17-3/4 d	N/C
423 Medium 20-1/4 w x 19 d	Standard
429 Large 21 w x 19-1/2 d	N/C
1900 Molded Tractor 21 w x 19 d	N/C

1100 X-Small Tractor 19-3/4 w x 19-3/4 d	65
1200 Small Tractor 22 w x 19-3/4 d	65
1300 Medium Tractor 22-1/2 w x 20-1/4 d	65
1500 Deep Tractor 24-1/4 w x 19-3/4 d	180

STOOLS POPULAR OPTIONS


■ 70P Extra thick, soft arm pad	20
■ 25F RFoAM (memory foam)	91
■ 60L Air Lumbar	164
■ 33SS Seat Slider	60
■ 16B Foot ring base w/60mm caster. Only available in 175mm or 200mm cylinder.	N/C



TECH 1400

STANDARD FEATURES

- Accommodates up to 300lbs
- Meets CAL 117-2013
- 17B - 28" black nylon high hub base
- 60mm dual wheeled casters
- Height adjustable, upholstered back
- 37FR - Adjustable height foot ring
- Standard seat height approx. range for model pictured (floor to top of seat): 28" to 35" (with 200mm cylinder)



Model 14433-16B200

OPTIONS See pages 138-139 for additional options

[CLICK HERE FOR APPROXIMATE STOOL HEIGHT GUIDELINES](#)



NOTE: Please specify stool kit 37200 or 37270

14433-37200	Arm	B	C (com)	D	E (col)	F	G	L
MANAGERS HIGH BACKSTOOL								
Ratchet back, tri-action 33-control	Armless	1174	1204	1244	1301	1377	1496	1733



01A
Fold away arm with vertical and horizontal adjustment. Standard with 10P arm pad.
260



18A
360 degree pivot, vertically and horizontally adjustable arm, standard with 10P arm pad.
190



23A
Forward angled, vertically and horizontally adjustable arm, standard with 10P arm pad.
171



25A
Vertical and horizontal adjustable "T" arm. Standard with 10P arm pad.
145



37A
4-way, multifunction, vertical and horizontal adjustment w/built in pad. Pads cannot be changed.
197

SEAT SIZE OPTIONS

420 X-Small 18-1/2 w x 17 d	N/C	1100 X-Small Tractor 19-3/4 w x 19-3/4 d	65
422 Small 20 w x 17-3/4 d	N/C	1200 Small Tractor 22 w x 19-3/4 d	65
423 Medium 20-1/4 w x 19 d	Standard	1300 Medium Tractor 22-1/2 w x 20-1/4 d	65
429 Large 21 w x 19-1/2 d	N/C	1500 Deep Tractor 24-1/4 w x 19-3/4 d	180
1900 Molded Tractor 21 w x 19 d	N/C		

STOOLS POPULAR OPTIONS


- **70P** Extra thick, soft arm pad **20**
- **25F** RFoAM (memory foam) **91**
- **60L** Air Lumbar **164**
- **33SS** Seat Slider **60**
- **16B** Foot ring base w/60mm caster. Only available in 175mm or 200mm cylinder. **N/C**



TECH 1400

STANDARD FEATURES

- Accommodates up to 300lbs
- Meets CAL 117-2013
- 17B - 28" black nylon high hub base
- 60mm dual wheeled casters
- Black mesh seat w/ seat slider
- Height adjustable, black mesh back
- 37FR - Adjustable height foot ring
- Standard seat height approx. range for model pictured (floor to top of seat): 28" to 35" (with 200mm cylinder)



Model 14533-37200

OPTIONS See pages 138-139 for additional options

No multi-shift or bariatric models, mesh seat not available without seat slider

[CLICK HERE FOR APPROXIMATE STOOL HEIGHT GUIDELINES](#)

NOTE: please specify stool kit 37200 or 37270

14533-37200 Stool

Arm Standard
black mesh

MANAGERSHIGHBACKSTOOL
Ratchet back, tri-action 33-controlw/
seat slider

Armless 1194



01A
Fold away arm with vertical and horizontal adjustment. Standard with 10P arm pad.
260



18A
360 degree pivot, vertically and horizontally adjustable arm, standard with 10P arm pad.
190



23A
Forward angled, vertically and horizontally adjustable arm, standard with 10P arm pad.
171



25A
Vertical and horizontal adjustable "T" arm. Standard with 10P arm pad.
145



37A
4-way, multifunction, vertical and horizontal adjustment w/built in pad. Pads cannot be changed.
197

SEAT SIZE OPTIONS

165 Small Mesh Seat 20 w x 18 d	N/C
166 Medium Mesh Seat 20 w x 19-3/4 d	N/C
167 Large Mesh Seat 21-1/2 w x 20 d	Standard

MESH OPTIONS

Teknit Mesh Color - Back Bleach Cleanable	75
Teknit Mesh Color - Seat Bleach Cleanable	75
Standard Mesh Color - Back	50
Standard Mesh Color - Seat	50
CLICK HERE FOR COLOR OPTIONS	
CLICK HERE FOR LOGO INFORMATION	

STOOLS POPULAR OPTIONS


- **70P** Extra thick, soft arm pad **20**
- **60L** Air Lumbar **164**
- **16B** Foot ring base w/60mm caster. Only available in 175mm or 200mm cylinder. **N/C**



TECH 1400

STANDARD FEATURES

- Accommodates up to 400lbs
- Meets CAL 117-2013
- 27B - 28" black nylon reinforced base
- 911C - 70mm heavy-duty casters
- 11 Ply seat shell
- Heavy-duty back bar
- Height adjustable, black mesh back
- Standard seat height approx. range for model pictured (floor to top of seat): 19-1/4" to 22-3/4" (with 100mm cylinder)



Model BT11

OPTIONS See pages 138-139 for additional options

Not available: 04, 08, 09, 18, 23, 24 & 37 Arms; 33 Seat Slider



BT11 Task	Arm	B	C (com)	D	E (col)	F	G	L
MANAGERS HIGH BACK Enhanced ratchet back swivel tilter 07-control	Armless	1142	1160	1182	1215	1265	1336	1455

BT12 Task	Arm	B	C (com)	D	E (col)	F	G	L
MANAGERS HIGH BACK Ratchet back with heavy duty, multi-function infinite tilt lock 50-control w/ longer, easy-access cylinder paddle	Armless	1170	1188	1210	1243	1293	1364	1483



01A
Fold away arm with vertical and horizontal adjustment. Standard with 10P arm pad.
260



03A
Loop arm with vertical and horizontal adjustment.
310



12A
Vertical and horizontal adjustable "T" arm with knob. Standard with 10P arm pad.
180



25A
Vertical and horizontal adjustable "T" arm. Standard with 10P arm pad.
145

MESH OPTIONS		
Teknit Mesh Color Bleach Cleanable	75	
Standard Mesh Color	50	
CLICK HERE FOR COLOR OPTIONS		
CLICK HERE FOR LOGO INFORMATION		

SEAT SIZE OPTIONS			BT POPULAR OPTIONS	
2021 X-Small 24 w x 18 d	N/C		70P Extra thick, soft arm pad	20
2022 Small 24 w x 19 d	N/C		25F RFoam(memory foam)	91
2023 Medium 24 w x 20 d	Standard		60L Air Lumbar	164
2024 Large 24 w x 21 d	N/C		65HR Articulating headrest	485
			24/7 Upgrade for BT models	420

TECH 1400

STANDARD FEATURES

- Accommodates up to 400lbs
- Meets CAL 117-2013
- 27B - 28" black nylon reinforced base
- 911C - 70mm heavy-duty casters
- 11 Ply seat shell
- Heavy-duty back bar
- Height adjustable, upholstered back
- Standard seat height approx. range for model pictured (floor to top of seat): 19-1/2" to 23" (with 100mm cylinder)

back width
19 3/4"



seat width
24"



back height
21 1/2"

seat depth
20"



Model BT14

OPTIONS See pages 138-139 for additional options

Not available: 04, 08, 09, 18, 23, 24 & 37 Arms; 33 Seat Slider



BT13 Task

MANAGERS HIGH BACK
Enhanced ratchet back swivel tilter
07-control

Arm	B	C (com)	D	E (col)	F	G	L
-----	---	------------	---	------------	---	---	---

Armless	1282	1312	1352	1409	1485	1604	1841
---------	------	------	------	------	------	------	------

BT14 Task

MANAGERS HIGH BACK
Ratchet back with heavy duty, multi-
function infinite tilt lock 50-control w/
longer, easy-access cylinder paddle

Arm	B	C (com)	D	E (col)	F	G	L
-----	---	------------	---	------------	---	---	---

Armless	1310	1340	1380	1437	1513	1632	1869
---------	------	------	------	------	------	------	------



01A

Fold away arm with vertical and horizontal adjustment. Standard with 10P arm pad.

260



03A

Loop arm with vertical and horizontal adjustment.

310



12A

Vertical and horizontal adjustable "T" arm with knob. Standard with 10P arm pad.

180



25A

Vertical and horizontal adjustable "T" arm. Standard with 10P arm pad.

145

SEAT SIZE OPTIONS

2021 X-Small 24 w x 18 d	N/C
2022 Small 24 w x 19 d	N/C
2023 Medium 24 w x 20 d	Standard
2024 Large 24 w x 21 d	N/C


BT POPULAR OPTIONS

- 70P Extra thick, soft arm pad 20
- 25F RFoM (memory foam) 91
- 60L Air Lumbar 164
- 65HR Articulating headrest 485
- 24/7 Upgrade for BT models 420

TECH 9400

STANDARD FEATURES

- Accommodates up to 350lbs
- Meets CAL 117-2013
- Welded steel frame
- Black mesh back, fully upholstered seat
- Completely assembled
- Ganging capability
- Standard seat height: 17-1/2"



Model 9431A

OPTIONS Available options are listed below.



9431NA Guest Lobby

Stacking side chair without arms, stick legs, stacks 8 high

Arm	B	C (com)	D	E (col)	F	G	L
Armless	515	533	555	588	638	709	828



9431A Guest Lobby

Stacking side chair with arms, stick legs, stacks 8 high

Arm	B	C (com)	D	E (col)	F	G	L
Arm	540	558	580	613	663	734	853

9434NA Guest Lobby

Stacking side chair without arms, with casters, stacks 4 high

Arm	B	C (com)	D	E (col)	F	G	L
Armless	545	563	585	618	668	739	858

9434A Guest Lobby

Stacking side chair with arms, with casters, stacks 4 high

Arm	B	C (com)	D	E (col)	F	G	L
Arm	570	588	610	643	693	764	883

9961 Cart

Cart 495

M9961GB

Ganging Device 73

GUEST LOBBY MESH OPTIONS

Teknit Mesh Color Bleach Cleanable	50
Standard Mesh Color	30

[CLICK HERE FOR COLOR OPTIONS](#)

[CLICK HERE FOR LOGO INFORMATION](#)


GUEST LOBBY POPULAR OPTIONS

■ 25F RFoam	91
■ 26F Dual density foam	53
■ 30C Hard floor casters	53

TECH 9400

STANDARD FEATURES

- Accommodates up to 350lbs
- Meets CAL 117-2013
- Welded steel frame
- Fully upholstered seat and back
- Completely assembled
- Ganging capability
- Standard seat height: 17-1/2"



Model 9441NA

OPTIONS Available options are listed below.



9441NA Guest Lobby

Stacking side chair without arms, stick legs, stacks 8 high

Arm	B	C (com)	D	E (col)	F	G	L
Armless	610	628	650	681	729	799	916



9441A Guest Lobby

Stacking side chair with arms, stick legs, stacks 8 high

Arm	B	C (com)	D	E (col)	F	G	L
Arm	635	653	675	706	754	824	941

9444NA Guest Lobby

Stacking side chair without arms, with casters, stacks 4 high

Arm	B	C (com)	D	E (col)	F	G	L
Armless	640	658	680	711	759	829	946

9444A Guest Lobby

Stacking side chair with arms, with casters, stacks 4 high

Arm	B	C (com)	D	E (col)	F	G	L
Arm	665	683	705	736	784	854	971

9961 Cart

Cart 495

M9961GB

Ganging Device 73

GUEST LOBBY POPULAR OPTIONS

- 25F RFoam 91
- 26F Dual density foam 53
- 30C Hard floor casters 53